



Monday 23 November 2020 – Morning GCSE (9–1) Physics B (Twenty First Century Science)

J259/04 Depth in physics (Higher Tier)

Time allowed: 1 hour 45 minutes

You must have:

- · a ru er (cm/mm)
- the Data Sheet for GCSE (9–1) Phys cs B (ns de th s document)

You can use:

- · a sc ent f c or graph ca ca cu ator
- an HB penc



| Please write clearly in | n black ink. D | o not writ | e in the barcodes. | | |
|-------------------------|----------------|------------|--------------------|--|--|
| Centre number | | | Candidate number | | |
| First name(s) | | | | | |
| Last name | | | | | |

INSTRUCTIONS

- Use black ink. You can use an HB pencil, but only for graphs and diagrams.
- Write your answer to each question in the space provided. If you need extra space use the lined pages at the end of this booklet. The question numbers must be clearly shown.
- Answer all the guestions.
- Where appropriate, your answer should be supported with working. Marks might be given for using a correct method, even if your answer is wrong.

INFORMATION

- The total mark for this paper is 90.
- The marks for each question are shown in brackets [].
- Quality of extended response will be assessed in questions marked with an asterisk (*).
- This document has 28 pages.

ADVICE

· Read each question carefully before you start your answer.



| 1 | lamoe ie an ae | tranamar and | ha observes | light from | distant galaxies. |
|---|----------------|--------------|-------------|------------|-------------------|
| | James is an as | tronomer and | ne observes | Harit Home | distant dalaxies. |

The diagram shows the spectral lines of hydrogen in the visible part of the electromagnetic spectrum, as seen on Earth, and for two galaxies at different distances away from Earth.

| OCR is aware that third party material appeared in this exam but it has not been possible to identify and acknowledge the source. Item removed due to third party copyright restrictions. |
|---|
| |
| |

| (| a | James | makes a | a conclusion | from | this | data. |
|---|---|---|----------|--------------|------|------|-------|
| • | _ | • | 11101100 | | | | |

Complete the sentences to finish James's conclusion.

Use words from the list.

You can use each word once, more than once, or not at all.

| further | nearer | more | less | red | blue |
|----------------------|----------------------------|----------------|----------------|-------------|-----------------------|
| wavelength | frequency | faster | slower | | |
| The | away t | he galaxies a | re from Ear | th, the | |
| the spectral lines a | are shifted toward | s the | | end | of the spectrum. |
| This suggests that | the | O [†] | f the light co | oming from | galaxies further away |
| is stretched. I can | conclude that mo | re distant gal | axies must | be moving | away from the |
| Earth | , than | galaxies that | t are closer | to Earth, v | vhich suggests |
| that the universe is | s expanding. | | | | [4] |
| James discovers a | a new galaxy and | writes an arti | cle about it | in a scient | ific journal. |
| Before it is publish | ned it must be pee | r reviewed. | | | |
| Explain why and h | ow the article is p | eer reviewe | d. | | |
| Why | | | | | |
| | | | | | |
| How | | | | | |

(b)

2 Electricity is transferred from power stations to consumers by the National Grid, as shown in Fig. 2.1.




Fig. 2.1

(a) The National Grid uses a step-up transformer to increase the potential difference from 25000 V to 400000 V before the current is sent along the transmission cables.

The current in the primary coil of the step-up transformer is 2000A.

Calculate the current flowing in the secondary coil of the step-up transformer.

Use the Data Sheet.

Current = A [3]

(b) Fig. 2.2 shows the UK's demand for electricity during a 24 hour period, and the base load.

The base load is the amount of electricity which is constantly generated.




Fig. 2.2

| (i) | What is the value of the base load? | |
|-----|-------------------------------------|-----|
| | MW | [1] |

(ii) At which approximate time of the day is the demand for electricity the greatest?

.....[1]

(iii) At which approximate time of the day does the demand for electricity become greater than the base load?

Put a ring around the correct answer.

2.30am 7am 4pm 10.30pm

[1]

(c)* The UK uses many types of power stations to meet electrical demand.

The table shows information about four types of power station.

| Type of power station | Start-up time | Maximum power generated (MW) |
|-----------------------|---------------|------------------------------|
| Wind | 10 minutes | 14 000 |
| Fossil fuel | 1 to 2 days | 38 000 |
| Solar | Instant | 5000 |
| Hydroelectric | 1 minute | 5000 |

Describe the **advantages** and **disadvantages** of these four types of power station and **conclude** how these four types of power station could be used to meet electrical demand during the 24-hour period **shown** in **Fig. 2.2**.


| Use your own knowledge of these four types of power station in your answer. |
|---|
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| [6] |

3 Nina wants to make a rainbow maker for her window.

A rainbow maker is a prism and when sunlight hits the prism it makes a rainbow around the room.

(a) Complete the ray diagram to show what happens when a ray of **white light** enters and leaves a prism.

You should include the normal lines on your diagram.



[2]

(b) Nina investigates whether to use a glass prism or a crystal prism for her rainbow maker.

Nina measures the refracted angles of red light and violet light as they emerge from each prism, and records them in the table shown.

| Prism | Angle of refraction of red light emerging from the prism (°) | Angle of refraction of violet light emerging from the prism (°) | |
|---------|--|---|--|
| Glass | 53.5 | 55.2 | |
| Crystal | 65.2 | 69.8 | |

Nina comes to the following conclusion.


| A I | ٠ | | _ |
|-----|---|---|---|
| N | 1 | n | а |

Crystal is better at producing a rainbow around the room, compared to glass.




| Do you agree with Nina's conclusion? | |
|---|----|
| Yes | |
| No | |
| Use data from the table to explain your answer. | |
| | |
| | |
| | [2 |

4 Li does an experiment to investigate the stretching of a spring.



Li records the length of the spring for different weights on the spring, and plots the graph, as shown.



(a) (i) The relationship for the spring can be expressed in the form L = mW + c, where L is the length and W is the weight.

Find out the gradient, \mathbf{m} , and the y-intercept, \mathbf{c} , to complete the relationship for this spring.

| | (ii) | The length of the spring is proportional to the weight on the spring. |
|-----|-------|--|
| | | What physical quantities are represented by the y-intercept, c and the gradient, m ? |
| | | Y-intercept, c = |
| | | Gradient, m = |
| (b) | Li te | ests another spring which has a spring constant of 60 N/m. |
| | | e spring has an original length of 6 cm, and stretches to a length of 18 cm when some ghts are added. |
| | Cal | culate the energy stored in this spring when these weights are added. |
| | Use | the equation: energy stored in a stretched spring = $\frac{1}{2}$ × spring constant × (extension) ² |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | Energy stored = J [4] |

5 Amaya sets up the circuit in Fig. 5.1 to investigate an electrical scent burner.




Fig. 5.1

(a) What is needed for a current to flow in any circuit?

| ` ' | |
|----------------------|--|
| Ammeter | |
| Closed Circuit | |
| Filament Lamp | |
| Potential Difference | |
| Switch | |
| Voltmeter | |

Tick (✓) two boxes.

[1]

(b) (i) Calculate the charge flowing through the ammeter when the switch is closed for 2 minutes, using Fig. 5.1.

Give the correct unit.

Charge = Unit [4]


(ii) When the switch is closed for 2 minutes, the work done by the battery on the electrons in the circuit is 2160 J.

Calculate the potential difference across the battery.

Use your answer to (b)(i).

Potential difference = V [3]

(c) In an electrical scent burner the coil of wire in the circuit heats liquid so it turns into a vapour.



Amaya calculates the resistance for three different lengths of the same wire, using her circuit from Fig. 5.1.

| Wire | Length (mm) | Resistance (Ω) |
|------|-------------|----------------|
| Α | 20 | 0.18 |
| В | 10 | 0.14 |
| С | 5 | 0.11 |

| burne | n wire, F | A, B, Of C, | wiii nave u | ie greatest | neating enec | in the elec | ıncar scem |
|-------|-----------|-------------|-------------|-------------|--------------|-------------|------------|
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | [3] |

(d) Amaya wants to investigate the effect of adding another coil of wire connected in parallel.
She sets up the circuit in Fig. 5.2.




Fig. 5.2

Amaya

The ammeter reading should decrease when you connect another coil of wire in parallel.



| Do you agree with Amaya? |
|--------------------------|
| Yes |
| No |
| Explain your answer. |
| |
| |
| |
| |
| |
| [3] |

| 6 | The wreck of the ship, Titanic, is a few kilometers below the surface of the sea. In order to reach |
|---|---|
| | these depths, a mini-submarine capable of resisting large pressure was used. |

The mini-submarine contained a ballast tank, which was flooded with water when the mini-submarine wanted to sink, and was emptied of water when it wanted to rise to the surface of the sea.

| (a) | Explain, using forces , how the mini-submarine could sink. | | |
|-----|--|--|--|
| | Use ideas about weight and upthrust in your answer. | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | [3] | | |
| (b) | The Titanic is 3.8 km below the surface of the sea. | | |
| | Calculate the pressure on the submarine from the water, at the depth of the Titanic. | | |
| | Use the data sheet. | | |
| | Give your answer in MPa . | | |
| | The density of seawater = 1025 kg/m ³ | | |
| | Gravitational field strength = 10 N/kg | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |

© OCR 2020 Turn over

Pressure = MPa [4]

| 7 Water can b | be used as a coolant to st | op over-heating in s | ystems such as car | r engines. |
|---------------|----------------------------|----------------------|--------------------|------------|
|---------------|----------------------------|----------------------|--------------------|------------|

Jane does an experiment to find the specific heat capacity of water.

| Já | an | е |
|----|----|---|
|----|----|---|

I can measure the specific heat capacity of water by timing how long a 1900 W kettle takes to boil 1 kg of water.




| (a) | (i) | Give one reason why Jane's result for the specific heat capacity of water will be inaccurate. |
|-----|----------------|--|
| | | |
| | | [1] |
| | (ii) | Suggest one improvement to Jane's experiment, to get a more accurate value for the specific heat capacity of water. |
| | | |
| | | [1] |
| (b) | It tal 20°0 | kes the kettle 3 minutes to heat 1 kg of water to 100 °C from a starting temperature of C. |
| | Calc | culate the specific heat capacity of water. |
| | | the equation: nge in internal energy = mass × specific heat capacity × temperature change |
| | | the equation: rgy transferred = power × time |

| (c) | When water is heated in a kettle, the energy stored within the water changes. |
|-----|--|
| | Describe how heating water in the kettle to boiling point changes the energy stored within the water. |
| | |
| | |
| | |
| | |
| | |
| | [3] |

8* Layla is training for a long distance race. She follows two different training sessions in preparation for running the race, and collects some information on her performance in each training session.

Each training session lasts 30 minutes.

The graph shows her motion for both training sessions.



| Give the similarities and differences between Layla's performance in the two training sessions. |
|---|
| Use calculations from the graph to support your answer. |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| [6] |

9 Kai and Amir live near a wind farm.

They both believe that there is a relationship between average monthly temperature and the power generated by the wind farm.



Kai

I think there is a **strong** correlation between the power generated and average monthly temperature.

Amir

I think there is a **weak** correlation between the power generated and average monthly temperature.




The table shows data for the wind farm over twelve months.

| Month | Average monthly temperature (°C) | Power generated (MW) |
|-----------|--|-------------------------|
| January | 5 | 37 |
| February | 7 | 36 |
| March | 9 | 34 |
| April | 11 | 38 |
| May | 14 | 32 |
| June | 16 | 32 |
| July | 19 | 24 |
| August | 19 | 26 |
| September | 17 | 32 |
| October | 13 | 40 |
| November | 10 | 35 |
| December | 7 | 41 |

(a) (i) Complete the scatter graph by plotting the last four points from the table. [1]

(ii) Draw a line of best fit. [1]



(b) Discuss Kai and Amir's comments.

| Use the graph to support your answer. | |
|---------------------------------------|--|
| | |
| | |
| | |
| | |
| | |
| | |

10 Ben and Ali want to make a loudspeaker to connect to a mobile phone.

They build a loudspeaker from a plastic cup, permanent magnet and coil of wire as shown in Fig. 10.1.

An alternating current flows through the coil of wire when music is played on the mobile phone. This alternating current matches the pattern of the sound waves from the music.





Fig. 10.1

(a) (i) When Ben connects the loudspeaker to his mobile phone and plays music, the sound produced is very quiet, even on the phone's maximum volume.



| Ali |
|----------------------|
| Explain your answer. |
| |
| |
| |
| |
| |
| |

| | (ii) | When Ben's mobile phone is connected to the loudspeaker it produces a sound which has a wavelength of $24\mathrm{cm}$. |
|-----|------|---|
| | | Calculate the frequency of the sound produced. |
| | | Give your answer to 2 significant figures. |
| | | The speed of sound in air is approximately 340 m/s. |
| | | |
| | | |
| | | Frequency = Hz [5] |
| (b) | | removes the battery shown in Fig. 10.2 from his mobile phone, and connects the battery only to the coil of wire. |
| | No | sound is produced. |
| | | & BATTERY PACK O Capacity: Jasonania Lithium.ion |
| | | Fig. 10.2 |
| | | lain why the direct current supplied by the mobile phone battery does not generate a nd from the loudspeaker. |


sound from the loudspeaker.

[4]

- 11 Eve is investigating electromagnetic induction using two coils of wire that are placed close together.
 - Coil 1 is connected to a cell and a switch.

Coil 2 is connected to a zero-centre ammeter, which can show zero, positive or negative current flowing.

Eve's observations are shown in the diagrams below.



| (b) | Explain why no current flows in Coil 2, a few seconds after the switch is closed. |
|-----|---|
| | |
| | |
| | |
| | |
| | |
| | [2 |

END OF QUESTION PAPER

24

ADDITIONAL ANSWER SPACE

| If additional space is required, you should use the following lined page(s). The question number(s must be clearly shown in the margin(s). | | | |
|--|--|--|--|
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| ••••• | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| ••••• | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| ••••• | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |

| |
|------|
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |

26 BLANK PAGE

PLEASE DO NOT WRITE ON THIS PAGE

27 BLANK PAGE

PLEASE DO NOT WRITE ON THIS PAGE

PLEASE DO NOT WRITE ON THIS PAGE



Copyright Information

OCR is committed to seeking permission to reproduce all third-party content that it uses in its assessment materials OCR has attempted to identify and contact all copyright holders whose work is used in this paper of avoid the issue of disclosure of answer-related in ormation to candidates all copyright acknowledgements are reproduced in the OCR Copyright Acknowledgements Booklet his is produced or each series of examinations and is reely available to download from our public website (www.ocr.org.uk) a ter the live examination series

OCR has unwittingly ailed to correctly acknowledge or clear any third-party content in this assessment material OCR will be happy to correct its mistake at the earliest possible opportunity

For queries or urther in ormation please contact he OCR Copyright eam he riangle Building Sha tesbury Road Cambridge CB2 8EA

OCR is part of the Cambridge Assessment Group Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES) which is itself a department of the University of Cambridge