

GCSE (9–1)

Biology A (Gateway)

J247/04: Paper 4 (Higher Tier)

General Certificate of Secondary Education

Mark Scheme for June 2019

OCR (Oxford Cambridge and RSA) is a leading UK awarding body, providing a wide range of qualifications to meet the needs of candidates of all ages and abilities. OCR qualifications include AS/A Levels, Diplomas, GCSEs, Cambridge Nationals, Cambridge Technicals, Functional Skills, Key Skills, Entry Level qualifications, NVQs and vocational qualifications in areas such as IT, business, languages, teaching/training, administration and secretarial skills.

It is also responsible for developing new specifications to meet national requirements and the needs of students and teachers. OCR is a not-for-profit organisation; any surplus made is invested back into the establishment to help towards the development of qualifications and support, which keep pace with the changing needs of today's society.















This mark scheme is published as an aid to teachers and students, to indicate the requirements of the examination. It shows the basis on which marks were awarded by examiners. It does not indicate the details of the discussions which took place at an examiners' meeting before marking commenced.

All examiners are instructed that alternative correct answers and unexpected approaches in candidates' scripts must be given marks that fairly reflect the relevant knowledge and skills demonstrated.

Mark schemes should be read in conjunction with the published question papers and the report on the examination.

© OCR 2019

Annotations available in RM Assessor

| Annotation | Meaning |
|---|--|
|  | Correct response |
|  | Incorrect response |
|  | Omission mark |
|  | Benefit of doubt given |
|  | Contradiction |
|  | Rounding error |
|  | Error in number of significant figures |
|  | Error carried forward |
|  | Level 1 |
|  | Level 2 |
|  | Level 3 |
|  | Benefit of doubt not given |
|  | Noted but no credit given |
| | |
|  | Ignore |
| | |

Abbreviations, annotations and conventions used in the detailed Mark Scheme (to include abbreviations and subject-specific conventions).

| Annotation | Meaning |
|---------------------|---|
| / | alternative and acceptable answers for the same marking point |
| ✓ | Separates marking points |
| DO NOT ALLOW | Answers which are not worthy of credit |
| IGNORE | Statements which are irrelevant |
| ALLOW | Answers that can be accepted |
| () | Words which are not essential to gain credit |
| — | Underlined words must be present in answer to score a mark |
| ECF | Error carried forward |
| AW | Alternative wording |
| ORA | Or reverse argument |

Subject-specific Marking Instructions

INTRODUCTION

Your first task as an Examiner is to become thoroughly familiar with the material on which the examination depends. This material includes:

- the specification, especially the assessment objectives
- the question paper
- the mark scheme.

You should ensure that you have copies of these materials.

You should ensure also that you are familiar with the administrative procedures related to the marking process. These are set out in the OCR booklet **Instructions for Examiners**. If you are examining for the first time, please read carefully **Appendix 5 Introduction to Script Marking: Notes for New Examiners**.

Please ask for help or guidance whenever you need it. Your first point of contact is your Team Leader.

The breakdown of Assessment Objectives for GCSE (9-1) in Biology:


| | Assessment Objective |
|--------------|---|
| AO1 | Demonstrate knowledge and understanding of scientific ideas and scientific techniques and procedures. |
| AO1.1 | Demonstrate knowledge and understanding of scientific ideas. |
| AO1.2 | Demonstrate knowledge and understanding of scientific techniques and procedures. |
| AO2 | Apply knowledge and understanding of scientific ideas and scientific enquiry, techniques and procedures. |
| AO2.1 | Apply knowledge and understanding of scientific ideas. |
| AO2.2 | Apply knowledge and understanding of scientific enquiry, techniques and procedures. |
| AO3 | Analyse information and ideas to interpret and evaluate, make judgements and draw conclusions and develop and improve experimental procedures. |
| AO3.1 | Analyse information and ideas to interpret and evaluate. |
| AO3.1a | Analyse information and ideas to interpret. |
| AO3.1b | Analyse information and ideas to evaluate. |
| AO3.2 | Analyse information and ideas to make judgements and draw conclusions. |
| AO3.2a | Analyse information and ideas to make judgements. |
| AO3.2b | Analyse information and ideas to draw conclusions. |
| AO3.3 | Analyse information and ideas to develop and improve experimental procedures. |
| AO3.3a | Analyse information and ideas to develop experimental procedures. |
| AO3.3b | Analyse information and ideas to improve experimental procedures. |

For answers to Section A if an answer box is blank ALLOW correct indication of answer e.g. circled or underlined.

| Question | | | Answer | Marks | AO element | Guidance |
|----------|--|--|--------|-------|------------|----------|
| 1 | | | B | 1 | 2.2 | |
| 2 | | | B | 1 | 1.2 | |
| 3 | | | D | 1 | 1.1 | |
| 4 | | | A | 1 | 1.1 | |
| 5 | | | C | 1 | 1.2 | |
| 6 | | | B | 1 | 1.1 | |
| 7 | | | C | 1 | 1.1 | |
| 8 | | | B | 1 | 1.1 | |
| 9 | | | B | 1 | 1.1 | |
| 10 | | | B | 1 | 1.2 | |
| 11 | | | D | 1 | 2.1 | |
| 12 | | | B | 1 | 1.1 | |
| 13 | | | B | 1 | 1.2 | |
| 14 | | | C | 1 | 1.1 | |
| 15 | | | D | 1 | 1.1 | |

| Question | | | Answer | Marks | AO element | Guidance |
|----------|-----|-------|---|-------|------------|---|
| 16 | (a) | (i) | feeds on seeds it is a primary (consumer) ✓ feeds on insects, then it is a secondary (consumer) ✓ | 2 | 2.1 | ALLOW eats seeds which are the producer/first trophic level ALLOW eats insects which are the primary consumer ALLOW it feeds on seeds and insects if no other marks scored. IGNORE references to herbivores/carnivores/predators |
| | | (ii) | predator because it eats/kills pine martens ✓ competitor (with pine martens) because they eat flycatchers/same prey ✓ | 2 | 2.1 | ALLOW pine martens are foxes prey ALLOW foxes hunt pine martens ALLOW competitor because pine martens also eat flycatchers |
| | | (iii) | insect(s) / Great tits | 1 | 1.1 | |
| | (b) | (i) | correctly chosen axes, labelled with units ✓ suitable scale for the number of bird boxes ✓ bars correctly drawn ✓ suitable key ✓ | 4 | 2.2 | height (m) must be on x-axis DO NOT ALLOW scale that use less than half the grid ALLOW +/- half a square IGNORE –touching adjacent bars |

| Question | | Answer | Marks | AO element | Guidance |
|----------|------|--|-------|------------|--|
| | (ii) | <p>Any three from: great tits (nest) higher (in the trees) / ORA ✓ this protects them from weasels who live mainly on the ground / ORA ✓ idea flycatchers (nest) at all heights ✓ as pine martens can move up and down/climb the tree ✓</p> | 3 | 3.2b | <p>ALLOW weasels can't reach them/great tits ALLOW fewer great tits lower down as weasels eat them = 2</p> <p>ALLOW flycatchers can get killed anywhere in tree by pine marten IGNORE pine martens eat flycatchers and live in the trees</p> |

| Question | | Answer | Marks | AO element | Guidance | | | |
|----------|-----|--|-------|------------|---|---|------------|--|
| 17 | (a) |  <p>✓✓</p> | 2 | 1.1 | <p>ALLOW numbers matched to correct boxes All 4 lines correct = 2 marks 2 or 3 lines correct = 1 mark 1 or 0 lines correct = 0 mark</p> | | | |
| | (b) | (i) | | | <p>(no) microorganisms (in the soil) ✓</p> <p>no decay (takes place) ✓</p> | 2 | 1.1 2.1 | <p>AW microbes, decomposers, saprophytes, detritivores, bacteria, fungi</p> <p>AW decomposition, rotting, break down ALLOW not enough nitrifying bacteria to replace nitrates / no nitrates released by nitrifying bacteria = 2 IGNORE no organisms to recycle the minerals</p> |
| | | (ii) | | | <p>plants release oxygen by photosynthesis ✓</p> <p>organisms in the soil / microbes / animals release carbon dioxide by respiration ✓</p> | 2 | 2.2 | <p>ALLOW correct word (or symbol) equations for photosynthesis linked to plants and respiration linked to organisms in the soil / microbes / animals</p> <p>AW microbes, decomposers, saprophytes</p> <p>IGNORE breathe out carbon dioxide IGNORE plants will respire and give out carbon dioxide ALLOW 1 mark for plants release oxygen/photosynthesis and microbes give out carbon dioxide/respire if no other marks are awarded.</p> |

| Question | | Answer | Marks | AO element | Guidance |
|----------|-----|---|-------|------------|---|
| 18 | (a) | spread by wind ✓ spores ✓ enters leaves through the stomata ✓ | 3 | 1.1 | ALLOW spread by water/ air / contact ALLOW enters leaf pores IGNORE holes in leaf / wounds / roots / stem |
| | (b) | (i) | 1 | 2.1 | ALLOW kills/burns/eradicates the (barley) powdery mildew |
| | | (ii) | 2 | 2.1 | AW barley powdery mildew for fungus AW pathogen for fungus ALLOW wheat resistant to barley powdery mildew |
| | (c) | (control using) the same field and divide it into two ✓ because different fields may have different types of soil / different minerals / different levels of light ✓ | 2 | 3.3b | ALLOW any suitable improvement e.g. control light / pH / temperature / same location / use optimum concentration of each fungicide / a control explanation must link to suitable improvement e.g. light because photosynthesis would affect growth/yields |

| Question | | Answer | Marks | AO element | Guidance |
|----------|-----|--|-------|---|---|
| 19 | (a) | <p>all organisms show variation / mutation causes variation ✓</p> <p>Any three from: the blue tits with the longer beaks get more food / ORA ✓ they are more likely to survive / ORA ✓ they reproduce and pass on the alleles for longer beaks / ORA ✓ over many generations beak length increases in the blue tit population / ORA ✓</p> | 4 | <p>1.1</p> <p>2.1 x3</p> | <p>ALLOW description of variation in beak length in the original population</p> <p>ALLOW the blue tits with the longer beaks get access bird feeders</p> <p>IGNORE pass on genes</p> <p>ALLOW idea of many repeats of cycle</p> |
| | (b) | <p>shows that over the years the birds are laying eggs earlier (in May) ✓</p> <p>this could be because temperatures are increasing (year on year) ✓</p> <p>however, the data shows a lot of variation ✓</p> <p>there could be other factors involved ✓</p> | 4 | <p>3.1a</p> <p>3.2b</p> <p>3.1a</p> <p>3.2b</p> | <p>ALLOW shows downward trend</p> <p>ALLOW because Earth is getting warmer</p> <p>ALLOW examples of variation in data from the graph ALLOW data shows lots of fluctuations / erratic data / spikes in the data</p> <p>ALLOW examples of factors such as predator/prey relationship may be different</p> |

| Question | | Answer | Marks | AO element | Guidance |
|----------|---------|--|-------|--------------------|---|
| 20 | (a) | (made by) white blood cells / lymphocytes ✓ when stimulated by antigens / antigens detected ✓ | 2 | 1.1 | DO NOT ALLOW phagocytes IGNORE fight off/combat antigens |
| | (b) (i) | control ✓ can act as a comparison / to check the drug works ✓ idea of identifying / eliminates any psychological effect ✓ | 3 | 1.1 | ALLOW placebo contains no active drug / dummy injection ALLOW see the effects of the drug ALLOW to test if receiving something from a doctor or the drug itself is having the effect / some people believe they are feeling better when they are not ALLOW to eliminate placebo effect ALLOW tricks body into thinking it is taking a medicine |
| | | (ii) FIRST CHECK ANSWER ON THE ANSWER LINE If answer = 51.6 (%) award 3 marks 9.1-4.4 = 4.7 ✓ (4.7÷9.1) x 100 ✓ = 51.6 (%) ✓ | 3 | 2 x 2.2 1 x 1.2 | 51.648 / 51.65 /51.7 = two marks ALLOW ECF on the rounding IGNORE sign |

| Question | | Answer | Marks | AO element | Guidance |
|----------|-----|---|-------|---------------------|--|
| | (c) | <pre> graph LR A[cell A] --- C1(()) B[cell B] --- C1 C1 --- CC[cancer cell] C1 --- LY[lymphocyte] C[cell C] --- H[hybridoma] </pre> | 2 | 1.1 | <p>all correct = 2 marks</p> <p>one or two correct = 1 mark</p> |
| Question | | Answer | Marks | AO element | Guidance |
| 21 | (a) | <p>an allele is a form/version of a gene ✓</p> <p>dominant means that it always expresses itself when present ✓</p> | 2 | 1.1 | <p>ALLOW only needs one allele present to be expressed/shown in the phenotype</p> <p>ALLOW allele which is expressed instead of another</p> |
| | (b) | <p>* Please refer to the marking instructions on page 4 of this mark scheme for guidance on how to mark this question.</p> <p>Level 3 (5–6 marks) What the results of the test tell the patient. AND Correctly interprets the information in the graph. AND Includes an analysis of usefulness of having the test.</p> <p>There is a well-developed line of reasoning which is clear and logically structured. The information presented is relevant and substantiated.</p> <p>Level 2 (3–4 marks)</p> | 6 | 3 x 2.2 3 x 3.2a | <p>AO2.2 Applies knowledge and understanding to interpret the results of the test and the information in the graph</p> <ul style="list-style-type: none"> the test can tell them if they have the allele and are therefore likely to get the disease the test will tell them the number of repeats they have the graph will tell them the mean age that symptoms first develop in somebody who has a certain number of repeats symptoms develop earlier with an increased number of CAG repeats / ORA |

| Question | Answer | Marks | AO element | Guidance |
|----------|---|-------|------------|---|
| | <p>What the results of the test tell the patient. OR Correctly interprets the information in the graph.</p> <p>AND Includes an analysis of usefulness of having the test.</p> <p>There is a line of reasoning presented with some structure. The information presented is relevant and supported by some evidence.</p> <p>Level 1 (1–2 marks) What the results of the test tell the patient. OR The answer correctly interprets the information in the graph. OR Includes an analysis of usefulness of having the test.</p> <p>There is an attempt at a logical structure with a line of reasoning. The information is in the most part relevant.</p> <p>0 marks No response or no response worthy of credit.</p> | | | <ul style="list-style-type: none"> • lower number of CAG repeats means a much larger age range in which symptoms first develop / ORA <p>AO3.2a Analyses information and ideas to make judgements and draw conclusions.</p> <ul style="list-style-type: none"> • the person may decide not to have children and therefore will not pass on the allele • there is a wide range of ages that a person of a certain age can first show symptoms • it does not show how bad the symptoms are or how long the person will live for • some people would rather not know when, or if, they are likely to become ill • it's useful to be aware and prepare for when the first symptoms will show • less useful/reliable/predictable test of when the first symptoms will show with a lower number of CAG repeats. • less useful as there is no cure only limited treatment for symptoms |
| (c) | <p>mRNA prevented from carrying the code (for the protein to the ribosomes) ✓</p> <p>this stops protein synthesis ✓</p> | 2 | 2.1 x2 | <p>ALLOW translation cannot take place / ribosomes don't receive the code from mRNA IGNORE references to transcription</p> <p>ALLOW protein (that causes symptoms) is not made/less is made</p> |

| Question | | Answer | Marks | AO element | Guidance |
|----------|-----|--|-------|---------------------------|--|
| 22 | (a) | (the salt) will draw water out of the plant cells by <u>osmosis</u> ✓ | 1 | 2.1 | ALLOW plant cells will lose water and become plasmolysed IGNORE flaccid / dries the plant out |
| | (b) | (i) FIRST CHECK ANSWER ON THE ANSWER LINE If answer = 0.1 (%) award 3 marks = 2.5 ✓ $\frac{2.5}{2500} \times 100$ ✓ = 0.1 (%) ✓ | 3 | 1.2 2.2 1.2 | ALLOW ECF on area of quadrats ALLOW ECF |
| | | (ii) Any three from: the second student samples less area / ORA ✓ the second student did not sample at random / only sampled in the centre of the marsh / ORA ✓ the centre may contain different plants compared to the edges ✓ so, idea that the second student's results may be less representative / less accurate / ORA ✓ | 3 | 3.1b | ASSUME SECOND SAMPLE IF NOT STATED ALLOW only 5 quadrats taken / less repeats / less sample size / less data collected ALLOW the second student will not have results from all over the marsh / ORA |
| | | (iii) make sure the tide is not coming in / make sure that the marsh is stable enough / wash hands after the experiment ✓ | 1 | 3.3b | ALLOW be aware of tide timetables/high tides ALLOW be safe as the tide is unpredictable ALLOW avoid falling into deeper marsh/slipping in mud IGNORE references to clothing |
| | (c) | salt marshes are rare habitats ✓ they contain plants that do not live anywhere else ✓ | 2 | 3.2b | ALLOW salt marsh plants are rare ALLOW plants can be lost / extinct ALLOW loss of habitat for the animals that live there |

| Question | | Answer | Marks | AO element | Guidance |
|----------|---------|---|-------|-------------------|--|
| 23 | (a) | platelets are needed for blood clotting ✓ the rat would keep bleeding/bleed to death ✓ | 2 | 2.1 | |
| | (b) | parents are Rr and Rr ✓ offspring are RR, Rr, Rr, rr ✓ rr identified as being non-resistant ✓ | 3 | 2.2 | ALLOW all marks from a Punnett square ALLOW ECF on offspring |
| | (c) | Rr/heterozygous rats more likely to survive than RR/homozygous rats as they need less vit K / ORA ✓ therefore, when two Rr rats mate rr rats will be born ✓ | 2 | 2.2 | ALLOW rats that need less vit K are more likely to survive |
| | (d) (i) | (DNA) ligase ✓ | 1 | 1.1 | |
| | (ii) | males are XY ✓ so only male rats will be born / ORA ✓ the population will contain an imbalance of sexes / (too many males and) not enough females/no females to mate/reproduce with ✓ | 3 | 1.1 2.1 x2 | ALLOW female is XX DO NOT ALLOW males are YY ALLOW genetic diagram for 2 marks <div style="text-align: center; margin-left: 100px;"> male X Y × female X -- X -- <div style="border: 1px solid black; padding: 5px; display: inline-block; margin-left: 20px;"> XY XY Male only </div> </div> |

OCR (Oxford Cambridge and RSA Examinations)
The Triangle Building
Shaftesbury Road
Cambridge
CB2 8EA

OCR Customer Contact Centre

Education and Learning

Telephone: 01223 553998

Facsimile: 01223 552627

Email: general.qualifications@ocr.org.uk

www.ocr.org.uk

For staff training purposes and as part of our quality assurance programme your call may be recorded or monitored

Oxford Cambridge and RSA Examinations
is a Company Limited by Guarantee
Registered in England
Registered Office; The Triangle Building, Shaftesbury Road, Cambridge, CB2 8EA
Registered Company Number: 3484466
OCR is an exempt Charity

OCR (Oxford Cambridge and RSA Examinations)
Head office
Telephone: 01223 552552
Facsimile: 01223 552553

© OCR 2019

