Write your name here		Other names	;
Edexcel International GCSE	Centre Number		Candidate Number
Physics Unit: 4PH0 Science (Double Av Paper: 1P	vard) 4SC0		
Thursday 12 January 2012 Time: 2 hours	2 – Morning		Paper Reference 4PH0/1P 4SC0/1P
Materials required for exami Ruler, calculator	ination.		Total Marks

Instructions

- Use **black** ink or ball-point pen.
- Fill in the boxes at the top of this page with your name, centre number and candidate number.
- Answer **all** questions.
- Answer the questions in the spaces provided there may be more space than you need.
- Show all the steps in any calculations and state the units.
- Some questions must be answered with a cross in a box ⊠. If you change your mind about an answer, put a line through the box ₩ and then mark your new answer with a cross ⊠.

Information

- The total mark for this paper is 120.
- The marks for each question are shown in brackets
 use this as a guide as to how much time to spend on each question.

Advice

- Read each question carefully before you start to answer it.
- Keep an eye on the time.
- Write your answers neatly and in good English.
- Try to answer every question.
- Check your answers if you have time at the end.





Turn over 🕨



EQUATIONS

You may find the following equations useful.

energy transferred = current \times voltage \times time	$E = I \times V \times t$
pressure \times volume = constant	$p_1 \times V_1 = p_2 \times V_2$
frequency = $\frac{1}{\text{time period}}$	$f = \frac{1}{T}$
$power = \frac{work \ done}{time \ taken}$	$P = \frac{W}{t}$
power = $\frac{\text{energy transferred}}{\text{time taken}}$	$P = \frac{W}{t}$
orbital speed = $\frac{2\pi \times \text{ orbital radius}}{\text{time period}}$	$v = \frac{2 \times \pi \times r}{T}$

Where necessary, assume the acceleration of free fall, $g = 10 \text{ m/s}^2$.





3



P 4 0 1 3 8 A 0 4 3 2

	mains supply takes a current of 5.5 A.	
(i) which of these fuses shot	uld be used with the hairdryer?	(1)
🖾 A 3 A		
🖾 B 5 A		
🖂 C 7 A		
🖸 D 13 A		
(ii) Explain your answer.		(1)
(iii) The hairdrver has a plastic	c case so there is no need for an earth wire o	connection
in the plug.		
Explain why the hairdryer	r is still safe to use.	(2)
	(Total for Question	1 = 6 marks)

2	2 A student measures the density of water.		
	She uses a measuring cylinder and an electror	nic balance.	
	(a) State the equation linking density, mass ar	nd volume.	(1)
			(
	(b) A correct unit for density is		(1)
	🖾 A g/cm		(=)
	🖾 B kg/cm		
	C g/cm ²		
	D g/cm ³		
	(c) Complete the table to show what is measured by an electronic balance. (1)		
	Measuring instrument	What it measures	
m	easuring cylinder	volume	
e	ectronic balance		
		1	



(Total for Question 2 = 9 m	arks)
(ii) Why is it important that she keeps this factor constant?	(1)
(i) State one factor that she should keep the same throughout her experiment.	(1)
(e) The student wants to make sure her experiment is a fair test.	
ectronic balance	
easuring cylinder	
	(4)



P 4 0 1 3 8 A 0 8 3

(d) To find the minimum stopping distance, several different cars were tested.	
Suggest how the data from the different cars should be used to give the values in the graph.	
the graph.	(1)
(e) The tests were carried out on a dry road.	
If the road is icy, describe and explain what change there would be, if any, to	
(i) the thinking distance	(2)
	(=)
(ii) the braking distance	(2)
	(=)
(Total for Question 3 = 9 ma	nrks)
	9
	Turn ove



P 4 0 1 3 8 A 0 1 0 3 2



- **5** A magnetic field pattern can be shown using lines.
 - (a) The diagram shows some magnetic field patterns.

C Which pattern shows a uniform magnetic field? Pattern	(2)
(b) Explain how to produce a uniform magnetic field	d. (3)
	(Total for Question 5 = 5 marks)
12 P 4 0 1 3 8 A	



(b) Every half a minute, the teacher records the count rate.

Time in minutes	Corrected count rate in Bq
0	49
0.5	30
1.0	24
1.5	18
2.0	15
2.5	11
3.0	10
3.5	9
4.0	5
4.5	6

(i) Draw a graph of corrected count rate against time for these results.

(5)



(ii) Use your graph to estimate the half-life for this material. (1)
Half-life = minutes
(c) The isotope technetium-99 is a gamma emitter with a half-life of 6 hours. It is used as a radioactive tracer in medicine.
The technetium-99 is injected into a patient's bloodstream and carried around the body by the blood. The radiation it emits is detected outside the body.
Explain why technetium-99 is suitable for use as a tracer in this way. (3)
(Total for Question 6 = 13 marks)
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$

7 A teacher and two students are measuring the speed of sound.



(,	idents repeat the ex	periment and record their reading	gs in a table.	
	Student	Time in	s	
	Andrew	0.44, 0.46, 0.44, 0.48, 0.43		
	Kefe	0.5, 0.6, 0.4, 0.4, 0.6		
(i) Sta	ite the precision of A	Indrew's readings.		(1)
(ii) Sta	ite the equation link	ing speed, distance travelled and	time taken.	(1)
(iii) The	e teacher was standi	ing 150 m from the students.		
Use	e the experimental c	data recorded by each student to	complete the table b	pelow.
Giv	e your answers to a	n appropriate number of significa	nt figures.	(3)
S	tudent	Mean (average) time in s	Speed of sour	nd in m/s
Andrew				
Kefe				



(c)	The students look in a data book and find that the speed of sound in air is given as 341 m/s.
	The students discuss their results.

My experiment was more accurate because my answer was closest to 341 m/s. No, you didn't allow for reaction time. My result is the best that you can get with this method. No, reaction time didn't matter because I had to react twice and it cancelled out. Andrew Kefe Evaluate these conclusions. (5) (Total for Question 7 = 13 marks)



19

8 The diagram shows a heater coil and a resistor connected to a 12 V battery and an ammeter. The ammeter reading is 1.2 A. 12 V 1.2 A 4.0 Ω - heater coil IIII water (a) (i) State the equation linking voltage, current and resistance. (1) (ii) Calculate the voltage across the 4.0 Ω resistor. (2) Voltage =V (iii) Show that the voltage across the heater coil is about 7 V. (2) (iv) Calculate the energy transferred to the heater coil in 5.0 minutes. (3) Energy transferred = J

After a while, the	perature of the water increases. e temperature reaches a steady	value below the boiling point of water
Explain why the	temperature reaches a steady v	value. (2)
	ed as heating elements in the re	ear windows of cars.
The diagram shows	two possible designs.	
	ble by placing a tick (\checkmark) in the	(1)
Design	Series	Parallel
<u>Х</u> Ү		
	vantages and disadvantages of vindow.	design X when used as a (3)
		(Total for Question 8 = 14 marks)



9 The Hubble Space Telescope is in orbit around the Earth.It detects visible light from distant objects.



(a) Name the force that keeps the telescope in orbit around the Earth.

The Hubble Space Telescope n Its distance above the Earth's s		
(i) The radius of the Earth is 6	400 km.	
Calculate the radius of the	orbit of the Hubble Space Telescope.	(1)
	Radius =	km
(ii) The Hubble Space Telesco	pe completes one orbit in 96 minutes.	
Calculate its orbital speed	in m/s.	
		(3)
	Orbital speed =	m/s



(c)	The Chandra Telescope also orbits the Earth, but does not move in a circular orbit. Its distance from the Earth and its speed change as it orbits the Earth.	
	It travels fastest when it is closest to the Earth. Use ideas about energy to explain why.	(3)
(d)	The Chandra Telescope detects X-rays from distant objects.	
	(i) State the name of the type of wave that includes X-rays and visible light.	(1)
1	(ii) Describe two differences between X-rays and visible light.	(2)
2		
	(Total for Question 9 = 11 mai	·ks)

10 A shopping centre has escalators to move people between floors.



(a) A man of mass 78 kg steps on to an escalator.

The escalator lifts him a height of 5.0 m.

(i) State the equation linking gravitational potential energy, mass, g and height.

(1)

(ii) Show that the gravitational potential energy gained by the man is about 4000 J.

(2)

(iii) State the work done on the man and give the unit.

(2)

Work done = Unit



(b) The escalator is powered by a 7.5 kW electric m	otor.
(i) State the equation linking efficiency, useful	
(i) state the equation linking encicity, useral	(1)
(ii) The escalator lifts 30 people each minute.	
Each person has a mass of 78 kg.	
Calculate the efficiency of the escalator.	
calculate the efficiency of the escalator.	(3)
	Efficiency =
(c) Another escalator has an efficiency of 20%.	·
Its input power is 15 kW.	
Draw a Sankey diagram for this escalator.	
	(3)
	(Total for Question 10 = 12 marks)











(c) In an induction cooker, there is a coil under the surface of the cooker.
coil
A potato is placed in water in a metal pan.
An alternating current is switched on in the coil under the pan.
The coil does not heat the surface of the cooker.
Describe how energy is transferred to heat up all of the potato. (5)
(Total for Question 12 = 12 marks)
TOTAL FOR PAPER = 120 MARKS





31



