

| Please write clearly in | block capitals. | | |
|-------------------------|-----------------|------------------|--|
| Centre number | | Candidate number | |
| Surname | | | |
| Forename(s) | | | |
| Candidate signature | | | |

GCSE CHEMISTRY

F

Foundation Tier Pa

Paper 1

Thursday 17 May 2018

Morning

Time allowed: 1 hour 45 minutes

Materials

For this paper you must have:

- a ruler
- · a scientific calculator
- the periodic table (enclosed).

Instructions

- Use black ink or black ball-point pen.
- Fill in the boxes at the top of this page.
- Answer all questions in the spaces provided.
- Do all rough work in this book. Cross through any work you do not want to be marked.
- In all calculations, show clearly how you work out your answer.

Information

- There are 100 marks available on this paper.
- The marks for questions are shown in brackets.
- You are expected to use a calculator where appropriate.
- You are reminded of the need for good English and clear presentation in your answers.

| For Examiner's Use | | | | |
|--------------------|------|--|--|--|
| Question | Mark | | | |
| 1 | | | | |
| 2 | | | | |
| 3 | | | | |
| 4 | | | | |
| 5 | | | | |
| 6 | | | | |
| 7 | | | | |
| 8 | | | | |
| 9 | | | | |
| 10 | | | | |
| TOTAL | | | | |



2 0 1 This question is about mixtures. 0 1 Substances are separated from a mixture using different methods. Draw **one** line from each substance and mixture to the best method of separation. [3 marks] **Substance and mixture** Method of separation Chromatography Ethanol from ethanol and water Crystallisation Salt from sea water Electrolysis Filtration The different colours in black ink Fractional distillation




Do not write outside the

box

0 1 . 2 A student filters a mixture.

Figure 1 shows the apparatus.

Figure 1



Suggest **one** improvement to the apparatus.

[1 mark]

0 1 . 3 Complete the sentences.

Choose answers from the box.

[2 marks]

| condense | evaporate | freeze | melt | solidify |
|----------|-----------|--------|------|----------|
| | | | | |

In simple distillation, the mixture is heated to make the liquid ______.

The vapour is then cooled to make it . . .



Figure 2 shows the arrangement of atoms in a pure metal and in a mixture of metals.

| | | | | Figure | e 2 | | |
|-------|---------------------|--------------|----------------|-------------------|--------------------|-----------------|-----------------|
| | | | Pure metal | | Mixture of | f metals | |
| | | Metal A — | | | | Metal Metal | al A |
| 0 1.4 | Calculate figure 2. | the percent | tage of metal | B atoms ir | n the mixture | e of metals sho | wn in [2 marks] |
| | | | | | | | |
| | | | Perc | entage of ı | metal B ato | ms = | % |
| 0 1.5 | What is a | mixture of ı | metals called? |) | | | [1 mark] |
| | Tick one b | OOX. | | | | | |
| | An alloy | | | | | | |
| | A compou | nd | | | | | |
| | A molecule | е | | | | | |
| | A polymer | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |



| 0 1.6 | Why is the mixture of metals in Figure 2 harder than the pure metal? | | |
|-------|---|----------|----|
| | Tick one box. | [1 mark] | |
| | The atoms in the mixture are different shapes. | | |
| | The layers in the mixture are distorted. | | |
| | The layers in the mixture slide more easily. | | |
| | The mixture has a giant structure. | | |
| | | | |
| 0 1.7 | A nanoparticle of pure metal A is a cube. | | |
| | Each side of the cube has a length of 20 nm. | | |
| | Figure 3 shows the cube. | | |
| | Figure 3 | | |
| | 20 nm | | |
| | What is the volume of the nanoparticle? | [1 mark] | |
| | Tick one box. | [1 mark] | |
| | 20 nm ³ | | |
| | 60 nm ³ | | |
| | 400 nm ³ | | |
| | 8000 nm ³ | | 11 |
| | | | |



| 0 2 | The halogens are elements in Group 7. | Do not write outside the box |
|---------|--|------------------------------|
| 0 2.1 | Bromine is in Group 7. | |
| | Give the number of electrons in the outer shell of a bromine atom. [1 mark] | k] |
| 0 2 . 2 | Bromine reacts with hydrogen. The gas hydrogen bromide is produced. | |
| | What is the structure of hydrogen bromide? | L 1 |
| | Tick one box. [1 mark | ^ J |
| | Giant covalent | |
| | Ionic lattice | |
| | Metallic structure | |
| | Small molecule | |
| 0 2.3 | What is the formula for fluorine gas? | k1 |
| | Tick one box. | |
| | F | |
| | F ₂ | |
| | F^2 | |
| | 2F | |
| | | |
| | | |



A student mixes solutions of halogens with solutions of their salts.

Table 1 shows the student's observations.

Table 1

| | Potassium chloride (colourless) | Potassium bromide (colourless) | Potassium iodide (colourless) |
|-----------------------|---------------------------------|--------------------------------|-------------------------------|
| Chlorine (colourless) | | Solution turns orange | Solution turns brown |
| Bromine (orange) | No change | | Solution turns brown |
| lodine (brown) | No change | No change | |

| 0 2 . 4 | Explain how the reactivity of the halogens changes going down Group 7. | | | | |
|---------|--|-----------|--|--|--|
| | Use the results in Table 1 . | [3 marks] | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |


Question 2 continues on the next page



| Do out | not side box | writ e the | 6 |
|-----------|--------------------|---------------|---|
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |

| | A company uses chlorine to produce titanium chloride from titanium dioxide. | Do . out |
|-------|---|-------------|
| 0 2.5 | What is the relative formula mass (M_r) of titanium dioxide, TiO ₂ ? | |
| | Relative atomic masses (A_r) : $O = 16$ $Ti = 48$ [1 mark] | |
| | Tick one box. | |
| | 64 | |
| | 80 | |
| | 128 | |
| | 768 | |
| | | |
| 0 2.6 | The company calculates that 500 g of titanium dioxide should produce 1.2 kg of titanium chloride. | |
| | However, the company finds that 500 g of titanium dioxide only produces 900 g of titanium chloride. | |
| | Calculate the percentage yield. | |
| | [2 marks] | |
| | | |
| | | |
| | | |
| | Percentage yield = % | |
| | | _ |
| | | |
| | | |
| | | |







| Do not w | rite |
|-----------|------|
| outside t | he |
| hov | |

| This question is about the structure of the atom. | | | | | | |
|--|--|------------------|---------------------|-----------|--|--|
| Comple | ete the sentences. | | | | | |
| Choose | e answers from the bo | x. | | | | |
| Each w | ord may be used once | e, more than one | ce, or not at all. | [5 marks] | | |
| | electron | ion | neutron | | | |
| | nucleu | s pro | oton | | | |
| The ce | The centre of the atom is the | | | | | |
| The tw | o types of particle in th | e centre of the | atom are the proton | 1 | | |
| and the | e | | | | | |
| James | James Chadwick proved the existence of the | | | | | |
| Niels B | Niels Bohr suggested particles orbit the centre of the atom. This type of particle | | | | | |
| is the | | | | | | |
| The two types of particle with the same mass are the neutron | | | | | | |
| and the | and the | | | | | |
| | | | | | | |
| | | | | | | |

Table 2 shows information about two isotopes of element X.

Table 2

| | Mass number | Percentage (%) abundance |
|-----------|-------------|--------------------------|
| Isotope 1 | 63 | 70 |
| Isotope 2 | 65 | 30 |



0 3

0 3 . 1

| $A_{r}=$ | (mass number × percentage) of isotope 1 + (mass number × percentage 100 | |
|----------|---|-----------|
| | Use Table 2 . | |
| | Give your answer to 1 decimal place. | |
| | | [2 marks] |
| | | |
| | | |
| | | |
| | $A_{r} = \underline{\hspace{1cm}}$ | |
| | | |
| 3.3 | Suggest the identity of element X. | |
| | Use the periodic table. | [1 mark] |
| | Element X is | L |
| | | |
| 3.4 | The radius of an atom of element \mathbf{X} is 1.2×10^{-10} m | |
| | The radius of the centre of the atom is $\frac{1}{10000}$ the radius of the atom. | |
| | Calculate the radius of the centre of an atom of element X . | |
| | Give your answer in standard form. | |
| | | [2 marks] |
| | | |
| | | |
| | | |
| | Radius = | m |

10




0 4

A student investigated the electrolysis of sodium chloride solution.

Figure 4 shows the apparatus.

Figure 4




The student measured the volume of gas collected in each measuring cylinder every minute for 20 minutes.



0 4 . 1

Figure 5 shows the volume of hydrogen gas collected in the measuring cylinder after 8 minutes.

Figure 5




What is the volume of hydrogen gas collected?

[1 mark]


Volume = ____ cm³

Question 4 continues on the next page









| 0 4 . 2 | Which of the lines on Figure 6 show that the volume of gas collected is direct | tly |
|---------|--|-----|
| | proportional to the time? | |

[1 mark]

| Roth lines | | |
|------------|--|--|

Tick **one** box.

Chlorine line only

Hydrogen line only

Neither line



| 0 4.3 | Which of the lines on Figure 6 show a positive correlation between the volume of gas collected and time? [1 mark] Tick one box. Both lines Chlorine line only Hydrogen line only Neither line | Do not write outside the box |
|-------|--|------------------------------------|
| | | |
| | Question 4 continues on the next page | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |


Tui



A teacher demonstrates the electrolysis of different substances using graphite electrodes.

Figure 7 shows the apparatus used.

Figure 7



| 0 4.4 | Why can graphite conduct electricity? | [1 mark] |
|-------|---------------------------------------|----------|
| | Tick one box. | [|
| | Graphite exists in layers of atoms. | |
| | Graphite has a giant structure. | |
| | Graphite has a high melting point. | |
| | Graphite has delocalised electrons. | |
| | | |
| | | |
| | | |
| | | |



0 4 . 5

The teacher demonstrates the electrolysis of:

- molten zinc chloride
- potassium bromide solution.

Complete **Table 3** to predict the products.

Choose answers from the box.

[4 marks]

| chlorine | bromine | hydrogen | oxygen | potassium | zinc |
|----------|---------|----------|--------|-----------|------|
| | | | | | |

Table 3

| Substance electrolysed | Product at cathode (negative electrode) | Product at anode (positive electrode) |
|----------------------------|---|---------------------------------------|
| Molten zinc chloride | | |
| Potassium bromide solution | | |

Turn over for the next question

8



0 5

A student investigated the mass of copper oxide produced by heating copper carbonate.

This is the method used.

- 1. Weigh an empty test tube.
- 2. Weigh 2.00 g of copper carbonate into the test tube.
- 3. Heat the copper carbonate until there appears to be no further change.
- 4. Re-weigh the test tube and copper oxide produced.
- 5. Subtract the mass of the empty tube to find the mass of copper oxide.
- 6. Repeat steps 1-5 twice.
- 7. Repeat steps 1–6 with different masses of copper carbonate.

Table 4 shows the student's results.

Table 4

| Mass of copper | Mass of copper oxide in g | | | | |
|----------------|---------------------------|---------|---------|------|--|
| carbonate in g | Trial 1 | Trial 2 | Trial 3 | Mean | |
| 2.00 | 1.29 | 1.27 | 1.31 | 1.29 | |
| 4.00 | 2.89 | 2.57 | 2.59 | 2.58 | |
| 6.00 | 3.85 | 3.90 | 3.87 | 3.87 | |
| 8.00 | 5.12 | 5.15 | 5.09 | Х | |
| 10.00 | 6.42 | 6.45 | 6.45 | 6.44 | |

The equation for the reaction is:

$$CuCO_3(s) \rightarrow CuO(s) + CO_2(g)$$

0 5 . 1 Complete the sentence.

[1 mark]

The state symbol shows carbon dioxide is a



| mark] | Do not write outside the box |
|-------|------------------------------------|
| | |
| mark] | |
| g | |
| mark] | |
| | |

| 0 5 . 2 | Why do the contents of the test tube lose mass in the investigation? [1 mark] |
|---------|---|
| 0 5.3 | Calculate the mean mass X in Table 4 . [1 mark] |
| | X = g |
| 0 5.4 | One of the results in Table 4 is anomalous. |
| | Which result is anomalous? [1 mark] |
| | Mass of copper carbonateg Trial |
| 0 5.5 | Suggest how the investigation could be improved to make sure the reaction is complete. [2 marks] |
| | |
| | |
| | |
| | |
| | |






Another student repeated the investigation using magnesium carbonate instead of copper carbonate.

The word equation for the reaction is:

magnesium carbonate → magnesium oxide + carbon dioxide

Figure 8 shows the results of the investigation.

Figure 8





10

| 0 5.6 | Draw a line of best fit on Figure 8. [1 mark] |
|---------|--|
| 0 5.7 | Determine the mass of magnesium oxide produced by 8.4 g of magnesium carbonate. |
| | Use Figure 8. [1 mark] |
| | Mass = g |
| 0 5 . 8 | Calculate the mass of magnesium oxide produced when 168 g of magnesium carbonate is heated. Use your answer to Question 05.7 [2 marks] |
| | Mass of magnesium oxide produced = g |
| | Turn over for the next question |
| | |



0 6

A student investigated the temperature change in displacement reactions between metals and copper sulfate solution.

This is the method used.

- 1. Measure 50 cm³ of the copper sulfate solution into a polystyrene cup.
- 2. Record the starting temperature of the copper sulfate solution.
- 3. Add the metal and stir the solution.
- 4. Record the highest temperature the mixture reaches.
- 5. Calculate the temperature increase for the reaction.
- 6. Repeat steps 1-5 with different metals.

0 6 . 1

Draw **one** line from each type of variable to the name of the variable in the investigation.

[2 marks]

| Type of variable | Name of variable in the investigation |
|----------------------|---------------------------------------|
| | Concentration of solution |
| Dependent variable | Particle size of solid |
| | Temperature change |
| Independent variable | Type of metal |
| | Volume of solution |



| 0 6.2 | The student used a polystyrene cup and not a glass beaker. | Do not write outside the box |
|-------|---|------------------------------------|
| | Why did this make the investigation more accurate? | |
| | Tick one box. | |
| | Glass is breakable | |
| | Glass is transparent | |
| | Polystyrene is a better insulator | |
| | Polystyrene is less dense | |
| | Question 6 continues on the next page | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |

Table 5 shows the student's results.

Table 5


| Metal | Temperature increase in ° C |
|-----------|-----------------------------|
| Magnesium | 38 |
| Nickel | 8 |
| Zinc | 16 |

0 6.3 Complete Figure 9.

Use data from Table 5.

[2 marks]

Figure 9






| | 25 |
|-------|---|
| 0 6.4 | The student concluded that the reactions between the metals and copper sulfate solution are endothermic. |
| | Give one reason why this conclusion is not correct. [1 mark] |
| | |
| 0 6.5 | The temperature increase depends on the reactivity of the metal. |
| | Write the metals magnesium, nickel and zinc in order of reactivity. |
| | Use Table 5 . [1 mark] |
| | Most reactive |
| | Least reactive |
| 0 6.6 | Y is an unknown metal. |
| | Describe a method to find the position of Y in the reactivity series in Question 06.5 [3 marks] |
| | |
| | |
| | |
| | |
| | |
| | |
| | |

Do not write outside the box



Figure 10 shows the reaction profile for the reaction between zinc and copper sulfate solution.


Figure 10



0 6 . 7 Which letter represents the products of the reaction?

[1 mark]


Tick one box.



0 6 . 8 Which letter represents the activation energy?


[1 mark]

Tick **one** box.



12







| A teacher burns sodium in oxygen. O 7. 1 Complete the word equation for the reaction. [1 mark] sodium + oxygen → O 7. 2 What is the name of this type of reaction? Tick one box. | |
|---|--|
| sodium + oxygen → | |
| 0 7. 2 What is the name of this type of reaction? [1 mark] | |
| [1 mark] | |
| | |
| Decomposition | |
| Electrolysis | |
| Oxidation | |
| Precipitation | |
| The teacher dissolves the product of the reaction in water and adds universal indicator. The universal indicator turns purple. What is the pH value of the solution? Tick one box. 1 4 7 13 | |



| 0 7.4 | The solution contains a substance with the formula NaOH | Do not write outside the box |
|-------|--|------------------------------|
| | Give the name of the substance. [1 mark] | |
| | | |
| | | |
| 0 7.5 | All alkalis contain the same ion. | |
| | What is the formula of this ion? [1 mark] | |
| | Tick one box. | |
| | H ⁺ | |
| | Na ⁺ | |
| | OH ⁻ | |
| | O ²⁻ | |
| | | |
| 0 7.6 | A solution of NaOH had a concentration of 40 g/dm ³ | |
| | What mass of NaOH would there be in 250 cm³ of the solution? [2 marks] | |
| | | |
| | | |
| | | |
| | Mass = g | |
| | | |
| | | |



0 7.7

The melting points of the elements in Group 1 show a trend.

Table 6 shows the atomic numbers and melting points of the Group 1 elements.

Table 6


| Element | Atomic number | Melting point in °C |
|-----------|---------------|---------------------|
| Lithium | 3 | 181 |
| Sodium | 11 | 98 |
| Potassium | 19 | 63 |
| Rubidium | 37 | Х |
| Caesium | 55 | 29 |

Plot the data from Table 6 on Figure 11.

[2 marks]







0 7.8 Predict the melting point, **X**, of rubidium, atomic number 37 Use **Figure 11**.

[1 mark]

Melting point = _____ °C

10



| 0 8 | Soluble salts are formed by reacting metal oxides with acids. | Do not write outside the box |
|-------|--|------------------------------|
| 0 8.1 | Give one other type of substance that can react with an acid to form a soluble salt. [1 mark] | |
| | | |
| 0 8.2 | Calcium nitrate contains the ions Ca ²⁺ and NO ₃ ⁻ | |
| | Give the formula of calcium nitrate. [1 mark] | |
| 0 8.3 | Describe a method to make pure, dry crystals of magnesium sulfate from a metal oxide and a dilute acid. [6 marks] | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |



| | Do not write |
|---------------------------------|--------------|
| | outside the |
| | 201 |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| Turn ever for the next question | 8 |
| Turn over for the next question | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |



| 0 9 | This question is about metals and metal compounds. | |
|-------|--|-----------|
| 0 9.1 | Iron pyrites is an ionic compound. | |
| | Figure 12 shows a structure for iron pyrites. | |
| | Figure 12 | |
| | Key Fe S | |
| | Determine the formula of iron pyrites. | |
| | Use Figure 12. | [1 mark] |
| | | |
| 0 9.2 | An atom of iron is represented as $^{56}_{26}$ Fe Give the number of protons, neutrons and electrons in this atom of iron. Number of protons | [3 marks] |
| | Number of neutrons | |
| | Number of electrons | |
| 0 9.3 | Iron is a transition metal. | |
| | Sodium is a Group 1 metal. | |
| | Give two differences between the properties of iron and sodium. | [2 marks] |
| | 1 | |
| | 2 | |



| Nickel is extracted from nickel oxide by reduction with carbon. [2 marks] 9. 4 Explain why carbon can be used to extract nickel from nickel oxide. [2 marks] 9. 5 An equation for the reaction is: NiO + C → Ni + CO Calculate the percentage atom economy for the reaction to produce nickel. Relative atomic masses (A₁): C = 12 Ni = 59 Relative formula mass (M₁): NiO = 75 Give your answer to 3 significant figures. [3 marks] | | 35 | |
|--|------------------------|---|-----------|
| [2 marks] An equation for the reaction is: $NiO + C \rightarrow Ni + CO$ Calculate the percentage atom economy for the reaction to produce nickel. Relative atomic masses (A_r): $C = 12$ $Ni = 59$ Relative formula mass (M_r): $NiO = 75$ Give your answer to 3 significant figures. | Nic | ckel is extracted from nickel oxide by reduction with carbon. | |
| NiO + C \rightarrow Ni + CO Calculate the percentage atom economy for the reaction to produce nickel. Relative atomic masses (A_r): C = 12 Ni = 59 Relative formula mass (M_r): NiO = 75 Give your answer to 3 significant figures. | 9.4 Exp | plain why carbon can be used to extract nickel from nickel oxide. | [2 marks] |
| NiO + C \rightarrow Ni + CO Calculate the percentage atom economy for the reaction to produce nickel. Relative atomic masses (A_r): C = 12 Ni = 59 Relative formula mass (M_r): NiO = 75 Give your answer to 3 significant figures. | | | |
| NiO + C \rightarrow Ni + CO Calculate the percentage atom economy for the reaction to produce nickel. Relative atomic masses (A_r): C = 12 Ni = 59 Relative formula mass (M_r): NiO = 75 Give your answer to 3 significant figures. | | | |
| NiO + C \rightarrow Ni + CO Calculate the percentage atom economy for the reaction to produce nickel. Relative atomic masses (A_r): C = 12 Ni = 59 Relative formula mass (M_r): NiO = 75 Give your answer to 3 significant figures. | | | |
| NiO + C \rightarrow Ni + CO Calculate the percentage atom economy for the reaction to produce nickel. Relative atomic masses (A_r): C = 12 Ni = 59 Relative formula mass (M_r): NiO = 75 Give your answer to 3 significant figures. | | | |
| Calculate the percentage atom economy for the reaction to produce nickel. Relative atomic masses (A_r): C = 12 Ni = 59 Relative formula mass (M_r): NiO = 75 Give your answer to 3 significant figures. | 9 . 5 An | equation for the reaction is: | |
| Relative atomic masses (A_r): $C = 12$ $Ni = 59$ Relative formula mass (M_r): $NiO = 75$ Give your answer to 3 significant figures. | | NiO + C → Ni + CO | |
| Relative formula mass (M_r): NiO = 75 Give your answer to 3 significant figures. | Cal | Iculate the percentage atom economy for the reaction to produce nickel. | |
| Give your answer to 3 significant figures. | Rel | lative atomic masses (A_r) : $C = 12$ $Ni = 59$ | |
| | Rel | lative formula mass (M_r) : NiO = 75 | |
| | Giv | ve your answer to 3 significant figures. | [3 marks] |
| | | | |
| | | | |
| | | | _ |
| | | | |
| | | | |

Percentage atom economy = %


11



| Do not write |
|--------------|
| outside the |
| box |
| |

- 1 0 Chemical reactions can produce electricity.
- 1 0 . 1 Figure 13 shows a simple cell.

Figure 13



Which of these combinations would **not** give a zero reading on the voltmeter in **Figure 13**?

[1 mark]

Tick one box.

| Electrode A | Electrode B | Electrolyte | |
|-------------|-------------|--------------------------|--|
| Copper | Copper | Sodium chloride solution | |
| Zinc | Zinc | Water | |
| Copper | Zinc | Sodium chloride solution | |
| Copper | Zinc | Water | |



| | Alkaline batteries are non-rechargeable. | Do not write outside the box |
|---------|---|------------------------------------|
| 1 0 . 2 | Why do alkaline batteries eventually stop working? [1 mark] | |
| | | |
| 1 0.3 | Why can alkaline batteries not be recharged? [1 mark] | |
| | Question 10 continues on the next page | |
| | | |
| | | |
| | | |
| | | |
| | | |

3 7

| Do | not | write |
|----|-------|-------|
| ou | tside | e the |
| | ho | ~ |

|).[4] | Complete the balanced equation for the overall reaction in a hydrogen fuel cell. | | | | | |
|-------|--|---------------------------|-------------------------------------|--|--|--|
| | H ₂ + | <i>→</i> | H ₂ O | | | |
| D . 5 | Table 7 shows data about differen | nt ways to power electric | cars. | | | |
| | Table 7 | | | | | |
| | | Hydrogen fuel cell | Rechargeable lithium-ion battery | | | |
| | Time taken to refuel or recharge in minutes | 5 | 30 | | | |
| | Distance travelled before refuelling or recharging in miles | Up to 415 | Up to 240 | | | |
| | Distance travelled per unit of energy in km | 22 | 66 | | | |
| | Cost of refuelling or recharging in £ | 50 | 3 | | | |
| | Minimum cost of car in £ | 60 000 | 18 000 | | | |
| | Evaluate the use of hydrogen fuel batteries to power electric cars. Use Table 7 and your own knowled | | chargeable lithium-ion | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |



| 39 | |
|------------------|------------------------------------|
| | Do not write outside the box |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | 11 |
| END OF QUESTIONS | •• |
| | |
| | |
| | |
| | |
| | |



There are no questions printed on this page DO NOT WRITE ON THIS PAGE ANSWER IN THE SPACES PROVIDED Copyright information For confidentiality purposes, from the November 2015 examination series, acknowledgements of third party copyright material will be published in a separate booklet rather than including them on the examination paper or support materials. This booklet is published after each examination series and is available for free download from www.aqa.org.uk after the live examination series.

Do not write outside the box

Permission to reproduce all copyright material has been applied for. In some cases, efforts to contact copyright-holders may have been unsuccessful and AQA will be happy to rectify any omissions of acknowledgements. If you have any queries please contact the Copyright Team, AQA, Stag Hill House, Guildford, GU2 7XJ.

Copyright © 2018 AQA and its licensors. All rights reserved.

