

Please write clearly in	block capitals.		
Centre number		Candidate number	
Surname			
Forename(s)	-		
Candidate signature			

# GCSE BIOLOGY



Higher Tier Paper 1H

Tuesday 14 May 2019 Afternoon Time allowed: 1 hour 45 minutes

#### **Materials**

For this paper you must have:

- a ruler
- · a scientific calculator.

#### Instructions

- Use black ink or black ball-point pen.
- Fill in the boxes at the top of this page.
- Answer all questions in the spaces provided.
- Do all rough work in this book. Cross through any work you do not want to be marked.
- In all calculations, show clearly how you work out your answer.

### Information

- The maximum mark for this paper is 100.
- The marks for questions are shown in brackets.
- You are expected to use a calculator where appropriate.
- You are reminded of the need for good English and clear presentation in your answers.


For Examiner's Use			
Question	Mark		
1			
2			
3			
4			
5			
6			
7			
8			
TOTAL			



## Answer all questions in the spaces provided.

**0** 1 Figure 1 shows an animal cell viewed using a microscope.

Figure 1



0 1 . 1 The cell contains a nucleus.

What is the function of the nucleus?

[1 mark]

0 1 . 2 Name one type of cell that does not contain a nucleus.

[1 mark]




0 1 . 3	Draw a simple diagram of the cell in <b>Figure 1</b> .	Do not write outside the box
	Label <b>two</b> parts of the cell.	
	[2 marks]	
0 1 . 4	Name <b>one</b> structure found in a plant cell but <b>not</b> found in an animal cell.  [1 mark]	
	Question 1 continues on the next page	



Figure 2 shows some different cells.

Figure 2



0 1 . 5	The real length from point <b>X</b> to point <b>Y</b> is 0.06 mm
	Calculate the magnification.

Use the equation:

$$magnification = \frac{\text{size of image}}{\text{real size of object}}$$

Magnification = ×



[3 marks]

0 1.6	The cells shown in Figure 2 were viewed using a light microscope.	outside the
	Give <b>two</b> advantages of using an electron microscope instead of a light microscope. [2 marks]	
	1	
	2	
		10

Turn over for the next question



0 2	Mosquitoe	s carry a pathog	en that causes m	nalaria.		
0 2.1	What type of pathogen causes malaria?				[4 mouls]	
	Tick (✓) o	ne box.				[1 mark]
	A bacteriu	m				
	A fungus					
	A protist					
	A virus					
	•	nets can help pre	-			
			Tab	le 1		
	Percentage of people with malaria					
		Total number of people in the study	people who use mosquito nets when sleeping	Who use mosquito nets when sleeping	Who do NOT use mosquito nets when sleeping	
		476	426	1.2	40	
0 2.2	'Stu	per made the followdy shows mosquiplece of evidence	uito nets are scie	entifically proven	to prevent mala	ria.' <b>[1 mark]</b>




0 2 . 3	Suggest <b>one</b> reason why the	ne stateme	nt may <b>not</b> be vand.	[1 mark]
	<b>Table 2</b> shows information of Africa.	about the i	number of deaths from ma	llaria in the same area
	Yea	ar	Number of deaths from malaria per 100 000 people	
	200	)5	161	
	200	)7	136	
	200	)9	114	
	201	11	97	
	201	13	94	
	201	15	92	
0 2.4	Predict the number of peop stayed the same.	ole per 100	000 who died from malari	a in 2017 if the trend [1 mark]
	Nur	mber of peo	pple per 100 000 =	
0 2 . 5	Use of mosquito nets has heach year.	nelped to re	duce the number of death	ns from malaria
	Suggest <b>one</b> other reason	for the redu	uced number of deaths fro	m malaria each year. [1 mark]



0 2 . 6	Describe how the human body:	Do not write outside the box
	<ul> <li>prevents pathogens from entering</li> <li>defends itself against pathogens inside the body.</li> </ul> [6 marks]	
		11








A student investigated photosynthesis using pondweed.

Figure 3 shows the apparatus the student used.

Figure 3



This is the method used.

- 1. Set up the apparatus as shown in Figure 3.
- 2. Switch on the lamp.
- 3. After 20 minutes, record the volume of oxygen collected in the measuring cylinder.
- 4. Repeat steps 1–3 using bulbs of different power output.



0 3.2	What was the independent variable in the investigation?  [1 mark]  Tick (✓) one box.	Do not write outside the box
	Power output of bulb	
	Rate of photosynthesis	
	Time to collect oxygen	
	Volume of oxygen collected	
0 3.3	Suggest <b>two</b> ways the method could be improved so the results would be more valid.  [2 marks]	
	2	
	Question 3 continues on the next page	



Table 3 shows the student's results.

Table 3

Power output of bulb in watts	Volume of oxygen collected in 20 minutes in cm <sup>3</sup>	Rate of photosynthesis in cm³/hour	
60	0.5	1.5	
100	0.8	2.4	
150	1.1	X	
200	1.2	3.6	
250	1.2	3.6	

0 3.4	Calculate value <b>X</b> in <b>Table 3</b> .		[1 mark]
		X =	cm <sup>3</sup> /hour




0 3 . 5 Complete Figure 4.

[4 marks]

You should:

- label the x-axis
- use a suitable scale
- plot the data from Table 3 and your answer to Question 03.4
- · draw a line of best fit.

Figure 4



0 3.6	Determine the expected rate of photosynthesis with a bulb of power output 75 watts.
	Use Figure 4.

[1 mark]

Rate of photosynthesis at 75 watts = \_\_\_\_\_ cm<sup>3</sup>/hour



Do not write outside the box 0 3 . 7 Which graph shows the effect of temperature on the rate of photosynthesis? [1 mark] Tick (✓) one box. Rate of photosynthesis Temperature Rate of photosynthesis Temperature Rate of photosynthesis Temperature Rate of photosynthesis 12 Temperature



4	Water moves from a plant to the atmosphere through the leaves.
4.1	How is the volume of water lost from the leaves controlled?  [1 mark]
4.2	Describe the transport of water through a plant from the roots to the atmosphere.  [3 marks]
	Question 4 continues on the next page




A student investigated the volume of water lost from two plants of different species.

Both plants were kept together.

Figure 5 shows the student's results.

Figure 5






0 4.3	Suggest <b>one</b> reason for the difference in the rate of water loss from the two the first 2.5 hours.		Do not write outside the box
		[1 mark]	
0 4.4	Both plants were moved to a different place at 2.5 hours.  Calculate the rate of water loss per hour in plant <b>B</b> from 2.5 hours to 3 hours.	S.	
	Give your answer to <b>2</b> significant figures.	[3 marks]	
	Rate of water loss =	cm <sup>3</sup> /hour	
0 4.5	Suggest <b>two</b> reasons why the rate of water loss in both plants changed afte 2.5 hours.	[2 marks]	
	1		
	2		10



		-
0	5	Figure 6 shows the internal structure of the human heart.

One of the heart valves is labelled.

Figure 6



Sometimes a valve in the heart can start to leak.

0   5   1	Explain why a person with a leaking heart valve has difficulty exercising.	[4 marks]



Do not write outside the box Question 5 continues on the next page DO NOT WRITE ON THIS PAGE ANSWER IN THE SPACES PROVIDED



A patient with a leaking heart valve may have the valve replaced.

A study compared two different types of replacement heart valve:

- mechanical valves
- biological valves from pigs.

The data used in the study was collected from female patients aged 50–69.

Table 4 shows the data.

Table 4

	Type of replacement heart valve	
	Mechanical	Biological
Number of patients given the valve	2852	1754
Number of patients who died from heart-related problems after valve replacement	180	178
Percentage of patients alive after 5 years	91	89
Percentage of patients needing a second valve replacement within 6 years	2.2	5.2
Percentage of patients who had a blood clot on the brain after surgery	5.8	0.1

0 5.2	Give <b>one</b> conclusion about the death of patients from heart-related problems after a valve replacement.
	Include calculations to support your answer.  [3 marks]



0 5 . 3	One risk of mechanical valves is that blood clots can form on the surface of the valve.	Do not write outside the box
	Name the component of the blood that starts the process of blood clotting.  [1 mark]	
0 5.4	Evaluate the use of mechanical replacement heart valves and biological replacement heart valves.  Use information from <b>Table 4</b> and your own knowledge.	
	[6 marks]	



0 6	People with diabetes have difficulty controlling their blood glucose concentration.	Do not write outside the box
0 6 . 1	Which part of the blood transports glucose?	
	Tick (✓) one box. [1 mark]	
	Lymphocytes	
	Plasma	
	Platelets	
	Red blood cells	
	Glucose is often found in the urine of people with diabetes.	
0 6.2	Name a chemical used to test for glucose.  [1 mark]	
0 6.3	Describe a test that could be used to show that a person's urine contains glucose.  [2 marks]  Test	
	Positive result	



0 6 . 4	The body cells of a person with untreated diabetes lose more water than the body	Do not write outside the box
0 0 . 4	cells of a person who does <b>not</b> have diabetes.	<b>20</b> X
	Explain how diabetes can cause the body cells to lose more water.  [3 marks]	
0 6.5	Glucose is absorbed into the blood in the small intestine by both diffusion and active transport.	
	Describe how the small intestine is adapted for efficient absorption.  [5 marks]	
	[O marko]	
	l la companya di managanta di ma	
		12



0 7	A small animal called an axolotl lives in water. The axolotl has a double circulatory system.	Do not outside box
0 7.1	Define the term double circulatory system.  [1 mages]	ark]
	Figure 7 shows the double circulatory system of the axolotl.	
	Figure 7	
	The following figure cannot be reproduced here due to third-party copyright restrictions.	
0 7 . 2	The heart of the axolotl has only one ventricle.	
	Label the ventricle on <b>Figure 7</b> . [1 magestate of the control of	arkl
	["""	ai Kj



Do not write outside the 0 7 . 3 Explain why having only one ventricle makes the circulatory system less efficient than having two ventricles. [2 marks] Figure 8 shows an axolotl. Figure 8 Gills Explain why an axolotl may die in water with a low concentration of oxygen. [4 marks]

Turn over ▶

box



	If a gill of an axolotl is removed, a new gill will grow in its place.	Do no outsi
	Scientists hope to use information on how axolotls grow new gills to help with regenerating human tissue.	
0 7.5	Name the type of cell that divides when a new gill grows.  [1 mark]	
0 7.6	Name <b>one</b> condition that could be treated using regenerated human tissue.  [1 mark]	
0 7.7	Suggest <b>one</b> reason why an axolotl is a suitable animal for research in the laboratory.  [1 mark]	
0 7.8	An axolotl may <b>not</b> be a suitable animal to study when researching regeneration in human tissue.  Suggest <b>one</b> reason why.  [1 mark]	
		1



0 8	Pancreatic cancer develops when a malignant tumour grows inside the pancreas.	Do not write outside the box
0 8 . 1	The pancreas produces digestive enzymes.	
	What is an enzyme?	
	[2 m	arks]
0 8 . 2	Carbohydrase is an enzyme produced by the pancreas.	
	Name <b>two</b> other organs in the digestive system that produce carbohydrase.	
	[2 m	arks]
	1	
	2	
0 8 . 3	One symptom of pancreatic cancer is weight loss.	
	Explain how pancreatic cancer may cause a person to lose weight.	
	Do <b>not</b> refer to hormones in your answer.	
	[4 m	arksj






Enzyme **A** and enzyme **B** are involved in controlling cell division in pancreatic cancer cells.

Most cancer cells produce both enzyme A and enzyme B.

Some people have a gene mutation that stops cancer cells producing enzyme **B**.

Figure 9 shows how cell division is controlled in pancreatic cancer cells.

Figure 9





	Scientists have developed a drug that inhibits enzyme <b>A</b> .		
	The drug is given to pancreatic cancer patients who have the gene mutation that stops cancer cells producing enzyme <b>B</b> .		
	The drug only targets cancer cells.		
0 8.4	Explain why the drug can be used to treat pancreatic cancer in patients with the gene mutation.		
	Use information from Figure 9. [3 marks]		
0 0 5	Explain why the drug could <b>not</b> be used to treat pancreatic cancer in a patient that		
0   8  .   5	produces both enzyme <b>A</b> and enzyme <b>B</b> .  [2 marks]		
	[2 marks]		
	Question 8 continues on the next page		



		_
0 8 . 6	The drug was trialled before it was licensed for use.	Do not write outside the box
	To improve validity of the results in the trial:	
	<ul><li>some patients were given a placebo</li><li>a double-blind trial was used.</li></ul>	
	Give reasons why a placebo and a double-blind trial were used.	
	[2 marks]	
	A placebo	
	A double-blind trial	
0 8.7	One stage in a drug trial is to test the drug on healthy volunteers.	
	What is the next stage in the drug trial?	
	[1 mark] Tick (✓) one box.	
	Testing on all patients with the disease	
	Testing on human tissue	
	Testing on live animals	
	Testing on volunteers with the disease	



	31		
0 8 . 8	A monoclonal antibody has been produced to treat pancreatic cancer.		Do not wri outside th box
	Explain how the monoclonal antibody works to treat pancreatic cancer.	[3 marks]	
			19
	END OF QUESTIONS		



There are no questions printed on this page DO NOT WRITE ON THIS PAGE ANSWER IN THE SPACES PROVIDED Copyright information For confidentiality purposes, from the November 2015 examination series, acknowledgements of third-party copyright material will be published in a separate booklet rather than including them on the examination paper or support materials. This booklet is published after each examination series and is available for free download from www.aqa.org.uk after the live examination series.

Permission to reproduce all copyright material has been applied for. In some cases, efforts to contact copyright-holders may have been unsuccessful and AQA will be happy to rectify any omissions of acknowledgements. If you have any queries please contact the Copyright Team, AQA, Stag Hill House,

Copyright © 2019 AQA and its licensors. All rights reserved.



Guildford, GU2 7XJ.



Do not write outside the

box