

Mark Scheme (Results)

March 2013

GCSE Mathematics (Linear) 1MA0 Foundation (Calculator) Paper 2F





Edexcel and BTEC Qualifications

Edexcel and BTEC qualifications come from Pearson, the world's leading learning company. We provide a wide range of qualifications including academic, vocational, occupational and specific programmes for employers. For further information visit our qualifications websites at <u>www.edexcel.com</u> or <u>www.btec.co.uk</u> for our BTEC qualifications.

Alternatively, you can get in touch with us using the details on our contact us page at <u>www.edexcel.com/contactus</u>.

If you have any subject specific questions about this specification that require the help of a subject specialist, you can speak directly to the subject team at Pearson. Their contact details can be found on this link: <u>www.edexcel.com/teachingservices</u>.

You can also use our online Ask the Expert service at <u>www.edexcel.com/ask</u>. You will need an Edexcel username and password to access this service.

Pearson: helping people progress, everywhere

Our aim is to help everyone progress in their lives through education. We believe in every kind of learning, for all kinds of people, wherever they are in the world. We've been involved in education for over 150 years, and by working across 70 countries, in 100 languages, we have built an international reputation for our commitment to high standards and raising achievement through innovation in education. Find out more about how we can help you and your students at: www.pearson.com/uk

March 2013 Publications Code UG035042 All the material in this publication is copyright © Pearson Education Ltd 2013

NOTES ON MARKING PRINCIPLES

- **1** All candidates must receive the same treatment. Examiners must mark the first candidate in exactly the same way as they mark the last.
- 2 Mark schemes should be applied positively. Candidates must be rewarded for what they have shown they can do rather than penalised for omissions.
- **3** All the marks on the mark scheme are designed to be awarded. Examiners should always award full marks if deserved, i.e if the answer matches the mark scheme. Examiners should also be prepared to award zero marks if the candidate's response is not worthy of credit according to the mark scheme.
- 4 Where some judgement is required, mark schemes will provide the principles by which marks will be awarded and exemplification may be limited.
- **5** Crossed out work should be marked UNLESS the candidate has replaced it with an alternative response.
- **6** Mark schemes will indicate within the table where, and which strands of QWC, are being assessed. The strands are as follows:
 - i) ensure that text is legible and that spelling, punctuation and grammar are accurate so that meaning is clear Comprehension and meaning is clear by using correct notation and labeling conventions.
 - ii) select and use a form and style of writing appropriate to purpose and to complex subject matter Reasoning, explanation or argument is correct and appropriately structured to convey mathematical reasoning.
 - iii) organise information clearly and coherently, using specialist vocabulary when appropriate. The mathematical methods and processes used are coherently and clearly organised and the appropriate mathematical vocabulary used.

7 With working

If there is a wrong answer indicated on the answer line always check the working in the body of the script (and on any diagrams), and award any marks appropriate from the mark scheme.

If working is crossed out and still legible, then it should be given any appropriate marks, as long as it has not been replaced by alternative work.

If it is clear from the working that the "correct" answer has been obtained from incorrect working, award 0 marks. Send the response to review, and discuss each of these situations with your Team Leader.

If there is no answer on the answer line then check the working for an obvious answer.

Any case of suspected misread loses A (and B) marks on that part, but can gain the M marks. Discuss each of these situations with your Team Leader.

If there is a choice of methods shown, then no marks should be awarded, unless the answer on the answer line makes clear the method that has been used.

8 Follow through marks

Follow through marks which involve a single stage calculation can be awarded without working since you can check the answer yourself, but if ambiguous do not award.

Follow through marks which involve more than one stage of calculation can only be awarded on sight of the relevant working, even if it appears obvious that there is only one way you could get the answer given.

9 Ignoring subsequent work

It is appropriate to ignore subsequent work when the additional work does not change the answer in a way that is inappropriate for the question: e.g. incorrect cancelling of a fraction that would otherwise be correct

It is not appropriate to ignore subsequent work when the additional work essentially makes the answer incorrect e.g. algebra.

Transcription errors occur when candidates present a correct answer in working, and write it incorrectly on the answer line; mark the correct answer.

10 Probability

Probability answers must be given a fractions, percentages or decimals. If a candidate gives a decimal equivalent to a probability, this should be written to at least 2 decimal places (unless tenths).

Incorrect notation should lose the accuracy marks, but be awarded any implied method marks.

If a probability answer is given on the answer line using both incorrect and correct notation, award the marks.

If a probability fraction is given then cancelled incorrectly, ignore the incorrectly cancelled answer.

11 Linear equations

Full marks can be gained if the solution alone is given on the answer line, or otherwise unambiguously indicated in working (without contradiction elsewhere). Where the correct solution only is shown substituted, but not identified as the solution, the accuracy mark is lost but any method marks can be awarded.

12 Parts of questions

Unless allowed by the mark scheme, the marks allocated to one part of the question CANNOT be awarded in another.

13 Range of answers

Unless otherwise stated, when an answer is given as a range (e.g 3.5 - 4.2) then this is inclusive of the end points (e.g 3.5, 4.2) and includes all numbers within the range (e.g 4, 4.1)

Guidance on the use of codes within this mark scheme
M1 – method mark A1 – accuracy mark B1 – Working mark C1 – communication mark QWC – quality of written communication oe – or equivalent cao – correct answer only ft – follow through sc – special case dep – dependent (on a previous mark or conclusion) indep – independent isw – ignore subsequent working

1MA 0	MA0_2F								
Que	Question Working		Answer	Mark	Notes				
1	(a)		7025	1	B1 cao				
	(b)		Nine thousand four hundred (and) fifty	1	B1 for Nine thousand four hundred (and) fifty Accept 'nine thousand' written as '9 thousand', 'four hundred' written as '4 hundred' and 'fifty' written as '5 tens' or any mixture of these. Do not penalise poor spelling.				
	(c)		29	1	B1 for 29 or twenty nine or 29.0				
	(d)		7000	1	B1 for 7000 or 7 thousand or seven thousand				
2	(a)		8, 10	1	B1 cao				
	(b)		24	1	B1 cao				
	(c)		reason	1	B1 for a valid reason that demonstrates the understanding that the number of triangles is twice the pattern number				
3	(a)		240	1	B1 for 240				
	(b)		arrow at 125°C	1	B1 for arrow (or line) pointing within a range of 122.5 to 127.5 (ie nearer to 125 than either 120 or 130) Use professional judgement.				
	(c)		6.05 (pm)	1	B1 for 6.05 (pm) oe				

1MA)_2F				
Que	stion	Working	Answer	Mark	Notes
4	(a)		Thursday	1	B1 cao
	(b)		7	1	B1 cao
	*(c)		Nick	3	 M1 for the intention to add Dave's 4 times or Nick's 4 times A1 for 58 and 64 C1 (dep on M1 and two totals) for clearly stating Nick as their answer or ft from their two totals OR M1 for the intention to find the difference between the times on each of the 4 days A1 for 6 or -6 C1 (dep on M1 and a net difference) for clearly stating Nick as their answer or ft from their difference [SC: B1 for "Nick spent 6 minutes more than Dave on his phone" if M0 scored.]
5			9 squares shaded	1	B1 for any 9 squares shaded oe
6			66	2	M1 for a correct method to find the number of people on the bus if the 15 get off first. (= 57) A1 cao OR M1 for a correct method to find the number of people on the bus if the 9 get on first. (= 81) A1 cao OR M1 for a correct method to find the net change in the number of people on the bus (= 6 or -6) A1 cao

1MA(1MA0_2F							
Que	stion	Working	Answer	Mark	Notes			
7		20 - 6.65 13.35 ÷ 3	4.45	3	M1 for a correct method to find the amount shared by B, R and T M1 (dep) for a correct method of dividing this amount by 3 A1 cao [SC: B1 for an answer of 17.78 ($20 - 6.65 \div 3$), if M0 scored, with or without working]			
8	(a)		3, 6, 9, 3	3	 B3 for a table showing all 4 correct frequencies in the correct place. (condone the absence of or any incorrect tallies) [(B2 for 2 or 3 correct tallies or 2 or 3 correct frequencies even in the wrong columns) (B1 for 1 correct tally or 1 correct frequency even in the wrong column)] [SC: B2 for 3/21 and 6/21 and 9/21 and 3/21 shown in the frequency column] 			
	(b)		3	1	B1 for 3 or ft table in (a)			
9			Circle radius 5 cm drawn	1	B1 for a circle of radius 5 cm drawn (condone an alternative centre)			

1MA()_2F				
Que	stion	Working	Answer	Mark	Notes
10	(i)		5,15 or 5,125 or 15,125 or 30,50 or 30,60 or 30,90 or 30,100 or 50,60 or 50,90 or 50,100 or 60,90 or 60,100 or 90,100	4	B1 for 2 numbers, from the list, whose sum is an even number.
	(ii)		60 or 100		B1 for 60 or 100 or both
	(iii)		5 or 15		B1 for 5 or 15 or both
	(iv)		125		B1 cao
11		9.39 × 10 24.30 × 3 + 9.39 93.90 - 82.29	£11.61	5	M1 for a correct method to find the most expensive way to buy the 10 cartridges (= 93.90) M1 for a correct method to find the least expensive way to buy the 10 cartridges (= 82.29) M1 (dep on M1 scored) for a correct method to find the difference between their least and their most expensive way, provided that both totals are for the cost of exactly 10 cartridges A1 for 11.61 B1 (indep) for correct units

Que	stion	Working	Answer	Mark	Notes
12	(a)(i)		B and D	2	B1 cao
	(ii)		G and E		B1 for G and E (allow B and D if not in (i))
	(b)	3+3+3+2+2+1+1+1	16	1	B1 cao
13	(a)		6am	1	B1 for 6am (accept -4) Do not accept 6 alone.
	(b)		3	1	B1 for 3 (allow – 3)
	(c)	-1-5	-6	2	M1 for $-1 - 5$ or intention to subtract 5 from -1 (may be shown on a diagram) A1 cao

1MA0	_2F				
Que	stion	Working	Answer	Mark	Notes
*14			Yes + supporting work	4	M1 for adding the weights of all the ingredients (= 96) M1 (dep) for '96' × 8 A1 cao for 768 C1 (dep on M2), ft for a correct conclusion (yes or no) from a comparison of 750 (pots) with their '768' pots; units must be quoted [SC: B1 for 768 seen without working if M0M0 scored] OR M1 for adding the weights of all the ingredients (= 96) M1 for 750 \div 8 A1 cao for 93.75 C1(dep on M2), ft for a correct conclusion (yes or no) from a comparison of their weight of ingredients in one tank full '93.75' kg with '96' kg; units must be quoted [SC: B1 for 93.75 seen without working if M0M0 scored]] OR M1 for adding the weights of all the ingredients (= 96) M1 (dep) for 750 \div '96' A1 cao for 7.8125 C1(dep on M2), ft for a correct conclusion (yes or no) from a comparison of their number of pots, '7.8125' pots with 8 (pots); units must be quoted [SC: B1 for 7.8125 seen without working if M0M0 scored]]
15			85 29 54 168 93 31 47 171 13 5 9 27 191 65 110 366	3	B3 for fully correct table (B2 for 3 or 4 or 5 correct entries, B1 for 1 or 2 correct entries)

1MA	0_1F				
Qu	estion	Working	Answer	Mark	Notes
16	(a)(i)		5	3	B1 cao
	(ii)		8		B1 cao
	(iii)		5		B1 cao
	(b)		correct sketch	2	B2 for fully correct sketch [B1 for a square (or rectangle) drawn with 2 or 3 connecting triangles on the outside of the square]
17	(a)(i)		12.978(61279)	2	B1 for 12.978()
	(ii)		13		B1 for 13 or ft from a(i) [Note: An answer of 13.0 gets B0]
	(b)		100000	1	B1 cao
18	(a)	$2 \times 8 = 16$ 16 + 7	23	2	M1 for correct substitution of 8 into the expression 2 <i>f</i> A1 cao
	(b)	$3 \times -2 + 5 \times 4$	14	2	M1 for correct substitution into the formula A1 cao

1MA	.0_2F				
Qu	estion	Working	Answer	Mark	Notes
19	(a)		$\frac{40}{360}$	1	B1 for $\frac{40}{360}$ oe (ignore any incorrect simplification) Accept 0.11 if no fraction shown
	(b)		4	3	M1 for a correct method to find the angle of the 'weeding' sector If measured, accept an angle between 138 and 142 inc. M1 (dep) for a correct method to find the number of degrees per hour (= 20) or the number of hours $(\frac{1}{20}(3 \text{ mins}))$ per degree A1 cao for 4
20	(a)		2.5	2	M1 for 10 (cm) or "10" ÷ 4 A1 for 2.45 – 2.55
	(b)		A marked on diagram	2	M1 for a point marked (or line drawn) on a bearing of 038° from either point B or point W, OR for a point marked (or arc drawn) 6 cm from B A1 for the position of Avebury marked (accept without label if not ambiguous)

1MA	.0_2F				
Qu	estion	Working	Answer	Mark	Notes
21	(a)		30	1	B1 for 30 minutes oe
	(b)		20	1	B1 cao
	(c)		graph completed	2	B1 for horizontal line from (5, 20) to (5.30, 20) B1 for a single straight line with the correct gradient from '(5.30, 20)' to the time axis
22	(a)		x = 3 drawn	1	B1 for $x = 3$ drawn [Note: each line drawn must be a single line segment satisfying $x = 3$]
	(b)		$y = x \operatorname{drawn}$	1	B1 for $y = x$ drawn [Note: each line drawn must be a single line segment satisfying $y = x$]
	(c)	Gradient = $\frac{3-0}{02}$	1.5	2	M1 for a method to find the gradient of the given line A1 for 1.5 oe
23	(a)		n^8	1	B1 for n^8 (accept n^{5+3})
	(b)		n^5	1	B1 for n^5 (accept n^{7-2})

1MA	1MA0_2F							
Qu	estion	Working	Answer	Mark	Notes			
24	(a)	15 ÷ 6	2.5	2	M1 for $15 \div 6$ oe A1 for 2.5 or $2\frac{1}{2}$			
	*(b)		Yes + evidence	2	M1 for a correct method to change 15 miles into kilometres C1(dep on M1) for 24 km and statement with correct conclusion [SC: B1 for "Yes" oe and 24 km shown if M0 scored]			
					OR			
					M1 for a correct method to change 20 kilometres into miles C1(dep on M1) for 12.5 miles and statement with correct conclusion [SC: B1 for "Yes" oe and 12.5 miles shown if M0 scored]			

1MA0_2F	1MA0_2F							
Question	Working	Answer	Mark	Notes				
25		414.96	5	M1 for a correct method to work out the amount of oil required to fill the tank M1 for a correct method to find the cost of oil required before the discount M1 for a correct method of finding 5% of their calculated cost M1 (dep on previous M1) for a correct method to find the discounted cost A1 for correct answer of 414.96 or 41496p OR M1 for a correct method of finding 5% of the cost of 1 litre of oil M1 (dep on previous M1) for a correct method to find the discounted cost M1 for a correct method of finding 5% of the cost of 1 litre of oil M1 (dep on previous M1) for a correct method to find the discounted cost of 1 litre of oil M1 for a correct method to work out the amount of oil required to fill the tank M1 for a correct method to find the discounted cost of the oil required A1 for correct method to work out the amount of oil required to fill the tank M1 for a correct method to work out the amount of oil required to fill the tank M1 for a correct method to work out the amount of oil required to fill the tank M1 for a correct method of finding 5% of their calculated amount of oil M1 (dep on previous M1) for a c				

1MA	1MA0_2F							
Question		Working	Answer	Mark	Notes			
26	(a)	1 - 0.2 - 0.1 $0.7 \div 2$	0.35	3	M1 for correctly using total probability 1 or 100% if percentages used M1 (dep) for complete correct method to complete the solution A1 for 0.35 or 35% or $\frac{35}{100}$ oe			
	(b)	0.1 × 200	20	2	M1 for 0.1×200 A1 cao [SC: B1 for an answer of $\frac{20}{200}$ if M0 scored]			
27	(a)		3x + 12	1	B1 for $3x + 12$ or $12 + 3x$			
	(b)		$x^3 + 2x$	2	M1 for the intention to multiply both terms in the bracket by x A1 for $x^3 + 2x$ OR B2 for $x^3 + 2x$ [B1 for x^3 or $2x$ seen]			
	(c)		x(x-6)	1	B1 for $x(x - 6)$ or $(x - 6)x$			

1MA0_2F							
Question	Working	Answer	Mark	Notes			
28		1180	3	M1 for a correct method to find the area of the cross section M1 (dep) for a complete correct method for the volume of the prism A1 cao OR M1 for a correct method to find the volume of one cuboid M1 (dep) for a complete correct method for the volume of the prism A1 cao			

Further copies of this publication are available from Edexcel Publications, Adamsway, Mansfield, Notts, NG18 4FN

Telephone 01623 467467 Fax 01623 450481 Email <u>publication.orders@edexcel.com</u> Order Code UG035042 March 2013

For more information on Edexcel qualifications, please visit our website <u>www.edexcel.com</u>

Pearson Education Limited. Registered company number 872828 with its registered office at Edinburgh Gate, Harlow, Essex CM20 2JE







Rewarding Learning