

Write your name here			
Surname		Other names	
Pearson Edexcel Certificate Pearson Edexcel International GCSE		Centre Number 	Candidate Number
Chemistry Unit: KCH0/4CH0 Paper: 2C			
Tuesday 10 June 2014 – Afternoon Time: 1 hour		Paper Reference KCH0/2C 4CH0/2C	
You must have: Calculator			Total Marks

Instructions

- Use **black** ink or ball-point pen.
- **Fill in the boxes** at the top of this page with your name, centre number and candidate number.
- Answer **all** questions.
- Answer the questions in the spaces provided
– *there may be more space than you need.*
- Show all the steps in any calculations and state the units.
- Some questions must be answered with a cross in a box ☒. If you change your mind about an answer, put a line through the box ☒ and then mark your new answer with a cross ☒.

Information

- The total mark for this paper is 60.
- The marks for **each** question are shown in brackets
– *use this as a guide as to how much time to spend on each question.*

Advice

- Read each question carefully before you start to answer it.
- Keep an eye on the time.
- Write your answers neatly and in good English.
- Try to answer every question.
- Check your answers if you have time at the end.

Turn over ►

P42866A

©2014 Pearson Education Ltd.

1/1/1/



PEARSON

THE PERIODIC TABLE

0

7

6

5

4

3

Group

2

1

Period

1

1	H	1
	Hydrogen	

4	He	2
	Helium	

7	Li	3	9	Be	4
	Lithium			Beryllium	
23	Na	11	24	Mg	12
	Sodium			Magnesium	
39	K	19	40	Ca	20
	Potassium			Calcium	
86	Rb	37	88	Sr	38
	Rubidium			Strontium	
133	Cs	55	137	Ba	56
	Caesium			Barium	
223	Fr	87	226	Ra	88
	Francium			Radium	

11	B	5	12	C	6	14	N	7	16	O	8	19	F	9	20	Ne	10
	Boron			Carbon			Nitrogen			Oxygen			Fluorine			Neon	
27	Al	13	28	Si	14	31	P	15	32	S	16	35.5	Cl	17	40	Ar	18
	Aluminium			Silicon			Phosphorus			Sulfur			Chlorine			Argon	
70	Ga	31	73	Ge	32	75	As	33	79	Se	34	80	Br	35	84	Kr	36
	Gallium			Germanium			Arsenic			Selenium			Bromine			Krypton	
115	In	49	119	Sn	50	122	Sb	51	128	Te	52	127	I	53	131	Xe	54
	Indium			Tin			Antimony			Tellurium			Iodine			Xenon	
204	Tl	81	207	Pb	82	209	Bi	83	210	Po	84	210	At	85	222	Rn	86
	Thallium			Lead			Bismuth			Polonium			Astatine			Radon	

55	Mn	25	56	Fe	26	59	Co	27	59	Ni	28	63.5	Cu	29	65	Zn	30
	Manganese			Iron			Cobalt			Nickel			Copper			Zinc	
96	Cr	24	101	Ru	44	106	Pd	46	108	Ag	47	112	Cd	48	115	In	49
	Chromium			Ruthenium			Palladium			Silver			Cadmium			Indium	
51	V	23	103	Rh	45	106	Pd	46	108	Ag	47	112	Cd	48	115	In	49
	Vanadium			Rhodium			Palladium			Silver			Cadmium			Indium	
45	Sc	21	101	Ru	44	106	Pd	46	108	Ag	47	112	Cd	48	115	In	49
	Scandium			Ruthenium			Palladium			Silver			Cadmium			Indium	
89	Y	39	103	Rh	45	106	Pd	46	108	Ag	47	112	Cd	48	115	In	49
	Yttrium			Rhodium			Palladium			Silver			Cadmium			Indium	
139	La	57	181	Ta	73	192	Ir	77	197	Au	79	201	Hg	80	204	Tl	81
	Lanthanum			Tantalum			Iridium			Gold			Mercury			Thallium	
227	Ac	89	226	Ra	88	227	Ac	89	227	Ac	89	227	Ac	89	227	Ac	89
	Actinium			Radium			Actinium			Actinium			Actinium			Actinium	

Key

Relative atomic mass
Symbol
Name
Atomic number




BLANK PAGE



Answer ALL questions.

- 1** A student investigates some food colourings, each of which is made up of one or more dyes. She produces a chromatogram using the safe colourings red (SR), blue (SB) and green (SG) and food colourings red (FR), blue (FB) and green (FG).

The diagram shows her chromatogram.



- (a) How many dyes are there in SR?

(1)

- ☐ **A** 1 ☐ **B** 2 ☐ **C** 3 ☐ **D** 4

- (b) Complete the table by placing ticks (✓) next to the two food colourings that are definitely safe to use.

Explain your answer.

(2)

Food colouring	Safe to use?
FR	
FB	
FG	

explanation


.....

.....

(Total for Question 1 = 3 marks)



- 2 This apparatus is used to separate a mixture of ethanol (boiling point 78°C) and water (boiling point 100°C).



- (a) What is the name of this method of separation?

(1)

- (b) Why can ethanol and water be separated by this method?

(1)

- (c) Suggest why water should enter the condenser at A rather than B.

(1)

- (d) Explain why the first liquid to be collected in the beaker is mostly ethanol.

(1)

(Total for Question 2 = 4 marks)



3 The diagram shows a section of the Periodic Table and the symbols for the first 20 elements.

H										He					
Li	Be									B	C	N	O	F	Ne
Na	Mg									Al	Si	P	S	Cl	Ar
K	Ca														

(a) (i) What name is given to a horizontal row of elements such as Na to Ar?

(1)

(ii) Name two metals in the row Na to Ar.

(1)

(iii) Which is the least reactive element in the row Na to Ar?

Explain your answer.

(2)

least reactive element.....

explanation.....

(b) State, in terms of electronic configurations, why the elements in the column Li to K have similar chemical properties.

(1)

(c) (i) Which element has atomic number 6?

(1)

(ii) Which element has atoms with an electronic configuration of 2.8.6?

(1)



(d) An atom has atomic number 8 and mass number 18.

How many protons, neutrons and electrons does this atom contain?

(2)

protons.....

neutrons.....

electrons.....

(Total for Question 3 = 9 marks)



P 4 2 8 6 6 A 0 7 2 4

BLANK PAGE



- 4 A student investigates the rate of reaction between sodium thiosulfate and hydrochloric acid at 25°C.


The equation for the reaction is



She uses this method.

- pour 50 cm³ of sodium thiosulfate solution into a conical flask
- place the conical flask on top of a sheet of paper with a cross drawn on it
- add 10 cm³ of hydrochloric acid and start the timer
- stop the timer when the cross can no longer be seen and record the time taken

The student repeats the experiment five times with different volumes of sodium thiosulfate solution. She adds water as necessary to keep the total volume of reaction mixture constant.



- (a) Why can the student no longer see the cross at the end of each experiment?

(1)

- (b) The student keeps the total volume of the reaction mixture constant in each experiment.

Explain how this makes each experiment a fair test.

(1)



(c) The table shows the student's results.

Experiment	Volume of $\text{Na}_2\text{S}_2\text{O}_3$ solution in cm^3	Volume of water in cm^3	Time in seconds
1	50	0	45
2	40	10	60
3	30	20	80
4	20	30	130
5	15	35	180
6	10	40	255

Why is it important for the student to add the water before the acid in experiments 2 to 6?

(1)

.....

.....

.....

(d) Sulfur dioxide gas is given off in the reaction.

Suggest a safety precaution that the student should take when doing this experiment.

Explain your answer.

(2)

precaution.....


explanation.....

.....



(e) (i) Plot the student's results on the grid and draw a curve of best fit.

(3)



(ii) On the grid, sketch the curve that you would expect if the investigation were repeated at 40°C .

Assume all other factors remain constant.


(2)

(Total for Question 4 = 10 marks)



P 4 2 8 6 6 A 0 1 1 2 4

- 5 The diagram shows the diaphragm cell used in the electrolysis of concentrated sodium chloride solution, NaCl(aq) .



- (a) Explain what is meant by the term **electrolysis**.

(2)

.....

.....

.....

.....

- (b) Identify gas A, gas B and solution C.

(3)

gas A.....

gas B.....

solution C.....




(c) Sodium is manufactured by the electrolysis of molten sodium chloride, NaCl(l) .

Sodium is produced at the negative electrode and chlorine is produced at the positive electrode.

(i) Why does the sodium chloride have to be molten before it will conduct electricity?
(1)

(ii) The ionic half-equation for the formation of sodium is



Write the ionic half-equation for the formation of chlorine from chloride ions.

(2)

(Total for Question 5 = 8 marks)



6 Solid X contains two cations (positive ions) and one anion (negative ion).

One of the cations is Fe^{3+}

(a) The table describes the tests carried out on an aqueous solution of X and some of the observations made.

Complete the table by giving the missing observation.

(1)

Test	Observation
add sodium hydroxide solution	
then heat the mixture and test the gas given off with damp red litmus paper	litmus paper turns blue
add dilute hydrochloric acid, then add a few drops of barium chloride solution	white precipitate forms

(b) (i) Which cation, other than Fe^{3+} , is present in X?

Explain your answer.

(2)

cation.....

explanation

.....

(ii) Identify the anion present in X.


(1)

.....



(c) When zinc is added to a solution containing Fe^{3+} ions, a reaction occurs.

The ionic equation for this reaction is



Identify the reducing agent in this reaction and explain your choice.

(2)

reducing agent.....

explanation

.....

.....

(Total for Question 6 = 6 marks)



7 (a) The first two members of the homologous series of alcohols are methanol and ethanol.

(i) Give two characteristics of the compounds in a homologous series.

(2)


1

.....

2

.....

(ii) The displayed formula for methanol is



Suggest a displayed formula for ethanol, $\text{CH}_3\text{CH}_2\text{OH}$

(1)



(b) The table shows the two different processes for making ethanol on a large scale.

Process	Explanation
batch process	the fermentation of sugars with yeast
continuous process	the hydration of ethene (produced from crude oil) with steam

Compare the two processes in terms of

- the rate at which the ethanol can be produced
- the purity of the product
- the use of finite resources

(3)

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....


.....

.....

.....



(c) The equation for the fermentation of glucose is



A mass of 3 600 kg of glucose was completely fermented.

(i) Calculate the amount, in moles, of glucose that was fermented.

(M_r of glucose = 180)

(2)

amount of glucose = mol

(ii) Deduce the amount, in moles, of ethanol produced in this reaction.

(1)

amount of ethanol = mol

(iii) Calculate the volume, in dm^3 at rtp, of carbon dioxide produced in this reaction.

(1 mol of carbon dioxide occupies 24 dm^3 at rtp)

(2)

volume of carbon dioxide = dm^3

(Total for Question 7 = 11 marks)




BLANK PAGE



- 8 The hydrogen needed for the manufacture of ammonia is made by a process called steam reforming.

In this process, a mixture of methane and steam is passed over a nickel catalyst.

The equation for the reaction is



- (a) In this part of the question, assume that the reaction reaches a position of equilibrium.

- (i) Predict whether a high or low temperature would produce the highest yield of hydrogen.

Give a reason for your choice.

(1)

prediction

reason

- (ii) Predict whether a high or low pressure would produce the highest yield of hydrogen.

Give a reason for your choice.

(1)

prediction

reason

- (b) Explain how a catalyst increases the rate of a reaction.

(2)

.....

.....

.....

.....



(c) Some of the carbon monoxide produced is removed in another reaction.

In this reaction, carbon monoxide is mixed with steam and passed over a heated catalyst.

The reaction is reversible and the carbon monoxide is oxidised to carbon dioxide.

(i) Write a chemical equation for this reaction.

(2)

(ii) Explain why the carbon in carbon monoxide is oxidised in this reaction.

(1)

(iii) The carbon dioxide produced can be removed by passing the gas through a solution of potassium carbonate, K_2CO_3

The potassium carbonate reacts with carbon dioxide and water to form potassium hydrogencarbonate, $KHCO_3$

Write a chemical equation for this reaction.

(2)

(Total for Question 8 = 9 marks)

TOTAL FOR PAPER = 60 MARKS



BLANK PAGE



BLANK PAGE



BLANK PAGE

