

# Mark Scheme (Results)

November 2009

GCSE

GCSE Mathematics (Linear) - 1380

Paper: 1380/1F

Edexcel is one of the leading examining and awarding bodies in the UK and throughout the world. We provide a wide range of qualifications including academic, vocational, occupational and specific programmes for employers.

Through a network of UK and overseas offices, Edexcel's centres receive the support they need to help them deliver their education and training programmes to learners.

For further information, please call our GCE line on 0844 576 0025, our GCSE team on 0844 576 0027, or visit our website at [www.edexcel.com](http://www.edexcel.com).

November 2009

Publications Code UG 022423

All the material in this publication is copyright

© Edexcel Ltd 2009

1380/1F					
Question		Working	Answer	Mark	Notes
1	(a)		13°C	1	B1 cao
	(b)		15°C	1	B1 cao
	(c)		7pm	1	B1 Accept 1900, 7
	(d)		Decreasing	1	B1 eg decreasing, downwards, falling, -4°, etc.
2	(a)	Three thousand one hundred and four.	3104 words	1	B1 for Three thousand one hundred and four.
	(b)		2500	1	B1 Accept 25 hundred
	(c)		4000	1	B1 Accept 4 thousand, thousands.
3	(a)	$27 - 18 + 15 =$	24	2	M1 $27 - 18 + 15$ A1 cao
	(b)	$24 \div 3$ or $24 - 3 - 3 - 3 - 3 \dots$	8	2	M1 $24 \div 3$ or complete method for dividing 24 by 3 A1 cao
4	(a)		24	1	B1 cao
	(b)		20	1	B1 cao
	(c)	Friday 16 = 2 wheels Saturday 28 = 3 wheels (24) + $\frac{1}{2}$ wheel	F: 2 wheels S: $3\frac{1}{2}$ wheels	2	B1 cao B1 cao

1380/1F					
Question	Working	Answer	Mark	Notes	
5	(a)		(2,4)	1	B1 cao
	(b)		(-3,1)	1	B1 cao
	(c)		(0,-2) marked	1	B1 cao
6	(a)		5, 2, 1	1	B1 for 5, 2, 1 in any order
	(b) (i)		7p	2	B1 cao
	(b) (ii)		19p		B1 cao
7	(a)	23 33 45 57 63		1	B1 cao
	(b)	-5 -3 1 4 6		1	B1 cao
	(c)	0.3 0.315 0.32 0.379 0.39		1	B1 cao
8	(a)		6.8-7.2	1	B1 6.8-7.2
	(b)		Cross	1	B1 Cross within overlay (2.8-3.2 cm from A)
9	(a)		5	1	B1 cao
	(b)		line	1	B1
	(c)		Reflection	1	B1 Correct reflection. Allow vertices slightly misplaced (no more than $\frac{1}{4}$ side square length)

1380/1F					
Question	Working	Answer	Mark	Notes	
10	(a)	$3 \times 4 + 5 = (3 \times 4) + 5 =$	17	1	B1 cao
	(b)	$8 - 2 \times 4 = 8 - (2 \times 4) =$	0	1	B1 cao
	(c)	$42 \div (2 \times 3) = 42 \div 6 =$	7	1	B1 cao
11	(a)		25	1	B1 cao
	(b)		2000	1	B1 Accept "2 thousand"
12	(a)	$100 - (25 + 40 + 20)$	15%		B1 15 or 15%
	(b)		Salt & Vinegar		B1 Accept S&V, 2 <sup>nd</sup> , 40%, second OR fit from table
	(c)	$\frac{25}{100} = \frac{1}{4}$	$\frac{1}{4}$	2	B2 for $\frac{1}{4}$ (B1 for any equivalent fraction to $\frac{1}{4}$ , 0.25, $\frac{25}{100}$ )
	(d)	$200 \times \frac{20}{100}$ oe, eg $200 \times 20 \div 100$ , $200 \div 5$	40	2	M1 for $200 \times \frac{20}{100}$ oe A1 cao SC: 40% gets M1 A0

1380/1F					
Question		Working	Answer	Mark	Notes
13	(a)(i)		7.0–7.5	1	B1 7.0–7.5, $7\frac{1}{4}$ , $7\frac{1}{2}$
	(ii)		100–120	1	B1 100–120
	(b)(i)		48–52	1	B1 48–52
	(ii)		21–25	1	B1 21–25
14			Triangle	3	B3 Fully correct: One angle and both sides, and drawn as a triangle. (B2 Two of $90^\circ$ , 8 cm, 4.5 cm) (B1 One angle or one side) Tolerances: Angle of $90\pm 2^\circ$ , side of 4.5 cm drawn as 4.3–4.7 cm, side of 8cm drawn as 7.8–8.2 cm.
15	(a)		$\frac{4}{7}$	1	B1 $\frac{4}{7}$ oe
	(b)		$\frac{3}{7}$	2	M1 $\frac{3}{x}$ , $x > 3$ or 1–(a) oe A1 ft

1380/1F													
Question	Working	Answer	Mark	Notes									
16	$\frac{3}{8} + \frac{1}{4} = \frac{3}{8} + \frac{2}{8} =$ <p>Or</p> <table border="1" style="margin-left: auto; margin-right: auto;"> <tr> <td></td> <td>1</td> <td>4</td> </tr> <tr> <td>3</td> <td>XXXX</td> <td>12</td> </tr> <tr> <td>8</td> <td>8</td> <td>32</td> </tr> </table> $8 + 12 = 20$		1	4	3	XXXX	12	8	8	32	$\frac{5}{8}$	2	<p>M1 Use of common denominator: <math>\frac{1}{4}</math> as <math>\frac{2 \times 1}{2 \times 4}</math> or writing both fractions with a common denominator other than 8 with at least one of the fractions correct.</p> <p>OR <math>0.375 + 0.25</math></p> <p>A1 <math>\frac{5}{8}</math> Accept 0.625 only</p> <p>Or</p> <p>M1 for sight of the addition table and <math>8 + 12 (= 20)</math></p> <p>A1 <math>\frac{5}{8}</math></p>
	1	4											
3	XXXX	12											
8	8	32											
17	(a)	$15 \times 6 =$	90p	2	M1 $15 \times 6$ or repeated addition of six 15s or fifteen 6s A1 cao								
	(b)	$75 \div 25 =$	3p	2	M1 $75 \div 25$ or adds up three 25s or subtracts three 25s from 75 A1 cao								
18	(a)		173160	1	B1 cao								
	(b)		173.16	1	B1 cao								

1380/1F					
Question	Working	Answer	Mark	Notes	
19	(a)		-2,(0,2),4,6,8	2	B2 for all 4 correct values of y (B1 for 2 or 3 correct values of y)
	(b)		Line	2	B2 for correct straight line between $x = -2$ and $x = 3$ (B1 for a line which passes through (0, 2), or a line with gradient 2, or at least 4 points from their table plotted correctly)
	(c) (i)		-1	1	B1 for $y=-1$ , or ft $x=-1.5$ from any portion of a straight line segment.
	(ii)		2.5	1	B1 for $x=2.5$ , or ft $y=7$ from any portion of a straight line segment.
20	(a)		$060^\circ$	1	B1 (0)57° – (0)62°
	(b)		Cross C	2	B1 cross 4 cm ( $\pm 0.2$ cm) from B B1 cross $160^\circ$ ( $\pm 2^\circ$ ) from B [SC: B1 cross 4cm and $160^\circ$ from A)
21	(a)		Reasons	1	B1 eg larger sector
	(b)			1	B1 eg don't know actual numbers
22			Graph	2	B2 complete graph (see overlay) (B1 for 4 points plotted and joined or 6 points not joined.) Note: Tolerance $\pm 2$ mm, mark graph between January and June only

1380/1F																																				
Question	Working	Answer	Mark	Notes																																
23	$\begin{array}{r} 423 \quad 12 \\ \times 12 \quad \times 423 \\ \hline 4230 \quad 4800 \\ 846 \quad 240 \\ \hline 5076 \quad 36 \\ \hline 5076 \end{array}$ <table border="1" style="display: inline-table; vertical-align: middle;"> <tr> <td style="text-align: center;">4</td> <td style="text-align: center;">2</td> <td style="text-align: center;">3</td> <td></td> </tr> <tr> <td style="text-align: center;">0</td> <td style="text-align: center;">0</td> <td style="text-align: center;">0</td> <td style="text-align: center;">1</td> </tr> <tr> <td style="text-align: center;">4</td> <td style="text-align: center;">2</td> <td style="text-align: center;">3</td> <td></td> </tr> <tr> <td style="text-align: center;">0</td> <td style="text-align: center;">0</td> <td style="text-align: center;">0</td> <td style="text-align: center;">2</td> </tr> <tr> <td style="text-align: center;">8</td> <td style="text-align: center;">4</td> <td style="text-align: center;">6</td> <td></td> </tr> </table> <table border="1" style="display: inline-table; vertical-align: middle;"> <tr> <td style="text-align: center;">400</td> <td style="text-align: center;">20</td> <td style="text-align: center;">3</td> <td></td> </tr> <tr> <td style="text-align: center;">4000</td> <td style="text-align: center;">200</td> <td style="text-align: center;">30</td> <td style="text-align: center;">10</td> </tr> <tr> <td style="text-align: center;">800</td> <td style="text-align: center;">40</td> <td style="text-align: center;">6</td> <td style="text-align: center;">2</td> </tr> </table> $4000+200+30+800+40+6=5076$	4	2	3		0	0	0	1	4	2	3		0	0	0	2	8	4	6		400	20	3		4000	200	30	10	800	40	6	2	5076	3	<p>M1 for a complete method with relative place value correct. Condone 1 multiplication error, addition not necessary.</p> <p>M1 (dep) for addition of all the appropriate elements of the calculation</p> <p>A1 cao</p> <p>M1 for a complete grid with not more than 1 multiplication error, addition not necessary.</p> <p>M1 (dep) for addition of all the appropriate elements of the calculation</p> <p>A1 cao</p> <p>M1 for sight of a complete partitioning method, condone 1 multiplication error, addition not necessary.</p> <p>M1 (dep) for addition of the all the appropriate elements of the calculation</p> <p>A1 cao</p> <p>M2 for repeated addition, exactly 12</p> <p>A1 cao</p>
4	2	3																																		
0	0	0	1																																	
4	2	3																																		
0	0	0	2																																	
8	4	6																																		
400	20	3																																		
4000	200	30	10																																	
800	40	6	2																																	

1380/1F				
Question	Working	Answer	Mark	Notes
24	(a)	Enlarged P	2	B2 any correct enlargement (B1 at least one side drawn to a sf of 3) tol $\frac{1}{2}$ sq (B1 correct enlargement by SF $\neq 3$ )
	(b)	Triangle at $(-4,2),(-2,2),(-2,3)$	Reflected P	M1 reflection in any line parallel to y axis, or correct reflection in x axis. A1 cao
	(c)	Triangle at $(2,-1),(3,-1),(2,-3)$	Rotated Q	3 B3 fully correct (B2 correct orientation in correct quadrant or $90^\circ$ anticlockwise about $O$ ) (B1 any rotation about $O$ OR correct orientation in incorrect quadrant).  SC B1 If Q is plotted correctly in all 4 quadrants then award

1380/1F				
Question	Working	Answer	Mark	Notes
25	(a)	Reasons	2	1 <sup>st</sup> aspect: time frame 2 <sup>nd</sup> aspect: overlapping boxes (eg. 'the 5 is in two places' 'the amounts overlap') 3 <sup>rd</sup> aspect: not exhaustive (eg no <£1, other) Award B2 for 2 aspects, B1 for 1 aspect
	(b)	Any 2 of 1 <sup>st</sup> , 2 <sup>nd</sup> and 3 <sup>rd</sup> aspects	2	1 <sup>st</sup> aspect: one question or responses which includes a time frame  2 <sup>nd</sup> aspect: at least 3 non-overlapping response boxes; need not be inclusive of all.  3 <sup>rd</sup> aspect ; Allow for inclusion of (£)0 or use of phrase 'bigger than' oe with at least 3 response boxes  Award B2 for two aspects, B1 for one aspect  NB response boxes must be intervals but allow 0 on its own for the 3 <sup>rd</sup> aspect
26		$(5 \times 5) \times 6$	4	M1 for attempt to find the area of one face (eg $5 \times 5$ or 25) M1 for 6 faces with an intention to add A1 cao B1 (indep) for $\text{cm}^2$ (with or without numerical answer)  NB Do not accept any calculation which should lead to 125
		150  $\text{cm}^2$		

1380/1F				
Question	Working	Answer	Mark	Notes
27		$N=4p+20b$	3	<p>B3 for <math>N=4p+20b</math> oe</p> <p>(B2 <math>4p+20b</math> as an expression not in a formula Or <math>N=k+20b</math> oe or <math>N=4p+k</math> oe <math>k \neq 0</math>)</p> <p>(B1 for <math>N=cp + db</math>, <math>c</math> and <math>d</math> numerical and not both zero Or <math>k+20b</math> oe or <math>4p+k</math> oe any <math>k \neq 0</math>)</p> <p>SC B2 for <math>N=4p+20b</math> subsequently incorrectly simplified</p> <p>SC B2 for <math>kN=4p+20b</math> (<math>k \neq 1</math>)</p> <p>SC B1 for <math>4p+20b</math> subsequently incorrectly simplified</p> <p>SC B1 for <math>N=4p</math> (space)<math>20b</math> or <math>N=4p \times 20b</math></p>
28	$\frac{30 \times 5}{0.2} = 150 \div 0.2 = 750$	750–775	3	<p>M1 For correct roundings to 1 sig fig of two or three of the figures or consistent multiples</p> <p>e.g 150, or 155 or two of 30, 5, 0.2 or <math>\frac{31 \times 500}{20}</math> or</p> <p><math>\frac{30 \times 500}{20}</math> or <math>\frac{30 \times 500}{21}</math></p> <p>Or</p> <p>A1 for any correct approximate expression which would give the answer after one operation e.g <math>\frac{150}{0.2}</math> or <math>\frac{155}{0.2}</math> or</p> <p><math>150 \times 5</math> or <math>30 \times 25</math> or <math>31 \times 25</math> or <math>155 \times 5</math> or <math>\frac{1500}{2}</math></p> <p>A1 750–775</p> <p>Do not accept attempts at full working out</p>

1380/1F				
Question	Working	Answer	Mark	Notes
29	(a)	$2y^2 - 3y$	1	B1 $2y^2 - 3y$ or $2 \times y^2 - 3 \times y$
	(b)	$x(x-4)$	2	B2 $x(x-4)$ or $(x+0)(x-4)$ condone omission of final bracket (B1 $x(\text{linear in } x)$ condone omission of final bracket) (B1 for $x-4$ )
	(c)	$-1,0,1,2$	2	B2 cao (-1 each error or omission)

Further copies of this publication are available from  
Edexcel Publications, Adamsway, Mansfield, Notts, NG18 4FN

Telephone 01623 467467  
Fax 01623 450481

Email [publications@linneydirect.com](mailto:publications@linneydirect.com)

Order Code UG 022423  
November 2009

For more information on Edexcel qualifications, please visit [www.edexcel.com/quals](http://www.edexcel.com/quals)

Edexcel Limited. Registered in England and Wales no.4496750  
Registered Office: One90 High Holborn, London, WC1V 7BH