



Tuesday 15 January 2013 – Afternoon

GCSE MATHEMATICS A

A502/02 Unit B (Higher Tier)

Candidates answer on the Question Paper.

OCR supplied materials:

None

Other materials required:

- Geometrical instruments
- Tracing paper (optional)

Duration: 1 hour




Candidate forename				Candidate surname			
Centre number				Candidate nu	ımber		

INSTRUCTIONS TO CANDIDATES

- Write your name, centre number and candidate number in the boxes above. Please write clearly and in capital letters.
- Use black ink. HB pencil may be used for graphs and diagrams only.
- Answer all the questions.
- Read each question carefully. Make sure you know what you have to do before starting your answer.
- Your answers should be supported with appropriate working. Marks may be given for a correct method even if the answer is incorrect.
- Write your answer to each question in the space provided. Additional paper may be used if necessary but you must clearly show your candidate number, centre number and question number(s).
- Do not write in the bar codes.

INFORMATION FOR CANDIDATES

- The number of marks is given in brackets [] at the end of each question or part question.
- Your Quality of Written Communication is assessed in questions marked with an asterisk (*).
- The total number of marks for this paper is **60**.
- This document consists of 16 pages. Any blank pages are indicated.




This paper has been pre modified for carrier language

OCR is an exempt Charity




Formulae Sheet: Higher Tier

Area of trapezium = $\frac{1}{2}(a+b)h$



Volume of prism = (area of cross-section) \times length




In any triangle ABC

Sine rule
$$\frac{a}{\sin A} = \frac{b}{\sin B} = \frac{c}{\sin C}$$

Cosine rule
$$a^2 = b^2 + c^2 - 2bc \cos A$$

Area of triangle =
$$\frac{1}{2}ab\sin C$$




Volume of sphere = $\frac{4}{3}\pi r^3$

Surface area of sphere = $4\pi r^2$



Volume of cone = $\frac{1}{3}\pi r^2 h$

Curved surface area of cone = πrl



The Quadratic Equation


The solutions of $ax^2 + bx + c = 0$, where $a \neq 0$, are given by

$$x = \frac{-b \pm \sqrt{(b^2 - 4ac)}}{2a}$$

PLEASE DO NOT WRITE ON THIS PAGE

1 Rajneev records data for ten students in her school. She records their shoe size and the time it takes them to complete a puzzle.

Shoe size	2½	3	3	4½	5	5½	6	6	7½	9
Time (s)	44	37	75	25	87	49	34	62	31	43



The first 6 points are plotted on the scatter diagram.

(a) Complete the scatter diagram.

[2]

(b) Choose from the following to describe the diagram. Put a ring around your answer.


Negative	No	Positive
correlation	correlation	correlation

[1]

2	(a)	Ann has 21 paperback books on her bookshelf. Each paperback book is 2 cm wide. Her bookshelf is 670 mm long.
		Calculate how many more paperback books of this size she can fit on the shelf.
	<i>(</i> 1.)	(a)[4]
	(b)	Ann buys 3 books. They cost £3.99, £5.49 and £6.99. She pays with a £20 note.
		How much change should she get?

(b) £	[3]
-------	-----

3 (a) Draw the straight line through (0, 8) and (12, 0).



(b) Work out the gradient of your line. Give your answer as a fraction in its simplest form.

(b) _____[2]

[1]

(c) Write down the equation of your line in the form y = mx + c.


(c) _____[2]

(d) Work out the gradient of a line perpendicular to your line.

(d) _____[1]

4 Jagoda keeps a record of how many text messages she receives each day over a 2-week period.

	Day	Number of texts		Day	Number of texts
	Monday	16		Monday	19
	Tuesday	18		Tuesday	25
	Wednesday	13		Wednesday	21
Week 1	Thursday	19	Week 2	Thursday	11
	Friday	22		Friday	23
	Saturday	35		Saturday	31
	Sunday	37		Sunday	




(a) Complete the time series graph up to and including Saturday of Week 2. The data for Week 1 has already been plotted.

	(b)	Jagoda received	20% more texts in total	in Week 2 than ir	n Week 1.	
		How many texts	did she receive on Sunc	ay of Week 2?		
				(b)		[4
5	Sol	ve this inequality.				
			5n + 2 > 2n - 13			
						c)
						[3

- **6 (a)** Lizzie has a part-time job putting leaflets into envelopes. She earns £30 a day for filling **up to** 90 envelopes. She earns 20p for every **extra** envelope she fills after 90.
 - (i) Complete this table showing how much she can earn.

Number of envelopes filled	60	70	80	90	100	110	120	130	140
Earnings (£)		30		30				38	

[2]



(ii) Plot the pairs of values on the grid and join them using straight lines.

[2]

(b)	Alec also has a job filling envelopes.
	He earns 30p for every envelope he fills.

- (i) On the grid draw the straight line graph to show Alec's earnings for filling from 60 to 140 envelopes.Label this line A.[2]
- (ii) One day Alec and Lizzie find they have both earned the same amount of money and filled the same number of envelopes.

How many envelopes did they each fill?

(b	ii)(i)	[1]

7 Work out.


(a)
$$\frac{4}{5} - \frac{5}{8}$$

(a)	_ [2]
-----	-------

(b)
$$1\frac{3}{5} \times 1\frac{3}{4}$$

Give your answer as a mixed number in its simplest form.

8 EBC is parallel to AD. Triangle ABE is isosceles with AE = AB. Angle BAD is 75°.



Not to scale

Work out the size of angle p.

9 Emil makes chairs and stools. Each chair has 4 legs and each stool has 3 legs. Emil has made c chairs and t stools. In total the chairs and stools have 76 legs.

This information gives the equation


$$4c + 3t = 76$$
.

(a) Emil has made a total of 22 chairs and stools.

Complete this equation to show this information.

(b) Use algebra to solve these two equations simultaneously to find out how many chairs and how many stools Emil has made.


10 (a) P, Q, R and S are points on the circumference of a circle.



Work out the size of angle *e*. Give a reason for your answer.

e=	° because	
		[2


(b) F, G and H are points on a circle, centre O.



Work out the size of angle y.

(b) _____° [1]

11 Triangles J and L are drawn on the grid below.



(a) What is the scale factor of the enlargement that maps triangle L onto triangle J?

(a) _____ [1]


(b) Enlarge triangle **J** with scale factor $\frac{1}{2}$ and centre (4, 4). Label your image M. [3]

12	(a)	Simplify fully.		
		$\sqrt{\sqrt{12} \times \sqrt{3}}$		
			(a)	[2]
	(b)	Simplify by rationalising the denominator.		
		$\frac{2}{\sqrt{5}}$		

13* ABCD is a quadrilateral.

The midpoints of AB, BC, CD and DA are P, Q, R and S respectively.

$$\overrightarrow{AB} = 2\mathbf{e}$$
, $\overrightarrow{BC} = 2\mathbf{f}$ and $\overrightarrow{CD} = 2\mathbf{g}$.



By first finding the vector \overrightarrow{AD} in terms of \mathbf{e} , \mathbf{f} and \mathbf{g} , prove that PQRS is a parallelogram.

[5]

PLEASE DO NOT WRITE ON THIS PAGE



Copyright Information

OCR is committed to seeking permission to reproduce all third-party content that it uses in its assessment materials. OCR has attempted to identify and contact all copyright holders whose work is used in this paper. To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced in the OCR Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download from our public website (www.ocr.org.uk) after the live examination series.

If OCR has unwittingly failed to correctly acknowledge or clear any third-party content in this assessment material, OCR will be happy to correct its mistake at the earliest possible opportunity.

For queries or further information please contact the Copyright Team, First Floor, 9 Hills Road, Cambridge CB2 1GE.

OCR is part of the Cambridge Assessment Group; Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.

© OCR 2013