



**General Certificate of Secondary Education  
November 2010**

**Mathematics**

**43602H**

**Higher**

**Unit 2**

**Final**

***Mark Scheme***

Mark schemes are prepared by the Principal Examiner and considered, together with the relevant questions, by a panel of subject teachers. This mark scheme includes any amendments made at the standardisation meeting attended by all examiners and is the scheme which was used by them in this examination. The standardisation meeting ensures that the mark scheme covers the candidates' responses to questions and that every examiner understands and applies it in the same correct way. As preparation for the standardisation meeting each examiner analyses a number of candidates' scripts: alternative answers not already covered by the mark scheme are discussed at the meeting and legislated for. If, after this meeting, examiners encounter unusual answers which have not been discussed at the meeting they are required to refer these to the Principal Examiner.

It must be stressed that a mark scheme is a working document, in many cases further developed and expanded on the basis of candidates' reactions to a particular paper. Assumptions about future mark schemes on the basis of one year's document should be avoided; whilst the guiding principles of assessment remain constant, details will change, depending on the content of a particular examination paper.

Further copies of this Mark Scheme are available to download from the AQA Website: [www.aqa.org.uk](http://www.aqa.org.uk)

Copyright © 2010 AQA and its licensors. All rights reserved.

#### COPYRIGHT

AQA retains the copyright on all its publications. However, registered centres for AQA are permitted to copy material from this booklet for their own internal use, with the following important exception: AQA cannot give permission to centres to photocopy any material that is acknowledged to a third party even for internal use within the centre.

Set and published by the Assessment and Qualifications Alliance.

**The following abbreviations are used on the mark scheme:**

<b>M</b>	Method marks awarded for a correct method.
<b>M dep</b>	A method mark which is dependent on a previous method mark being awarded.
<b>A</b>	Accuracy marks awarded when following on from a correct method. It is not necessary always to see the method. This can be implied.
<b>B</b>	Marks awarded independent of method.
<b>Q</b>	Marks awarded for quality of written communication.
<b>ft</b>	Follow through marks. Marks awarded for correct working following a mistake in an earlier step.
<b>SC</b>	Special Case. Marks awarded for a common misinterpretation which has some mathematical worth.
<b>oe</b>	Or equivalent.

**UNIT 2**

**HIGHER TIER**

**43602H**

1	$\sqrt{100}$ or 10 and 2	M1	
	5	A1	

2a	150.4	B1	
2b	2.35	B1	
2c	$1504 + 23.5$	M1	If long multiplication used ... must have one row correct and a zero on the tens row (and two zeros on the hundreds row)
	1527.5	A1	

3	Any correct pair eg 9 and -12, -9 and 8, 10 and -11, -3 and 28 30 and -5, -45 and 0, -2 and 43	B2	B1 for -90 seen in correct working or no working
---	---	----	--

4	$10 \times 80(p)$ or $10 \times (\pounds)0.08$ or $(\pounds)8$ seen	M1	oe
	$\frac{\text{their } 8}{20} \times 100$	M1	oe
	40	A1	SC2 for 60% from correct working SC2 for 4% from using 80p instead of $\pounds 8$ SC1 for $\frac{12}{20} \times 100 \neq 60$

5a	3	B1	
5b	$5x - 6 = x$ or $\frac{x+6=x}{5}$	M1	Trial and improvement ... two trials, both correct
	$5x - x = 6$ or $4x = 6$ or $x - 5x = -6$	M1	Trial and improvement ... improved correct third trial
	$(x =) 1.5$	A1	oe

6a	[49 - 50]	B1	
6b	[6.6 - 6.8] (- 5)	M1	Numbers could be seen on graph
	[1.6 - 1.8]	A1	SC1 [1.3 - 1.4]

7	$600 \div (9 + 6 + 5) (= 30)$	M1	
	their $30 \times 9$ or their $30 \times 6$ or their $30 \times 5$	M1 dep	
	$270 : 180 : 150$	A1	Accept any order

8	$50 \times 3$ or 150	M1	or $150 - 95$ or 55
	$\frac{60}{100} \times 3$ or 1.8(0)	M1	oe eg $3 - \left(\frac{40}{100} \times 3\right)$
	$(30 \times \text{their } 1.8(0))$ or 54 + their $150 - 95$	M1	
	109	A1	
	their 150 + their $54 - 95$ with their 54 coming from 40% or 60% correctly evaluated <b>and</b> a decision based on their answer	Q1	Strand (iii) SC4 for (£)91 and No (from using 40% = £120)
	Those who cannot work out 40% or 60% correctly score a maximum of M1 M0 M1 A0 Q0		
	<b>Alternative method</b>		
	$50 \times 3$ or 150	M1	or $150 - 95$ or 55
	$\frac{60}{100} \times 3$ or 1.8(0)	M1	oe eg $3 - \left(\frac{40}{100} \times 3\right)$
	$30 \times \text{their } 1.8(0) - \text{their } 45$	M1	Comparing $30 \times \text{their } 1.8(0)$ with 45... the amount needed to make a profit of £100
9	A1	Comparing 54 and 45 from correct working	
their 150 + their $54 - 95$ with their 54 coming from 40% or 60% correctly evaluated <b>and</b> a decision based on their answer	Q1	Strand (iii)	

9a	-30	B1	
9b	$4(t - 5)$	B1	Accept $4 \times (t - 5)$
9c	$6m - 12$ or $5m + 10$	M1	
	$11m - 2$	A1	
9d	$8g^4k^5$	B2	B1 for two components correct
9e	$5q(2q - 3r)$	B2	B1 for $5(2q^2 - 3qr)$ or $q(10q - 15r)$ or $10q(q - 1.5r)$ or $5q(2q - ?)$ or $5q(? - 3r)$

10	$x^2 - 4x$ seen	B1	oe
	their $(x^2 - 4x) + 4x$	M1	oe
	$4x + 6x - x^2$	M1	oe $x^2 - 4x + 4x + 4x + 6x - x^2 = (kx)$ scores B1 M1 M1
	$(k =) 10$ or $10x$ seen	A1	Accept substitution of a non-zero number leading to $k = 10$

11	$\sqrt[3]{27}$ (= 3) or $27^2$ or 729	M1	Do not allow $\sqrt[3]{27} = 9$
	9	A1	

12	108 (kg) = 90%	M1	oe
	$108 \div 90 \times 100$	M1	oe
	120 (kg)	A1	

13	$4(12 - a) = 52$	M1	Condone $12 - a \times 4 = 52$ $\frac{52}{4} + a = 12$ $52 \div 4 = 13$ then $12 - ? = 13$ Trial and improvement $12 - ?$ then $\times 4$ followed by second attempt
	$a = -1$	A1	
	1st term = 2	A1	
	Logical working with key steps clearly shown	Q1	Strand (ii) Do not award for Trial and improvement Do not award for initial statement of $12 - a \times 4 = 52$ unless brackets subsequently used

14a	$x^2 + 5x - 5x - 25$	B1	Must see full correct expansion
14b	$(3x + p)(x + q)$ where $pq = \pm 20$	M1	
	$(3x - 4)(x - 5)$ in numerator	A1	
	$\frac{3x - 4}{x + 5}$	A1	Do not ignore further working ie max 2 marks if any further working

15	$3y - p = 2h + hy$	M1	
	$3y - hy = 2h + p$	M1	$-2h - p = hy - 3y$ This mark is for correct rearranging from an incorrect 4 term expansion in the first step
	$y(3 - h) = 2h + p$	M1 dep	$-2h - p = y(h - 3)$ Dependent on first M mark
	$y = \frac{2h + p}{3 - h}$	A1	$\frac{-2h - p}{h - 3} = y$

16	$7 + 6$ or $1 + 12$	M1	oe
	13	A1	$B = (4, 13)$ or $C = (0, 13)$ seen is M1 A1
	$y = 3x + 13$	A1	SC1 $y = 3x + c$ $c \neq 0$ and $c > 0$ but not $c = 1$ $C = 3x + c$ $c \neq 13$ scores no marks  SC2 for $C = 3x + 13$

17	$\frac{6\sqrt{3}}{\sqrt{3}\sqrt{3}}$ or $\frac{6\sqrt{3}}{3}$	M1	
	$2\sqrt{3}$	A1	
	$\sqrt{(25 \times 3)} (= 5\sqrt{3})$	M1	
	$7\sqrt{3}$	A1	

18	$(n + 3)^2 - n^2$	M1	$n^2 - (n - 3)^2$
	$n^2 + 3n + 3n + 9 - n^2$ $(= 6n + 9)$	A1	$n^2 - n^2 + 3n + 3n - 9 (= 6n - 9)$
	$3[n + (n + 3)]$	A1	$3[n + (n - 3)]$
	Complete solution with all stages clearly shown	Q1	Strand (ii)
	<b>Alternative method</b>		
	$x^2 - y^2 = (x + y)(x - y)$	M1	Must see difference of two squares factorisation
	$x - y = 3$	M1 dep	
	$x^2 - y^2 = (x + y).3$	A1	
	Complete solution with all stages clearly shown	Q1	Strand (ii)