




Oxford Cambridge and RSA

Friday 22 October 2021 – Afternoon

A Level Further Mathematics A

Y545/01 Additional Pure Mathematics

Time allowed: 1 hour 30 minutes



You must have:

- the Printed Answer Booklet
- the Formulae Booklet for A Level Further Mathematics A
- a scientific or graphical calculator

INSTRUCTIONS

- Use black ink. You can use an HB pencil, but only for graphs and diagrams.
- Write your answer to each question in the space provided in the **Printed Answer Booklet**. If you need extra space use the lined pages at the end of the Printed Answer Booklet. The question numbers must be clearly shown.
- Fill in the boxes on the front of the Printed Answer Booklet.
- Answer **all** the questions.
- Where appropriate, your answer should be supported with working. Marks might be given for using a correct method, even if your answer is wrong.
- Give non-exact numerical answers correct to **3** significant figures unless a different degree of accuracy is specified in the question.
- The acceleration due to gravity is denoted by $g \text{ m s}^{-2}$. When a numerical value is needed use $g = 9.8$ unless a different value is specified in the question.
- Do **not** send this Question Paper for marking. Keep in the centre or recycle it.

INFORMATION

- The total mark for this paper is **75**.
- The marks for each question are shown in brackets [].
- This document has **4** pages.

ADVICE

- Read each question carefully before you start your answer.

Answer **all** the questions.

1 In this question you must show detailed reasoning.

Express the number 41723_{10} in hexadecimal (base 16). [3]

2 The following Cayley table is for G , a group of order 6. The identity element is e and the group is generated by the elements a and b .

G	e	a	a^2	b	ab	a^2b
e	e	a	a^2	b	ab	a^2b
a	a	a^2	e	ab	a^2b	b
a^2	a^2	e	a	a^2b	b	ab
b	b	a^2b	ab	e	a^2	a
ab	ab	b	a^2b	a	e	a^2
a^2b	a^2b	ab	b	a^2	a	e

(a) List all the proper subgroups of G . [4]

(b) State another group of order 6 to which G is isomorphic. [1]

3 The points P , Q and R have position vectors $\mathbf{p} = 2\mathbf{i} + \mathbf{j} + 5\mathbf{k}$, $\mathbf{q} = \mathbf{i} - \mathbf{j} + \mathbf{k}$ and $\mathbf{r} = 2\mathbf{i} + \mathbf{j} + t\mathbf{k}$ respectively, relative to the origin O .

Determine the value(s) of t in each of the following cases.

(a) The line OR is parallel to $\mathbf{p} \times \mathbf{q}$. [2]

(b) The volume of tetrahedron $OPQR$ is 13. [4]

4 Solve the simultaneous linear congruences $x \equiv 1 \pmod{3}$, $x \equiv 5 \pmod{11}$, $2x \equiv 5 \pmod{17}$. [6]

5 The surface S has equation $x^2 + y^2 + z^2 = xyz - 1$.

(a) Show that $(2z - xy)\left(x\frac{\partial z}{\partial x} + y\frac{\partial z}{\partial y}\right) = 2(1 + z^2)$. [6]

(b) Deduce that S has no stationary point. [2]

6 The binary operation \diamond is defined on the set \mathbb{C} of complex numbers by

$$(a + ib) \diamond (c + id) = ac + i(b + ad)$$

where a, b, c and d are real numbers.

(a) Is \mathbb{C} closed under \diamond ? Justify your answer. [1]

(b) Prove that \diamond is associative on \mathbb{C} . [4]

(c) Determine the identity element of \mathbb{C} under \diamond . [2]

(d) Determine the largest subset S of \mathbb{C} such that (S, \diamond) is a group. [3]

7 Let $I_n = \int_0^{\frac{1}{2}\pi} \cos^n x \, dx$ for integers $n \geq 0$.

(a) Show that, for $n \geq 2$, $nI_n = (n-1)I_{n-2}$. [4]

(b) Use this reduction formula to deduce the exact value of I_8 . [2]

(c) Use the results of parts (a) and (b) to determine the exact value of $\int_0^{\frac{1}{2}\pi} \cos^6 x \sin^2 x \, dx$. [2]

8 (a) Solve the second-order recurrence system $H_{n+2} = 5H_{n+1} - 4H_n$ with $H_0 = 3$, $H_1 = 7$ for $n \geq 0$. [5]

(b) (i) Write down the quadratic residues modulo 10. [1]

(ii) By considering the sequence $\{H_n\}$ modulo 10, prove that H_n is never a perfect square. [6]


9 For each value of k the sequence of real numbers $\{u_n\}$ is given by $u_1 = 2$ and $u_{n+1} = \frac{k}{6 + u_n}$.

For each of the following cases, either determine a value of k or prove that one does not exist.

(a) $\{u_n\}$ is constant. [2]

(b) $\{u_n\}$ is periodic, with period 2. [3]

(c) $\{u_n\}$ is periodic, with period 4. [5]



A student wishes to model the saddle of a horse. They use a surface described by a function of the form $z = f(x, y)$ with a saddle point at the origin O . The z -axis is vertically upwards. The x - and y -axes lie in a horizontal plane, with the x -axis across the horse and the y -axis along the length of the horse (see diagram).

The arc AOB is part of a parabola which lies in the yz -plane. The arc COD is part of a parabola which lies in the xz -plane. The saddle is symmetric in both the xz -plane and yz -plane.

The length of the saddle, the distance AB , is to be 0.6 m with both A and B at a height of 0.27 m above O . The width of the saddle, the distance CD , is to be 0.5 m with both C and D at a depth of 0.4 m below O .

- (a) On separate diagrams, sketch the sections $x = 0$ and $y = 0$. [2]
- (b) Determine a function f that describes the saddle. [You do not need to state the domain of function f .] [5]

END OF QUESTION PAPER

OCR

Oxford Cambridge and RSA

Copyright Information

OCR is committed to seeking permission to reproduce all third-party content that it uses in its assessment materials. OCR has attempted to identify and contact all copyright holders whose work is used in this paper. To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced in the OCR Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download from our public website (www.ocr.org.uk) after the live examination series.

If OCR has unwittingly failed to correctly acknowledge or clear any third-party content in this assessment material, OCR will be happy to correct its mistake at the earliest possible opportunity.

For queries or further information please contact The OCR Copyright Team, The Triangle Building, Shaftesbury Road, Cambridge CB2 8EA.

OCR is part of the Cambridge Assessment Group; Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.