

Tuesday 4 June 2013 – Afternoon

AS GCE CHEMISTRY A

F322/01 Chains, Energy and Resources

Candidates answer on the Question Paper.

OCR supplied materials:

• Scientific calculator

Data Sheet for Chemistry A (inserted)

Duration: 1 hour 45 minutes



Candidate forename		Candidate surname	
-----------------------	--	----------------------	--

Centre number		Candidate number			
---------------	--	------------------	--	--	--

INSTRUCTIONS TO CANDIDATES

- The Insert will be found in the centre of this document.
- Write your name, centre number and candidate number in the boxes above. Please write clearly and in capital letters.
- Use black ink. HB pencil may be used for graphs and diagrams only.
- Answer **all** the questions.
- Read each question carefully. Make sure you know what you have to do before starting your answer.
- Write your answer to each question in the space provided. If additional space is required, you should use the lined page at the end of this booklet. The question number(s) must be clearly shown.
- Do **not** write in the bar codes.

INFORMATION FOR CANDIDATES

- The number of marks is given in brackets [] at the end of each question or part question.
 - Where you see this icon you will be awarded marks for the quality of written communication in your answer.

This means for example you should:

- ensure that text is legible and that spelling, punctuation and grammar are accurate so that meaning is clear;
- organise information clearly and coherently, using specialist vocabulary when appropriate.
- You may use a scientific calculator.
- A copy of the Data Sheet for Chemistry A is provided as an insert with this question paper.
- You are advised to show all the steps in any calculations.
- The total number of marks for this paper is **100**.
- This document consists of 24 pages. Any blank pages are indicated.

© OCR 2013 [H/500/7834] DC (NH/JG) 58562/6 OCR is an exempt Charity

Answer all the questions.

1 Crude oil is a complex mixture of many hydrocarbons.

Crude oil is processed by the petroleum industry to make fuels and petrochemicals.

- (a) The straight-chain alkane, A, is present in crude oil.A has molecules with ten carbon atoms.
 - (i) What is the molecular formula of A?
 -[1]
 - (ii) **B** is a branched-chain isomer of **A**.

Draw the skeletal formula of a possible structure for **B**.

Name your structure.

		name[2]
(ii	i)	The branched-chain isomer B has a lower boiling point than the straight chain alkane A .
		Explain why.
		[2]
(b) A	A ch	emist heats a pure sample of $C_{15}H_{32}$ in the presence of a catalyst.
A	A re	action called cracking happens.
((i)	Construct an equation to show the cracking of $C_{15}H_{32}$.
		[1]
(i	i)	When cracking takes place, a large number of products are formed.
		Suggest why a large number of products are formed.
		[1]

(c) The petroleum industry processes straight-chain alkanes into cyclic hydrocarbons.

For example, octane can be processed into a cyclic hydrocarbon and hydrogen.

(i) Suggest the structure of this cyclic hydrocarbon.

2 The skeletal formulae of six alcohols, C, D, E, F, G and H, are shown below.



Complete the flowchart below to show the organic product(s) formed in each of the reactions of alcohol **D**.





3 Compound I is found in biodiesel. It has the skeletal formula shown below.

(a)	Nar	ne the two functional groups that are present in a molecule of \mathbf{I} .
		[2]
(b)	Wh	y is compound I unsaturated?
		[1]
(c)	A sa	ample of compound I is shaken with aqueous bromine.
()		at colour change would you see?
		n to
(d)		npound J is a stereoisomer of compound I .
(u)	(i)	What is meant by the term <i>stereoisomers</i> ?
	(1)	what is meant by the term stereoloomers:
	<i>(</i> 1)	
	(ii)	Draw or describe how the structure of J differs from that of I .

......[1]

- (e) A student determined the enthalpy change of combustion for compound I.
 In her experiment, 1.34 g of compound I was used to heat 50.0 g of water.
 The temperature of the water changed from 20.2 °C to 54.0 °C.
 - (i) What is meant by the term *enthalpy change of combustion*, ΔH_c ?

.....[2]

(ii) Calculate the energy released, in kJ, in the student's experiment.

The specific heat capacity of water is $4.18 \text{ Jg}^{-1} \text{ K}^{-1}$.

energy = kJ [2]

(iii) The molecular formula of compound I is $C_{17}H_{32}O_2$.

Calculate the amount, in moles, of compound ${\bf I}$ used by the student.

amount = mol [2]

(iv) Calculate the enthalpy change of combustion of compound I.

Turn over

(v) The student noticed that compound ${\bf I}$ burnt with a yellow flame and produced black smoke.

Suggest an explanation for these observations.

(f) Some scientists believe that we should use more biofuels such as biodiesel and bioethanol.

Bioethanol is made by the fermentation of plant sugars such as glucose.

Write the equation for the fermentation of glucose to make ethanol and state **two** essential conditions for this fermentation.

equation

essential conditions

[Total: 19]

4 Iodine monobromide, IBr, has a permanent dipole.

Alkenes react with IBr in a similar way to the reactions of alkenes with HBr.

(a) Propene reacts with IBr to make two possible organic products.

One of these products is 2-bromo-1-iodopropane.

(i) Using the curly arrow model, complete the mechanism to make 2-bromo-1-iodopropane.



(ii) What is the name of this mechanism?

.....[1]

(iii) Draw the structure of the other possible organic product of the reaction of propene with IBr.

[1]

(b) Methane reacts with IBr to form many products.

Two of these products are iodomethane and hydrogen bromide.

- (i) Suggest the essential condition needed for this reaction.
 -[1]
- (ii) The mechanism of the reaction involves three steps, one of which is called termination.

Describe the mechanism of the reaction that forms iodomethane and hydrogen bromide.

Include in your answer:

- the name of the mechanism
- the names for the **other two** steps of the mechanism
- equations for these two steps of the mechanism
- the type of bond fission
- one equation for a termination step.



Your answer should link the named steps to the relevant equations.

.....[7]

[Total: 13]

- 5 Nitrogen forms several oxides including N_2O_4 , N_2O and NO.
 - (a) A rocket uses the reaction between N_2O_4 and methylhydrazine, CH_3NHNH_2 , equation 5.1, to release a large amount of energy.

 $4CH_3NHNH_2(I) + 5N_2O_4(I) \rightarrow 4CO_2(g) + 12H_2O(g) + 9N_2(g)$ equation 5.1

Some enthalpy changes of formation, $\Delta H_{\rm f}$, are shown in the table.

Substance	$\Delta H_{\rm f}/{\rm kJmol^{-1}}$
CH ₃ NHNH ₂ (I)	+54
N ₂ O ₄ (I)	-20
CO ₂ (g)	-394
H ₂ O(g)	-242

Using the enthalpy changes of formation, ΔH_{f} , calculate the enthalpy change of reaction in equation 5.1.

enthalpy change of reaction = kJ mol⁻¹ [3]

(b) Under certain conditions nitrogen reacts with oxygen to make $\mathrm{N_2O}.$

$$2N_2(g) + O_2(g) \rightleftharpoons 2N_2O(g)$$
 equation 5.2

The enthalpy profile diagram for this reaction is shown in Fig. 5.3.





(i) Calculate the enthalpy change when 240 dm³ of N₂O(g), measured at room temperature and pressure, is formed from N₂ and O₂.

enthalpy change = kJ [2]

(ii) What is the enthalpy change of formation, $\Delta H_{\rm f}$, of N₂O(g)?



Fig. 5.3 (repeated)

(iii) The reaction in equation 5.2 is reversible.

 $2N_2(g) + O_2(g) \rightleftharpoons 2N_2O(g)$ equation 5.2

Calculate the activation energy, $E_{\rm a}$, for the reverse reaction.

 E_{a} (reverse reaction) = kJ mol⁻¹ [1]

(c) Describe and explain, using equations, how the concentration of ozone in the stratosphere is maintained.

(d) In the stratosphere, NO catalyses the breakdown of ozone.

Write two equations to show how NO catalyses this breakdown.

.....[2]

- 6 Mass spectrometry and infrared spectroscopy are used in analysis.
 - (a) The element sulfur exists as molecules, S_n .

The mass spectrum that would be given by a sample of sulfur is shown below. All the sulfur atoms are the same isotope.



(b) A sample of an element, L is analysed using mass spectrometry. The mass spectrum is shown below.



Calculate the relative atomic mass of L. Give your answer to **one** decimal place.

	relative atomic mass of L =[2]
(c)	Give an everyday use for infrared spectroscopy.
	[4]
	[1]

(d) The solvent, M, is an organic compound used in paints. The solvent M was analysed.

M has a relative molecular mass of 72.0.

The percentage composition by mass of **M** is C, 66.7%; H, 11.1%; O, 22.2%.

The infrared spectrum of **M** is shown below.



The analysis produces several possible organic structures.

Suggest, with reasons, two possible structures for M.

 	 	 . [5]

[Total: 11] Turn over

- 7 The list shows the structural formulae of some halogenoalkanes.

 - (a) Choose from the list above, the letter of the halogenoalkane that is extremely unreactive.

.....

[1]

- (b) Halogenoalkanes react with hot KOH(aq) to make alcohols.
 - (i) Choose from the list above, the **letter** of the halogenoalkane which reacts with hot KOH(aq) to form a diol (a molecule with two OH groups).

.....

[1]

(ii) Using the curly arrow model, describe the mechanism of the reaction between CH₃CH₂CH₂CH₂Br and hot KOH(aq) to make an alcohol.

Include relevant dipoles and the name of the mechanism.

	name of mechanism[[4]
(iii)	Why is the reaction of ${f P}$ with hot KOH(aq) slower than the reaction of ${f Q}$ with hot KOH(aq	I)?
	[[1]

(c) Write one equation, using structural formulae, to show how but-2-ene can be converted into one of the listed halogenoalkanes, N, O, P, Q, R, S or T.

[2]

(d) CFCs were once used as propellants but have now been replaced by biodegradable alternatives.

State **one** type of a biodegradable alternative.

.....[1]

[Total: 10]

8 Poly(propenenitrile) is used to make acrylic fibres for clothing.

Poly(propenenitrile) is a polymer manufactured from propenenitrile.



propenenitrile

(a) Draw a section showing two repeat units of poly(propenenitrile).

(b) Explain why this manufacture of poly(propenenitrile) has a 100% atom economy.

.....[1]

[1]

(c) Propenenitrile is manufactured from propene as shown in the equation.

$$C_{3}H_{6}(g) + NH_{3}(g) + 1\frac{1}{2}O_{2}(g) \Longrightarrow CH_{2}CHCN(g) + 3H_{2}O(g) \quad \Delta H = -540 \text{ kJ mol}^{-1}$$

The conditions used are 450 °C and 2.5 atmospheres in the presence of a catalyst.

Describe and explain, using le Chatelier's principle, the effect on the position of equilibrium of the following changes:

- a temperature above 450 °C
- a pressure above 2.5 atmospheres
- the absence of a catalyst.

In your answer you should link the effects you describe with your explanations.

Question 8 continues on page 22

(d) A factory is able to make 11.13 kg of propenenitrile from 220 mol of propene.

Calculate the percentage yield of the reaction to form propenenitrile from propene.

percentage yield =% [2]

(e) The chemical industry uses temperature and catalysts to control the rate of reactions.

Using Boltzmann distribution diagrams, explain the effect on the rate of a reaction of:

- increasing the temperature
- adding a catalyst.

[Total: 16]

END OF QUESTION PAPER

ADDITIONAL	ANSWER	SPACE
------------	--------	-------

If additional space is required, you should use the following lined page. The question number(s) must be clearly shown in the margin.



Copyright Information

OCR is committed to seeking permission to reproduce all third-party content that it uses in its assessment materials. OCR has attempted to identify and contact all copyright holders whose work is used in this paper. To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced in the OCR Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download from our public website (www.ocr.org.uk) after the live examination series. If OCR has unwittingly failed to correctly acknowledge or clear any third-party content in this assessment material, OCR will be happy to correct its mistake at the earliest possible opportunity.

For queries or further information please contact the Copyright Team, First Floor, 9 Hills Road, Cambridge CB2 1GE.

OCR is part of the Cambridge Assessment Group; Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.