

Mark Scheme (Results)

November 2021

Pearson Edexcel GCSE In Biology (1BI0) Paper 1H

Edexcel and BTEC Qualifications

Edexcel and BTEC qualifications are awarded by Pearson, the UK's largest awarding body. We provide a wide range of qualifications including academic, vocational, occupational and specific programmes for employers. For further information visit our qualifications websites at www.edexcel.com or www.btec.co.uk. Alternatively, you can get in touch with us using the details on our contact us page at www.edexcel.com/contactus.

Pearson: helping people progress, everywhere

Pearson aspires to be the world's leading learning company. Our aim is to help everyone progress in their lives through education. We believe in every kind of learning, for all kinds of people, wherever they are in the world. We've been involved in education for over 150 years, and by working across 70 countries, in 100 languages, we have built an international reputation for our commitment to high standards and raising achievement through innovation in education. Find out more about how we can help you and your students at: www.pearson.com/uk

November 2021
Publications Code 1BI0_1H_2111_MS
All the material in this publication is copyright
© Pearson Education Ltd 2021

General Marking Guidance

- All candidates must receive the same treatment. Examiners must mark the first candidate in exactly the same way as they mark the last.
- Mark schemes should be applied positively. Candidates must be rewarded for what they have shown they can do rather than penalised for omissions.
- Examiners should mark according to the mark scheme not according to their perception of where the grade boundaries may lie.
- There is no ceiling on achievement. All marks on the mark scheme should be used appropriately.
- All the marks on the mark scheme are designed to be awarded. Examiners should always award full marks if deserved, i.e. if the answer matches the mark scheme. Examiners should also be prepared to award zero marks if the candidate's response is not worthy of credit according to the mark scheme.
- Where some judgement is required, mark schemes will provide the principles by which marks will be awarded and exemplification may be limited.
- When examiners are in doubt regarding the application of the mark scheme to a candidate's response, the team leader must be consulted.
- Crossed out work should be marked UNLESS the candidate has replaced it with an alternative response.

Mark schemes have been developed so that the rubrics of each mark scheme reflects the characteristics of the skills within the AO being targeted and the requirements of the command word. So for example the command word 'Explain' requires an identification of a point and then reasoning/justification of the point.

Explain questions can be asked across all AOs. The distinction comes whether the identification is via a judgment made to reach a conclusion, or, making a point through application of knowledge to reason/justify the point made through application of understanding. It is the combination and linkage of the marking points that is needed to gain full marks.

When marking questions with a 'describe' or 'explain' command word, the detailed marking guidance below should be consulted to ensure consistency of marking.

Assessment Objective		Command Word		
Strand	Element	Describe	Explain	
AO1		An answer that combines the marking points to provide a logical description	An explanation that links identification of a point with reasoning/justification(s) as required	
AO2		An answer that combines the marking points to provide a logical description, showing application of knowledge and understanding	An explanation that links identification of a point (by applying knowledge) with reasoning/justification (application of understanding)	
AO3	1a and 1b	An answer that combines points of interpretation/evaluation to provide a logical description		
AO3	2a and 2b		An explanation that combines identification via a judgment to reach a conclusion via justification/reasoning	
AO3	3a	An answer that combines the marking points to provide a logical description of the plan/method/experiment		
AO3	3b		An explanation that combines identifying an improvement of the experimental procedure with a linked justification/reasoning	

Question Number	Answer			Mark
1 (a)(i)				(1)
	D	refracts light	refracts light	AO1 1
	B is not correct b	ct answer is D Decause structure Y de Decause structure X de Decause structure X de	oes not detect light	

Question Number	Answer	Additional Guidance	Mark
1 (a)(ii)	A description including two from: • pupil becomes smaller (1)		(2) AO2 1
	• the iris changes shape (1)	accept the iris get larger	
	 correct light intensity is detected by {retina / rods / cones} (1) 	accept reduces the amount of light entering the eye / protects the retina	

Question Number	Answer	Additional Guidance	Mark
1 (b)(i)	{CT / PET} scanning	accept MRI / X-ray	(1) AO1 1

Question Number	Answer	Additional Guidance	Mark
1 (b)(ii)	A description including two from:		(2) AO1 1
	 brain is protected by skull (1) 	accept bone for skull	
	• it is difficult to access (1)		
	 nerves do not {repair / regenerate} (1) 		
	 the risk of damage to the brain (1) 	accept must not damage healthy cells/can cause side effects	

(Total for question 1 = 6 marks)

Question Number	Answer	Additional guidance	Mark
2(a)(i)	A description including three from:		(3)
	 the impulse (in the relay neurone) triggers the release of a chemical (1) 		AO1 1
	• neurotransmitter (1)	accept chemical messenger	
	• (neurotransmitter) diffuses (1)	J	
	• across the synapse (1)	accept across the gap	
	 new impulse triggered in {motor neurone / next neurone} (1) 		

Question Number	Answer	Additional Guidance	Mark
2(a)(ii)	An explanation linking two from:		(2)
	 a process that occurs in response to danger (1) 		AO1 1
	 which bypasses the {brain / parts of the brain} / is an {involuntary process / subconscious process} (1) 	accept goes to the spinal cord accept react without thinking	
	so there is a faster transmission (of electrical impulses) / faster response / allows a quick reaction (1)		
	to protect the body from harm (1)	accept examples of actions to protect the body e.g. pulling hand away	

Question Number	Answer	Mark
2(b)(i)	C 215 milliseconds	(1) AO2 1
	The only correct answer is C	7.02 1
	A is not correct because the median is not 200 milliseconds	
	B is not correct because the median is not 210 milliseconds	
	D is not correct because the median is not 225 milliseconds	

Question Number	Answer	Additional Guidance	Mark
2(b)(ii)	A description including three		(3)
	from:		
			AO3 3a
	measure their reaction time using red squares (1)	accept see how fast	
	time using red squares (1)	they react with red squares	
	 keep everything else the same (as using blue squares) (1) 	5 4 45.55	
	 repeat measurements (for each student) (1) 		
	 calculate a mean reaction time (1) 		
	• control other variables (1)	accept examples of other variables e.g. tiredness / environment / health	

(Total for question 2 = 9 marks)

Question Number	Answer	Mark
3(a)	World Health Organization / WHO	(1)
		AO1 1

Question Number	Answer	Additional guidance	Mark
3(b)(i)	An answer including two from:		(2)
	 (communicable) is passed from person to person (1) 	accept reverse arguments for non- communicable diseases	AO1 1
	 (communicable) caused by {pathogens / example of pathogen} (1) 		
	 (communicable diseases) cannot be inherited (1) 		

Question Number	Answer	Additional Guidance	Mark
3(b)(ii)	An explanation including:		(2)
	{cough / sneeze} into a tissue / avoid close contact with infected people / avoid cramped living conditions (1)	accept regular hand washing / wear a mask / isolate an infected person	AO2 1
	 because spread of TB is airborne droplets / TB is spread through the air (1) 	accept spread by coughing / breathing it {in / out}	
	 vaccination / immunisation (1) to provide immunity / reduces the chance of a person getting infected (1) OR 	accept reduces the chances of contact with an infected person	
	 treat infected people with antibiotics (1) reduces the number of infected people (1) 		

Question Number	Answer	Additional guidance	Mark
3(b)(iii)	 suitable heading for each column, with country in the left column (1) 	accept country / region / number of people / people with TB	(2) AO2 1
	 all data entered accurately (1) 	countries can be entered in any order	

Question Number	Answer	Additional guidance	Mark
3(c)	An explanation linking the following:		(2)
	HIV destroys white blood cells / HIV weakens the immune system (1)	accept people with AIDS have fewer white blood cells	AO1 1
	 so the body is unable to {destroy the TB pathogen / prevent the pathogen invading the body} (1) 	accept unable to produce antibodies to TB ignore fight off the disease	

(Total for Question 3 = 9 marks)

Question Number	Answer	Mark
4 (ai)	C aseptic	(1)
	The only correct answer is C	AO1 2
	A is not correct because clinical is not a technique	
	B is not correct because diagnostic does not prevent contamination	
	D is not correct because lysogenic describes a stage of the virus lifecycle	

Question Number	Answer	Additional Guidance	Mark
4 (a)(ii)	Any two from:		(2)
	 keep the lid on at all possible times (1) 		AO1 2
	 use sterile equipment (1) 	accept a method of sterilising equipment e.g. flaming loops / disinfect the working area	
	autoclave agar (1)	accept use sterile growth medium	
	• wear gloves / mask (1)		
	 work close to a Bunsen (burner) (1) 		

Question Number	Answer	Additional Guidance	Mark
4 (b)(i)	radius	award full marks for	(3)
	4.5 mm (1)	correct answer with no working	AO2 1
	calculation (3.14 x 4.5 x 4.5 / 3.14 x 4.5 ²) = 63.585 (1)	accept 63.617 ecf if diameter used 254.469 / 254.34 for one mark	
	evaluation		
	63.6 (mm²)	ecf if diameter used 254.5 / 254.3 (mm ²) to 1 DP for two marks	

Question Number	Answer	Additional Guidance	Mark
4 (b)(ii)	as a control / to compare	accept to see the effect without using toothpaste / to see the effect of just saliva	(1) AO2 2

Question Number	Answer	Additional Guidance	Mark
4 (b)(iii)	Any two from:		(2)
	the test only uses one species of bacteria (1)		AO2 2
	there are still bacteria on the agar plate (1)		
	the test is not done on teeth (1)		
	 the conditions in the mouth are different (1) 	accept temperature in the mouth may not be 37°C	
	 toothpaste is only used on teeth for a short time (1) 		
		accept the test only uses one type of	
		toothpaste (1)	

Question Number	Answer	Additional Guidance	Mark
4(c)	An explanation linking:		(2)
	the toothpastes were not harmful to the cells (1)	accept toothpaste has the same effect as saliva accept toothpaste 2 is less harmful to cells	AO3 2a + 2b
	because the % of healthy cells after 2 hours was similar to saliva (1)	accept a description of the data values to illustrate a similar effect	

(Total for question 4 = 11 marks)

Question Number	Answer	Mark
5(a)(i)	A metaphase anaphase	(1)
	The only correct answer is A	AO2 1
	B is not correct because cell Q is not telophase	
	C is not correct because cell R is not interphase	
	D is not correct because cell R is not interphase	

Question Number	Answer	Additional Guidance	Mark
5(a)(ii)	A description including two		(2)
	from:		AO1 1
	• chromatids condense (1)	accept chromosomes condense / coil up / become visible	AUTT
	 identical chromatids are joined (1) 	accept chromosomes join	
	 nuclear membrane breaks down (1) 	accept nucleus breaks down	
		accept spindle fibres form (1)	

Question Number	Answer	Mark
5(a)(iii)	cytokinesis	(1)
		AO1 1

Question Number	Answer	Mark
5(a)(iv)	B 75 μm	(1)
	The only correct answer is B	AO1 1
	A is not correct because 0.75 μm is 0.00075 mm	
	C is not correct because 750 µm is 0.75mm	
	D is not correct because 75 000 μm is 75 mm	

Question Number	Answer	Additional Guidance	Mark
5(b)	An answer including:		(2)
	• use the x40 objective lens (1)	accept other combinations of x 400 lenses	AO1 1
	and one from:	for two marks	
	• use the x10 eye piece lens (1)		
	use the focusing wheel (1)	accept move the {stage / lens}	

Question Number	Answer	Additional Guidance	Mark
5(c)	An answer including four from:		(4)
	Benefits (maximum 2 marks):		AO2 1
	stem cells can differentiate / become specialised (1)	accept can become {joint cells / any type of cell}	
	• replace (damage) cells (1)	accept repair damaged joints	
	 reduce symptoms of arthritis (1) 		
	Risks (maximum 2 marks):		
	new cells do not function correctly (1)		
	stem cells continue to divide (1)	accept cell division could develop into cancer	
	 risk of side effects / symptoms worsen / rejecting cells (1) 	accept may have to take medication to prevent rejection / suppress immune system	

(Total marks for question 5 = 11 marks)

Question Number	Answer Additional Guidance		Mark
6(a)(i)	(8 x 4) = 32 (grams of alcohol) (1) 1.2 / 1.20 (x risk)	award full marks for the correct answer with no workings	(2) AO3

Question Number	Answer	Additional Guidance	Mark
6(a)(ii)	An answer including two from:		(2)
	• mutations in DNA (1)	accept change in the gene/cell mutates	AO2 1
	cell division is uncontrolled (1)	accept {rapid / continuous} cell division	
	 leading to the formation of a tumour / growth / mass of cells (1) 		

Question Number	Answer	Additional Guidance	Mark
6(b)(i)	Any two from:		(2)
	• wear gloves (1)	accept wash hands / wear a mask	AO2 2
	 clean the area of skin where blood being removed (1) 	accept disinfect / clean the wound	
	 cover the wound after (1) 		
	 use a sterile needle (1) 	ignore clean	
		accept sit the person down (1)	
		ignore references to removing the correct volume of blood	

Answer	Additional Guidance	Mark
 heterozygous 	accept carrier /	(3)
	allele / Hh	AO3
An explanation linking:		
affected offspring	accept one offspring is	
the recessive allele (1)	nomozygous recessive	
unaffected offspring	accept one / two	
dominant allele (1)	homozygous dominant	
	accept a labelled	
	 heterozygous An explanation linking: affected offspring must have inherited the recessive allele (1) unaffected offspring must have inherited 	 heterozygous accept carrier /

Question Number	Answer	Additional Guidance	Mark
7(a)(i)	location in the rock layer / age of fossils surrounding it	accept radiometric dating / stratigraphy / comparison to other <i>Hipparion</i> fossils	(1) AO2 1
		ignore carbon dating	

Question Number	Answer	Additional Guidance	Mark
7(a)(ii)	similar (pentadactyl) limb structure / similarities in the {skeleton / bone} structure	ignore similar body shape	(1) AO3

Question Number	Answer	Additional Guidance	Mark
7(b)	An answer including:		(3)
	 breed two animals that can run fast (1) selection of offspring that can run fast (1) repeat the process over many generations 	accept beneficial characteristic for running fast	AO2 1
	(1)		

Question Number	Indicative content	Mark
7 *(c)	AO1 6 marks	(6)
	Sexual reproduction Advantages	
	allows for evolution	
	 Disadvantages requires a mate to be found time for fertilisation / pollination means the process takes longer offspring can have features that are less advantageous than the parents. 	
	Asexual reproduction Advantages • no requirement to find a mate • rapid productive cycle • organisms with beneficial characteristics of the parent can be produced	
	 Disadvantages there is no variation a selection pressure could affect all organisms of a species. 	

Level	Mark	Descriptor
	0	No rewardable material.
Level 1	1-2	 Demonstrates elements of biological understanding, some of which is inaccurate. Understanding of scientific ideas lacks detail.
		 Presents an explanation with some structure and coherence.
Level 2	3-4	 Demonstrates biological understanding, which is mostly relevant but may include some inaccuracies. Understanding of scientific ideas is not fully detailed and / or developed.
		 Presents an explanation that has a structure which is mostly clear, coherent and logical.
Level 3	5-6	Demonstrates accurate and relevant biological understanding throughout. Understanding of the scientific ideas is detailed and fully developed.
		 Presents an explanation that has a well-developed structure which is clear, coherent and logical.

Additional Guidance

Level 1	1–2	 A brief discussion of advantages or disadvantages for sexual OR asexual reproduction. The response identifies the statements as advantageous or disadvantageous.
Level 2	3-4	 A brief discussion of advantages or disadvantages for sexual and asexual reproduction OR a brief discussion of the advantages and disadvantages for sexual or asexual reproduction. The response is mainly error free and identifies the descriptions as advantageous or disadvantageous.
Level 3	5-6	 A detailed discussion of the advantages and disadvantages for sexual and asexual reproduction including the consequences of being genetically identical or genetically different. The response is error free identifies all the discussion points as advantageous or disadvantageous.

(Total for Question 7 = 11 marks)

Question Number	Answer	Mark
8(a)(i)	C the volume of milk and the concentration of	(1)
	chymosin	AO2 2
	The only correct answer is C	
	A is not correct because time is being measured	
	B is not correct because the temperature is being changed	
	D is not correct because the temperature is being changed	

Question Number	Answer	Additional Guidance	Mark
8(a)(ii)	An explanation linking two from:		(2) AO2 1
	 40°C is the {optimum / closer to the optimum} / there is a faster rate of reaction (1) 	accept the enzyme works faster	AUZ I
	because as temperature increases (kinetic) energy increases (1)		
	more chance of collision (between the chymosin and the milk protein) (1)		
	 more enzyme-substrate complexes are formed (1) 		

Question	Answer	Additional Guidance	Mark
Number			
8(a)(iii)	An explanation linking:		(2)
	 time taken would be longer / the milk would not curdle (1) 	accept slow rate of reaction / a time greater than 75 seconds	AO2 1
	 because the enzyme is denatured / the active site has changed shape (1) 		

Question Number	Answer	Additional Guidance	Mark
8(a)(iv)	Any one from:		(1)
	• it is a control (1)		AO2 2
	 to confirm that the milk doesn't curdle at that temperature without chymosin (1) 	accept to see the effect of not adding chymosin	
	 allows for a comparison with the results (1) 		

Question Number	Answer	Additional Guidance	Mark
8(a)(v)	Any two from:		(2)
	 use a smaller interval between the temperatures (1) 		AO3b
	 measure temperatures between the range of 35°C and 45°C (1) 	ignore a wider range of temperatures	
	 controlling a variable not identified in the method (1) 	accept e.g. volume of milk / type of milk / enzyme concentration	
	 keep the tubes at the required temperature after adding chymosin by using a water bath (1) 	accept use a water bath to control temperature	
	 repeat the test at each temperature (1) 	accept calculate a mean / identify anomalies	

Question Number	Answer	Additional Guidance	Mark
8(b)	An explanation linking three from:		(3) AO2 1
	 plasmid is cut with restriction enzymes/ chymosin gene is cut with a restriction enzyme (1) 		
	 sticky ends are complementary (1) 		
	 ligase is used to connect the chymosin gene and the plasmid (1) 		
	 recombinant plasmid is inserted back into the bacterial cell (1) 	accept insert a plasmid with chymosin gene into the bacteria	

(Total for question 8 = 11 marks)

Question Number	Answer	Additional Guidance	Mark
9(a)			(2)
	Structure A		
	 the mitochondria 	reject produces / creates	AO1 1
	{ release energy / for respiration} (1)	energy	
	Structure B		
	 {acrosome / contains 		
	enzymes} to digest the		
	egg cell membrane (1)		

Question Number	Answer	Additional Guidance	Mark
9(b)		award full marks for the	(3)
		correct answer with no workings	AO1 1
	measurement		
	45 (mm) / 4.5 cm (1)	allow 44-46 (mm)	
	calculation		
	(45 ÷ 700) = 0.0643 (1)	allow ecf for incorrect measurement	
	conversion into standard form and millimetres		
	6.43 x 10 ⁻² / 6.4 x 10 ⁻²	allow ecf for incorrect substitution	
		accept answer to any number of decimal places	

Question Number	Indicative content	Mark
9 *(c)	AO2 3 marks/AO3 3 marks	(6)
	Analysis of data	
	 the egg in the water has gained mass / water 	
	 the egg in the 5% salt has no mass change 	
	 the egg in the 10% salt has lost mass / water 	
	 mass increase is 7 g for the egg in water 	
	 mass increase is 0 g for 5% salt 	
	 the mass decrease is 2g for 10% salt 	
	• % mass change +9% / 0% / -3%	
	Water movement	
	osmosis is the movement of water	
	 across a partially permeable membrane 	
	 from a high concentration of water molecules 	
	to a low concentration of water molecules	
	5% salt is an isotonic solution	

Level	Mark	Descriptor
	0	No rewardable material.
Level 1	1-2	 Demonstrates elements of biological understanding, some of which is inaccurate. Understanding of scientific ideas lacks detail. Presents an explanation with some structure and coherence.
Level 2	3-4	 Demonstrates biological understanding, which is mostly relevant but may include some inaccuracies. Understanding of scientific ideas is not fully detailed and/or developed. Presents an explanation that has a structure which is mostly clear, coherent and logical.
Level 3	5-6	 Demonstrates accurate and relevant biological understanding throughout. Understanding of the scientific ideas is detailed and fully developed. Presents an explanation that has a well-developed structure which is clear, coherent and logical.

Additional Guidance

Level 1	1-2	a brief analysis of the experimental data.with reference to the movement of water.
Level 2	3-4	 an evaluation of the data including a calculation of mass gain or loss. with reference to the direction of movement of the water for tap water or 10% salt.
Level 3	5-6	 a detailed evaluation of the data including a % mass change calculation. with reference to the direction of movement of water by osmosis for tap water and 10% salt.

(Total for question 9 = 11 marks)

Question	Answer	Additional	Mark
Number		Guidance	
10(a)	An explanation linking three from:		(3)
	 alleles have different DNA {sequences / mutations} (1) 		AO1 1
	 mRNA strand has a different sequence / triplets have different sequences (1) 		
	 codes for a different amino acid / order of amino acids is different (1) 		
	 protein folds with a different structure (1) 	accept the order of the amino acids determines the structure	

Question Number	Answer	Mark
10(b)(i)	C cancer cell	(1)
	The only correct answer is C	AO1 1
	A is not correct because a phagocytic cell is a white blood cell	
	B is not correct because a red blood cell does not divide	
	D is not correct because an epithelial cell does not divide rapidly	

Question Number	Answer	Additional Guidance	Mark
10(b)(ii)	An explanation linking:		(3)
	 the shape of the antibody is complementary to the A antigen / antibodies only react with specific antigens 		AO2 1
	 the B antigen has a different {shape / structure} (1) 	accept antigen A has a specific structure	
	 (therefore) it will only bind to the A antigen / it will not bind to the B antigen (1) 	accept blood group B does not have the A antigen	

Question Number	Answer	Additional Guidance	Mark
10(c)(i)	I ^w I ^w / homozygous I ^w	accept WW	(1)
		ignore homozygous dominant	AO2 1

Question Number	Answer			Additional Guidance	Mark
10(c)(ii)	An explanation	on linking		(4)	
	 correct gametes / parental genotype (1) correct completion of the Punnett square (1) 				AO3
		lw	, IR		
	lw	. Iwlw	IWIR		
	ĮR.	IRIW	IRIR		
	pir • 25 flo	% offsprin nk flowers % will prod wers and 2 oduce red			

(Total for Question 10 = 12 marks)