

F

GCSE (9-1) Physics A (Gateway Science)

J249/02 Paper 2, P5 – P8 and P9 (Foundation Tier)

Friday 15 June 2018 – Morning

Time allowed: 1 hour 45 minutes

You must have:

- a ruler (cm/mm)
- the Data Sheet (for GCSE Physics A (inserted))

You may use:

- · a scientific or graphical calculator
- an HB pencil




First name	
Last name	
Centre number	Candidate number

INSTRUCTIONS

- The data sheet will be found inside this document.
- Use black ink. You may use an HB pencil for graphs and diagrams.
- Complete the boxes above with your name, centre number and candidate number.
- Answer all the questions.
- Write your answer to each question in the space provided. If additional space is required, use the lined page(s) at the end of this booklet. The question number(s) must be clearly shown.
- Do **not** write in the barcodes.

INFORMATION

- The total mark for this paper is 90.
- The marks for each question are shown in brackets [].
- Quality of extended responses will be assessed in questions marked with an asterisk (*).
- · This document consists of 24 pages.



SECTION A

Answer all the questions.

You should spend a maximum of 30 minutes on this section.


1	Some ele	ctromagnetic	waves are	used to	scan a	person in	hospital.
		ou official out	Wave ale	acca to	oouii a	POICOILII	Hoopital

Which statement is true about a scan that uses electromagnetic waves?

- A Micro-waves are used to scan skin.
- **B** Ultrasound waves are used to scan an unborn baby.
- **C** Ultra-violet is used to scan for cancer.
- **D** X-rays are used to scan for broken bones.

Your answer [1]

2 Which light ray shows the correct reflection from the plane (flat) mirror?



Your answer [1]

- **3** Which statement is true about the **nucleus** of an atom?
 - **A** It contains neutrons and ions and has a negative charge.
 - **B** It contains neutrons and ions and has a neutral charge.
 - **C** It contains neutrons and protons and has a neutral charge.
 - **D** It contains neutrons and protons and has a positive charge.

Your answer [1]

4	Esti	imate the typical cruising speed of a jet airliner.	
	Α	25 m/s	
	В	250 m/s	
	С	2500 m/s	
	D	25 000 m/s	
	You	ur answer	[1]
5	A st	tudent experiments with a model parachute and collects some results.	
	She	e drops the parachute from a height of 4 m three times and takes three results of the time tak	en.
	The	e three results are:	
	3.25 3.06 3.08	0s	
	Wh	at is the mean of the three results?	
	Α	3.00 s	
	В	3.08s	
	С	3.11 s	
	D	3.25s	
	You	ur answer	[1]

6 A student wants to find out which heater produces the largest temperature rise.

Look at the results she collects and the calculations she makes.

Heater	Starting temperature (°C)	Finishing temperature (°C)	Change in temperature (°C)
Α	18	28	20
В	18	36	16
С	18	44	26
D	18	51	23

[1]

7 Which row A, B, C or D, is true for electromagnetic waves?

Which heater has results that are correctly calculated?

Your answer

	Transmission	Туре	Movement in space
Α	Transmit energy from absorber to source	Longitudinal	Travel through space at different velocities
В	Transmit energy from absorber to source	Transverse	Travel through space at different velocities
С	Transmit energy from source to absorber	Longitudinal	Travel through space where all have the same velocity
D	Transmit energy from source to absorber	Transverse	Travel through space where all have the same velocity

Your answer	[1]

8	Av	ehicle has an input power from fuel of 20 kW and a useful output power of 6 kW.	
	Cal	culate the power it wastes.	
	Α	3 kW	
	В	6 kW	
	С	14 kW	
	D	20 kW	
	Υοι	ir answer	[1]
9	Wh	ich statement is correct about geostationary satellites?	
	Α	They are above the equator and they orbit the Earth in about 90 minutes at a high orbit.	
	В	They are above the equator and they orbit the Earth in 24 hours at a high orbit.	
	С	They are above the equator and they orbit the Earth in 24 hours at a low orbit.	
	D	They are above the poles and they orbit the Earth in 24 hours at a low orbit.	
	Υοι	ir answer	[1]

10 A student measures the time it takes for the sound from a firework to reach the observer.


She takes 3 measurements of the time taken for four different distances, A, B, C and D.

	Time taken (s)						
Distance	1st measurement	2nd measurement	3rd measurement				
Α	2.16	2.19	2.17				
В	1.99	2.02	1.97				
С	1.80	1.81	1.89				
D	1.69	1.68	1.71				

Which distance	4. B.	C or D	. has the	e largest	range	of values?

Your answer		[1]
-------------	--	-----

11 Look at the diagrams of a light ray as it passes from air through a glass block.



Which diagram shows an **incorrect** refraction?

С



D

12 A radio wave has a wavelength of 100 m. It has a speed of 3×10^8 m/s.

Use the equation: Wave speed = Frequency × Wavelength

Calculate the frequency of the wave.

- A 3MHz
- B 30 MHz
- **C** 300 MHz
- **D** 3000 MHz

Your answer		[1
-------------	--	----

13 Which equation shows a correct alpha decay?

- A $^{241}_{95} \text{Am} \rightarrow ^{239}_{91} \text{Np} + ^{2}_{4} \text{He}$
- **B** $^{241}_{95}$ Am $\rightarrow ^{237}_{93}$ Np + $^{0}_{2}$ He
- **C** $^{241}_{95}$ Am $\rightarrow ^{237}_{93}$ Np + $^{4}_{2}$ He
- **D** $^{241}_{95}\text{Am} \rightarrow ^{237}_{93}\text{Np} + ^{0}_{1}\text{He}$


Your answer [1]

14	Aw	ooden block has a mass of 2 kg and a specific heat capacity of 2000 J/kg °C.				
	Calculate the energy needed to raise its temperature by 6 °C.					
	Use	the equation:				
	Cha	ange in thermal energy = Mass × Specific Heat Capacity × Change in Temperature				
	Α	1200 J				
	B 2400 J					
	С	12000 J				
	D	24 000 J				
	You	r answer	[1]			
15	A lo	rry has a mass of 3500 kg. It travels at a speed of 30 m/s.				
	Use	the equation: Kinetic Energy = 0.5 × Mass × Speed ²				
	Cal	culate the kinetic energy of this lorry.				
	Α	10500J				
	В	52500 J				
	С	1575000 J				
	D	3150000J				
	You	r answer	[1]			

SECTION B

Answer all the questions.

16 Look at the diagram of a water wave.



(a) (i) What is the wavelength of this wave?

Answer =		.cm	[1]	
----------	--	-----	-----	--

(ii) What is the amplitude of this wave?


(iii) The wavelength of the wave is changed to 25 cm. Two waves are produced each second.Use the equation: Wave speed = Frequency × WavelengthCalculate the speed of the wave.

Answer =m/s [2]

(b)	Wat	er waves are tr	ansverse ar	d sound waves	are longitudina	ıl.		
	(i)	Describe how	water partic	les move in a tra	ansverse wate	r wave.		
								. [1]
	(ii)	Describe how	air particles	move in a long i	tudinal sound	wave.		
								[1]
(c)	Loo	k at the diagrar	n of the elec	tromagnetic spe	ectrum.			
		_						1
Ra	dio	Microwave	Infra-red	Visible light	Ultra-violet	X-rays	Gamma-rays	
	(i)	Name a wave	that has a lo	onger wavelengt	_			[41]
								[1]
	(ii)	Name a wave	that has a h	igher frequency	than violet ligh	t.		
	,							[1]
	(iii)	State two uses	s of gamma	-rays.				
		1						
		2						[2]

17 A teacher demonstrates an experiment about radioactivity. He demonstrates how different types of radiation can be absorbed.

He puts different barriers between the source and the Geiger-Müller tube. He uses four different radioactive sources \mathbf{A} , \mathbf{B} , \mathbf{C} and \mathbf{D} .



(a) Suggest two safety **precautions** that the teacher should use when demonstrating this experiment.

1	
0	
2	
	[2]

(b) The teacher chooses source A and uses the Geiger-Müller tube to measure the count rate (counts per minute) for different barriers. He repeats the experiment with source B, source C and then source D.

Look at his results.

Source	С	ount rate using	different barrie	rs
Source	Paper	Aluminium	Lead	No barrier
Α	113	112	22	112
В	20	21	20	182
С	162	23	21	164
D	282	78	24	280

He also finds that the average count rate with no sources and no barriers is 20.

	(1)	vvnich source A, B, C or D emits gamma radiation only?	
		Explain your answer.	
		Source because	
			. [2]
	(ii)	Which source A, B, C or D emits alpha radiation only?	
		Explain your answer.	
		Source because	
			. [2
	(iii)	Which source A, B, C or D could emit both beta and gamma radiation?	
		Explain your answer.	
		Source because	
			. [2]
(c)	The	teacher notices that the count rate behind the lead barrier ranges from 20 to 24.	
	Give	e two reasons why there are a wide range of results around 22 counts per minute.	
	1		
	2		
(d)	Tho	tageher decides to repeat the experiment	[2]
(d)		teacher decides to repeat the experiment.	_
		s time he records the number of counts for a much longer time interval for each source	€.
	Exp	lain why this is an improvement to the experiment.	
			[2]

18 Look at the information about different electric motors.

Electric motor	Energy input per hour (J)	Useful energy output per hour (J)	Energy 'wasted' per hour (J)
Α	72 000	60 000	
В	54 000	36 000	
С	18 000		3000
D		48 000	12 000
E	54000	48 000	

(a) (i) Calculate the energy input per hour in J for electric motor D.

		Answer = J [2]
	(ii)	Which electric motor has the lowest 'wasted' energy in one hour?
		[1]
	(iii)	Which electric motor has the highest 'wasted' energy in one hour?
		[1]
	(iv)	Describe how energy is 'wasted' in an electric motor.
		[1]
	(v)	Suggest how this 'wasted' energy can be reduced in an electric motor.
		F4.1
		[1]
(b)	Calc	culate the % efficiency of electric motor E.
	Use	the equation: Efficiency = Useful output energy transfer / Input energy transfer
	Give	e your answer to 2 significant figures.

Answer = % [3]

19 A student watches a ball game on the school field.

The student sees the ball being hit with a bat but he hears the sound a short time after. This is because the speed of light is greater than the speed of sound.

He decides to do an experiment to measure the speed of sound waves in air.

Describe which measurements he needs to measure this speed.
[2]
Which equation is used to calculate speed?[1]
Describe one way he could get valid results for this experiment.
[1]

20 Fig. 20.1 shows thinking, braking and stopping distances for the same car travelling at different speeds.

Speed (m/s)	Thinking distance (m)	Braking distance (m)	Stopping distance (m)
8	6	6	12
16	12	24	36
32	24	96	120

Fig. 20.1

(a)	Describe how the thinking distance changes when the speed doubles.
	Use data from the table in your answer.
	[1]
(b)	Calculate the reaction time of the person driving the car.
	Answer = s [3]


(c)*	Explain why the stopping distances are different for each speed in Fig. 20.1.
	[6]

21 (a) A car has a total weight of $12\,000\,N$. It has four tyres which each have an area of $25\,cm^2$ in

	contact with the road.
	Calculate the pressure of the car on the road.
	Answer = N/cm ² [3]
(b)	Seatbelts in cars are made of a wide material that stretches in a crash.
(*)	seatbelt material
	(i) Explain why it is important that the material is wide.
	[1]
	(ii) Explain why it is important that the material is stretchy .
(0)	Children in care use special scate with their own scatholts
(c)	Children in cars use special seats with their own seatbelts.
	The seatbelts for children are narrower than adult seatbelts.
	Why is it safe for children's seatbelts to be narrower than adult seatbelts?

22	This	s question is about force, mass and acceleration.
	(a)	A car starts from rest and accelerates at 3 m/s ² .
		Use the equation: Acceleration = Change in velocity ÷ Time taken
		Calculate the velocity of the car after 4s.
		Answer = m/s [2]
	(b)	A roller coaster car moves down a slope with an acceleration of 5 m/s ² .
		The force on the roller coaster car is 4000 N.
		Calculate the mass of the roller coaster car.
		Answer = kg [3]

23 The graph shows how the World's energy use has changed from the year 1971 to the year 2003.
It also shows the amount of different energy sources used.



(a) (i) Approximately how much did the total World's energy use increase from the year 1971 to the year 2003?

solar, wind, etc.

(ii)	Which energy source had the greatest use in the year 2003?
	[1

Answer = billion tonnes (oil equivalent) [1]


(iii) The total energy use in the year 2003 was 10.6 billion tonnes (oil equivalent).

Approximately what percentage of this amount was due to fossil fuel use?

Answer =% [2]

(b) Scientists are researching the World's energy use for the future.

The graph shows some of their research.



*Includes hydroelectric, geothermal, solar, wind etc.

(i)	The future	demand for	fossil	fuels is	expected	to increase.
-----	------------	------------	--------	----------	----------	--------------

	Give two reasons why	/ scientists a	are worried	about this	increase in	n demand
--	----------------------	----------------	-------------	------------	-------------	----------

1	 	 	
2	 	 	
			 [2]
	 	 	 <u>[4]</u>

(ii) In the UK the government is closing coal fired power stations and planning for new nuclear power stations to be built.

Suggest why the government wants more nuclear power stations.



(C)	Pov	ver stations in the UK generate electricity at 25 kV a.c.
	The	voltage is then increased to 400 kV a.c. and distributed by power lines.
	(i)	Write down the full name of the device used to increase the voltage.
		[1]
	(ii)	Why is it important to increase the voltage in these power lines?
		[1]
	(iii)	The high voltages across the power lines are reduced to 230 V a.c. for use in the home.
		A phone charger changes the 230 V a.c. to a 5 V d.c.
		Explain the difference between d.c. and a.c.
		[2]
(d)	A do	omestic wind turbine has a power rating which varies from 1.0 kW to 3.0 kW.
	(i)	The domestic wind turbine has an electrical resistance of 23Ω .
		It generates a current of 11A on a windy day.
		Calculate the power output in kW of the turbine on this day.
		Answer = kW [4]
	(ii)	Suggest why the manufacturer gives a range for the power rating of the wind turbine.
		[1]
	(iii)	Using just one domestic wind turbine may be an unreliable source of power for a house.
		State a reason why.
		[1]

ADDITIONAL ANSWER SPACE

If additional space is required, you should use the following lined page(s). The question number(s) must be clearly shown in the margin(s).				

 .1	



Copyright Information

OCR is committed to seeking permission to reproduce all third-party content that it uses in its assessment materials. OCR has attempted to identify and contact all copyright holders whose work is used in this paper. To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced in the OCR Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download from our public website (www.ocr.org.uk) after the live examination series.

If OCR has unwittingly failed to correctly acknowledge or clear any third-party content in this assessment material, OCR will be happy to correct its mistake at the earliest possible opportunity.

For queries or further information please contact the Copyright Team, First Floor, 9 Hills Road, Cambridge CB2 1GE.

OCR is part of the Cambridge Assessment Group; Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.