Please write clearly in	block capitals.
Centre number	Candidate number
Surname	
Forename(s)	
Candidate signature	

# AS BIOLOGY

Unit 1 Biology and disease

Thursday 26 May 2016 Afternoon Time allowed: 1 hour 15 minutes

## **Materials**

For this paper you must have:

- a ruler with millimetre measurements
- a calculator.

#### Instructions

- Use black ink or black ball-point pen.
- Fill in the boxes at the top of this page.
- Answer all questions.
- You must answer the questions in the spaces provided. Do not write outside the box around each page or on blank pages.
- You may ask for extra paper. Extra paper must be secured to this booklet.
- Do all rough work in this book. Cross through any work you do not want to be marked.

#### Information

- The maximum mark for this paper is 60.
- The marks for questions are shown in brackets.
- You are expected to use a calculator, where appropriate.
- Quality of Written Communication will be assessed in all answers.
- You will be marked on your ability to:
  - use good English
  - organise information clearly
  - use scientific terminology accurately.









1 (c)	Some scientists support the theory that mitochondria are organelles that evolved from prokaryotic cells.
1 (c) (i)	Give one piece of evidence that supports the theory that mitochondria evolved from prokaryotic cells. [1 mark]
1 (c) (ii)	What is the advantage to cells of having mitochondria? [2 marks]
	Turn over for the next question







2 (b)	Explain how the highest blood pressure is produced in the left ventricle.	[1 mark]
2 (c)	Some babies are born with a hole between the right and the left ventricles.	
- (-)	These babies are unable to get enough oxygen to their tissues. Suggest why.	[2 marks]
		[2 marko]
	Turn over for the next question	
		Turn over ►



#### **3** Lipase is an enzyme that hydrolyses triglycerides.

A student investigated the hydrolysis of triglycerides in milk by human lipase at 20 °C.

He recorded the pH of a sample of milk before and after adding lipase. He used a pH meter to record pH.

Figure 3 shows a graph of his results.







3 (b)	Explain why the pH decreases when the lipase is added to the milk. [1 mark]
3 (c)	Suggest why the pH remained constant after 2 minutes. [2 marks]
3 (d)	The student carried out his experiment at 20 °C. He then repeated the experiment at
	Draw a line on the graph in <b>Figure 3</b> to show the results you would expect at 15 °C. [2 marks]
	Turn over for the post question
	fulli over for the next question

7





4 (c) (ii)	Sometimes trypsin can become activated inside a pancreatic cell. A c inhibitor in the cell then binds to the trypsin and stops it working.	ompetitive
		[3 marks]
	Turn over for the next question	



5 (a) Explain the role of the diaphragm in breathing out.

### [3 marks]

Scientists investigated the offect of stepping smoking on the forced expiratory volume of

Scientists investigated the effect of stopping smoking on the forced expiratory volume of people. The forced expiratory volume ( $FEV_1$ ) is the greatest volume of air that a person can breathe out in 1 second.

The scientists recruited a large number of people who smoked. Some of these smokers stopped smoking at the start of the investigation whilst others continued to smoke.

The scientists:

- measured the FEV<sub>1</sub> of each person and calculated the mean FEV<sub>1</sub>
- re-measured the FEV<sub>1</sub> of each person after one year and calculated the mean FEV<sub>1</sub> of the smokers and the mean FEV<sub>1</sub> of the people who had stopped smoking
- repeated this at the end of five years.

Figure 4 shows the scientists' results.





5 (b)	Use the data shown in <b>Figure 4</b> to compare the change in $FEV_1$ of people wh continued to smoke with those who stopped smoking.	o [2 marks]
5 (c)	Smoking causes changes in the lungs and airways of smokers. Suggest <b>two</b> changes in the lungs of people who continue to smoke that could the change in their $FEV_1$ .	d explain
	4	[2 marks]
	Ι	
	2	
	Turn over for the next question	



Scientists investigated whether people who are lactose intolerant can drink small volumes of milk without developing symptoms.

The scientists recruited a large number of volunteers who were lactose intolerant. They asked each person to drink 240 cm<sup>3</sup> milk every morning and to record their symptoms each day. The scientists told them to record their symptoms using a scale from 0 to 5.

The scientists split the volunteers into two groups,  ${\bf A}$  and  ${\bf B}.$  For the first week, they gave:

- untreated milk containing lactose to group A
- lactose-free milk to group **B**.

6

After 1 week, the scientists changed the type of milk given to the volunteers.

Table 2 summarises the treatment.

#### Table 2

Group	Week 1	Week 2	
А	Untreated milk	Lactose-free milk	
В	Lactose-free milk	Untreated milk	

6 (a) Suggest how the scientists may have treated the milk to remove lactose.

[1 mark]

**6 (b)** The scientists told the volunteers to drink the milk first thing in the morning rather than at bedtime.

Suggest why.

[1 mark]



6 (c)	Suggest <b>one</b> instruction that the scientists would have given the volunteers about they should <b>not</b> eat or drink each day, during this investigation.	
	they should not cat of anink cach day, during this investigation.	[1 mark]
6 (d)	Suggest why the scientists changed the type of milk they gave each group after week.	one
		[1 mark]
	Question 6 continues on the next page	



**6 (e)** The volunteers were asked to record three symptoms. They used a scoring scale from 0 to 5, where 0 indicates no symptoms and 5 indicates severe symptoms.

 Table 3 shows the scientists' results.

#### Table 3

	Mean symptom score	
Symptom	Drinking untreated milk	Drinking lactose-free milk
Bloating	1.6	0.5
Stomach pain	0.4	0.3
Diarrhoea	0.1	0.3

6 (e) (i) What can you conclude from the scientists' results in Table 3?

[3 marks]

6 (e) (ii)	Suggest why the scientists' results might be unreliable.	
		[1 mark]







WMP/Jun16/BIOL1

7 Ebola is a disease caused by a virus. The Ebola virus has a glycoprotein on its surface which binds to a specific receptor protein in the cell-surface membranes of human cells. When it binds to this receptor protein, the virus can enter the cell. Some people do not produce this receptor protein. These people may become infected with the Ebola virus but do not develop the disease. 5 A blood test can be used to determine whether a person has Ebola. People with Ebola have large numbers of specific plasma cells and a specific antibody in their blood. Some scientists have suggested treating people suffering from Ebola by using transfusions of blood plasma from people who have recently recovered from the disease. 10 The Ebola virus has a high mutation rate. This makes it difficult to develop a vaccine. 7 (a) People who do not have the specific receptor protein in their cell-surface membranes may be infected with the Ebola virus but do not develop the disease (lines 1-5). Explain why they do **not** develop the disease. [2 marks] 7 (b) Explain the increase in specific plasma cells and antibody in people infected with the Ebola virus. [2 marks]



7 (c)	effective treatment (lines 8–10).	a may be an
		[3 marks]
7 (d)		
( )	A high mutation rate makes it difficult to develop a vaccine (line 11).	
	A high mutation rate makes it difficult to develop a vaccine (line 11). Explain why.	[3 marks]
. ,	A high mutation rate makes it difficult to develop a vaccine (line 11). Explain why.	[3 marks]
	A high mutation rate makes it difficult to develop a vaccine (line 11). Explain why.	[3 marks]
	A high mutation rate makes it difficult to develop a vaccine (line 11). Explain why.	[3 marks]
	A high mutation rate makes it difficult to develop a vaccine (line 11). Explain why.	[3 marks]
	A high mutation rate makes it difficult to develop a vaccine (line 11). Explain why.	[3 marks]
	A high mutation rate makes it difficult to develop a vaccine (line 11). Explain why.	[3 marks]
	A high mutation rate makes it difficult to develop a vaccine (line 11). Explain why.	[3 marks]
	A high mutation rate makes it difficult to develop a vaccine (line 11). Explain why.	[3 marks]
	A high mutation rate makes it difficult to develop a vaccine (line 11). Explain why.	[3 marks]
	A high mutation rate makes it difficult to develop a vaccine (line 11). Explain why.	[3 marks]
	A high mutation rate makes it difficult to develop a vaccine (line 11). Explain why.	[3 marks]
	A high mutation rate makes it difficult to develop a vaccine (line 11). Explain why:	[3 marks]
	A high mutation rate makes it difficult to develop a vaccine (line 11). Explain why.	[3 marks]
	A high mutation rate makes it difficult to develop a vaccine (line 11). Explain why.	[3 marks]



8 (a)	Glucose is absorbed from the lumen of the small intestine into epithelial cells. Explain how the transport of sodium ions is involved in the absorption of gluc	
		[5 marks]



8 (b) Oxygen and chloride ions can diffuse across cell-surface membranes. The diffusion of chloride ions involves a membrane protein. The diffusion of oxygen does not involve a membrane protein. Explain why the diffusion of chloride ions involves a membrane protein and the diffusion of oxygen does not. [5 marks] END OF QUESTIONS





For confidentiality purposes, from the November 2015 examination series, acknowledgements of third party copyright material will be published in a separate booklet rather than including them on the examination paper or support materials. This booklet is published after each examination series and is available for free download from www.aqa.org.uk after the live examination series.

Permission to reproduce all copyright material has been applied for. In some cases, efforts to contact copyright-holders may have been unsuccessful and AQA will be happy to rectify any omissions of acknowledgements. If you have any queries please contact the Copyright Team, AQA, Stag Hill House, Guildford, GU2 7XJ.

Copyright © 2016 AQA and its licensors. All rights reserved.

