Please write clearly in	ו block capitals.	
Centre number	Candidate number	
Surname		
Forename(s)		
Candidate signature	I declare this is my own work.	

## GCSE BIOLOGY

Higher Tier Paper 2H

#### Time allowed: 1 hour 45 minutes

#### Materials

For this paper you must have:

- a ruler
- a scientific calculator.


#### Instructions

- Use black ink or black ball-point pen.
- Pencil should only be used for drawing.
- Fill in the boxes at the top of this page.
- Answer all questions in the spaces provided.
- If you need extra space for your answer(s), use the lined pages at the end of this book. Write the question number against your answer(s).
- Do all rough work in this book. Cross through any work you do not want to be marked.
- In all calculations, show clearly how you work out your answer.


#### Information


- The maximum mark for this paper is 100.
- The marks for questions are shown in brackets.
- You are expected to use a calculator where appropriate.
- You are reminded of the need for good English and clear presentation in your answers.






Н



























box

outsi			Do no
<ul> <li>internal body temperature</li> <li>the rate of sweating.</li> <li>This is the method used.</li> <li>1. Sit a person inside a room kept at a constant temperature of 25 °C.</li> <li>2. Measure the person's internal body temperature near the brain.</li> <li>3. Measure the person's rate of sweating.</li> <li>4. After 20 minutes, give the person 500 cm<sup>3</sup> of ice-cold water to drink.</li> <li>5. Continue to measure the person's internal body temperature and sweating rate for a further 50 minutes.</li> </ul>	0 3	Human body temperature is controlled within very narrow limits.	outsic
<ul> <li>the rate of sweating.</li> <li>This is the method used.</li> <li>1. Sit a person inside a room kept at a constant temperature of 25 °C.</li> <li>2. Measure the person's internal body temperature near the brain.</li> <li>3. Measure the person's rate of sweating.</li> <li>4. After 20 minutes, give the person 500 cm<sup>3</sup> of ice-cold water to drink.</li> <li>5. Continue to measure the person's internal body temperature and sweating rate for a further 50 minutes.</li> </ul>		Scientists investigated the effect of drinking ice-cold water on:	
<ul> <li>This is the method used.</li> <li>1. Sit a person inside a room kept at a constant temperature of 25 °C.</li> <li>2. Measure the person's internal body temperature near the brain.</li> <li>3. Measure the person's rate of sweating.</li> <li>4. After 20 minutes, give the person 500 cm<sup>3</sup> of ice-cold water to drink.</li> <li>5. Continue to measure the person's internal body temperature and sweating rate for a further 50 minutes.</li> </ul>		internal body temperature	
<ul> <li>1. Sit a person inside a room kept at a constant temperature of 25 °C.</li> <li>2. Measure the person's internal body temperature near the brain.</li> <li>3. Measure the person's rate of sweating.</li> <li>4. After 20 minutes, give the person 500 cm<sup>3</sup> of ice-cold water to drink.</li> <li>5. Continue to measure the person's internal body temperature and sweating rate for a further 50 minutes.</li> </ul>		the rate of sweating.	
<ul> <li>2. Measure the person's internal body temperature near the brain.</li> <li>3. Measure the person's rate of sweating.</li> <li>4. After 20 minutes, give the person 500 cm<sup>3</sup> of ice-cold water to drink.</li> <li>5. Continue to measure the person's internal body temperature and sweating rate for a further 50 minutes.</li> </ul> <b>0</b> 3. 1 Give the reason why the person should <b>not</b> move during the investigation. [1 mark]		This is the method used.	
<ul> <li>3. Measure the person's rate of sweating.</li> <li>4. After 20 minutes, give the person 500 cm<sup>3</sup> of ice-cold water to drink.</li> <li>5. Continue to measure the person's internal body temperature and sweating rate for a further 50 minutes.</li> </ul> <b>0</b> 3. 1 Give the reason why the person should <b>not</b> move during the investigation. [1 mark]		1. Sit a person inside a room kept at a constant temperature of 25 $^{\circ}$ C.	
<ul> <li>4. After 20 minutes, give the person 500 cm<sup>3</sup> of ice-cold water to drink.</li> <li>5. Continue to measure the person's internal body temperature and sweating rate for a further 50 minutes.</li> <li><b>0</b> 3. 1 Give the reason why the person should <b>not</b> move during the investigation. [1 mark]</li> </ul>		2. Measure the person's internal body temperature near the brain.	
<ul> <li>5. Continue to measure the person's internal body temperature and sweating rate for a further 50 minutes.</li> <li><b>0</b> 3. 1 Give the reason why the person should <b>not</b> move during the investigation. [1 mark]</li> </ul>		3. Measure the person's rate of sweating.	
a further 50 minutes.          0 3.1       Give the reason why the person should not move during the investigation.         [1 mark]		4. After 20 minutes, give the person 500 cm <sup>3</sup> of ice-cold water to drink.	
[1 mark]			
Question 3 continues on the next page	0 3.1		
		Question 3 continues on the next page	







Do not write outside the box


0 3 2	What is this person's normal internal body temperature?	Do out
	[1 mark] Tick (✓) one box.	
	36.8 °C 37.0 °C 37.4 °C	
	The results show that when the ice-cold water was drunk, the temperature near the brain decreased.	
03.3	Explain why the temperature near the brain decreased. [2 marks]	
0 3.4	The thermorequilatory control in the brain reenands to the decrease in temperature	
0 3 . 4	The inermoreouialory centre in the prain responds to the decrease in temperature	
	The thermoregulatory centre in the brain responds to the decrease in temperature. How does the thermoregulatory centre send information to sweat glands in the skin? [1 mark]	
	How does the thermoregulatory centre send information to sweat glands in the skin?	
0 3.5	How does the thermoregulatory centre send information to sweat glands in the skin?	
03.5	How does the thermoregulatory centre send information to sweat glands in the skin? [1 mark]	
03.5	How does the thermoregulatory centre send information to sweat glands in the skin? [1 mark]	
03.5	How does the thermoregulatory centre send information to sweat glands in the skin? [1 mark]	




03.6	During exercise, the skin appears red. What causes the skin to appear red? Tick (✓) <b>one</b> box.	[1 mark]	Do not write outside the box
	Blood vessels moving closer to the skin surface		
	Constriction of blood vessels in the skin		
	Decrease in heart rate		
	Dilation of blood vessels in the skin		8

#### Turn over for the next question












	Do not write outside the
	box
	6
Turn over for the next question	







The growth of daisy plants on a lawn is affected by biotic factors and by

### Question 5 continues on the next page

IB/M/Jun21/8461/2H



Factor	Biotic	Abiotic
Nitrates in the soil		
Rabbits eating the plants		
Shading by a building		
Soil pH		
Temperature		
Trampling by people		

Table 2

0 5. 1

0 5


Table 2 shows six factors.

abiotic factors.

Tick ( $\checkmark$ ) **one** box in each row to show whether the factor is biotic or abiotic.

[3 marks]







5.3	The mean number of daisy plants in each quadrat is 6.
	Calculate the number of daisy plants on the lawn.
	Give your answer to 3 significant figures. [6 marks]
	Number of daisy plants on the lawn =
5.4	Using the mean from this investigation to calculate the number of daisy plants on the lawn may <b>not</b> be accurate.
	Give <b>two</b> reasons why.
	[2 marks]
	1
	2
	Turn over for the next question



ot write ide the oox

Reflex actions are coordinated by the nervous system.	
What is meant by the term 'reflex action'?	[2 marks]
A woman's hand accidentally touches a hot object.	
The woman moves her hand away rapidly.	
Describe how the woman's nervous system coordinates the reflex action.	[6 marks]



1


0 6

0

6. 2 Do not write outside the box

		Do not write outside the
0 6.3	The endocrine system coordinates many internal functions of the body.	box
	Give three ways coordination by the endocrine system is different from coordination	
	by the nervous system. [3 marks]	
	1	
	2	
	3	
0 6 . 4	Describe how hormones control the menstrual cycle. [5 marks]	
	·	
		16
	Turn over for the next question	









0 7 . 3	Name <b>one</b> producer in <b>Figure 9</b> .	Do not v outside box
	[1 mark]	
0 7.4	The different food chains in <b>Figure 9</b> have different numbers of organisms. Complete <b>Figure 10</b> to show a food chain in <b>Figure 9</b> with <b>five</b> organisms, including	
	the human. [1 mark]	
	Figure 10	
	1	
	2	
	3	
	4	
	5Human	
0 7.5	Figure 9 shows that mackerel eat krill and squid.	
	The biomass of mackerel is much less than the combined biomass of krill and squid.	
	One reason for this is that the mackerel cannot digest all parts of the krill and squid.	
	Give <b>two</b> other reasons. [2 marks]	
	1	
	2	






















		Do not write
08	Sickle cell anaemia is an inherited condition that affects red blood cells.	outside the box
	Sickle cell anaemia is caused by a mutation in the gene for haemoglobin. Haemoglobin is the red pigment found in red blood cells.	
	A person who is homozygous for the normal haemoglobin allele $(\mathbf{H}^{\mathbf{A}})$ produces normal red blood cells.	
	A person who is homozygous for the mutated allele ( <b>H</b> <sup>s</sup> ):	
	<ul> <li>produces red blood cells with abnormal haemoglobin</li> </ul>	
	<ul> <li>has red blood cells that can form an altered shape</li> </ul>	
	<ul> <li>has sickle cell anaemia and becomes ill.</li> </ul>	
	A person who is heterozygous:	
	<ul> <li>has both normal and abnormal haemoglobin in the red blood cells</li> </ul>	
	has sickle cell trait	
	<ul> <li>is generally healthy but can become ill in certain circumstances.</li> </ul>	
08.1	Give the reason why a mutation in the gene coding for haemoglobin could be harmful. [1 mark]	











Determine the probability that the child will be a girl with sickle cell trait.

You should:

- draw a Punnett square diagram
- identify the phenotype of each offspring genotype
- use the symbols:
  - H<sup>A</sup> = normal haemoglobin allele
  - **H<sup>s</sup>** = mutated haemoglobin allele.

[5 marks]

Do not write outside the


box

Probability of a girl with sickle cell trait =

#### Question 8 continues on the next page

29

		Do not write
0 8.4	Without medical treatment, people with sickle cell anaemia are frequently ill and have a reduced life expectancy.	outside the box
	The malarial parasite cannot live in the red blood cells of a person who has the <b>H<sup>s</sup> allele</b> .	
	A scientist stated:	
	'It is an advantage for people to have the <b>H<sup>s</sup></b> allele in countries where malaria occurs.'	
	Evaluate the scientist's statement. [3 marks]	
		11
	IB/M/Jun21/8461/2H	





The Galapagos Islands are located in the Pacific Ocean.

Several species of birds called finches live on the Galapagos Islands.

These finches are very similar to each other.

Figure 15 shows two modern species of Galapagos finch and their classification.

Figure 15

Medium ground finch

Small ground finch



Classification group	Medium ground finch	Small ground finch
Kingdom Animalia A		Animalia
	Chordata	Chordata
Class	Aves	Aves
	Passeriformes	Passeriformes
	Thraupidae	Thraupidae
Genus	Geospiza	Geospiza
	fortis	fuliginosa




09

	т	urn over ►	
	Question 9 continues on the next page		
0 9 . 2	Use information from <b>Figure 15</b> .	[1 mark]	
09.2	Give the binomial name of the medium ground finch.		
09.1	Complete <b>Figure 13</b> to give the names of the missing classification groups.	[2 marks]	
09.1	Complete <b>Figure 15</b> to give the names of the missing classification groups.		Do not v outside box

IB/M/Jun21/8461/2H








	• · · · · · · · · · · · · · · · · · · ·		Do not write outside the
0 9 . 4	Scientists suggested that more than one gene controls beak depth.		box
	Give evidence from <b>Figure 17</b> to support the scientists' suggestion.	[1 mark]	
		[ mang	
	Question 9 continues on the next page		
		Turn over ►	








		Do not wi
	The medium ground finch and the small ground finch both feed on seeds.	outside to box
	The size of seeds eaten by each bird depends on the depth of the bird's beak.	
09.5	The range of beak depth of <b>medium ground finches</b> on Isabela Island is different from the range on Daphne Island.	
	Explain what might have caused this difference.	
	[6 marks]	
	Question 9 continues on the next page	



IB/M/Jun21/8461/2H

		Do not write outside the
09.6	Figure 19 shows:	box
	<ul> <li>the two species of finch live on Isabela Island</li> </ul>	
	<ul> <li>only one of the species lives on Daphne Island</li> </ul>	
	<ul> <li>only one of the species lives on Crossman Island.</li> </ul>	
	Suggest why both species of finch are able to live on Isabela Island.	
	[2 marks]	
		13
	END OF QUESTIONS	
I		







Question number	Additional page, if required. Write the question numbers in the left-hand margin.



Question number	Additional page, if required. Write the question numbers in the left-hand margin.




Question number	Additional page, if required. Write the question numbers in the left-hand margin.



Question number	Additional page, if required. Write the question numbers in the left-hand margin.





Permission to reproduce all copyright material has been applied for. In some cases, efforts to contact copyright-holders may have been unsuccessful and AQA will be happy to rectify any omissions of acknowledgements. If you have any queries please contact the Copyright Team.

Copyright © 2021 AQA and its licensors. All rights reserved.





IB/M/Jun21/8461/2H