Centre Number				Candidate Number			For Exam	iner's I
Surname								
Other Names							Examine	r's Initi
Candidate Signature	:							
							Question	NA.



General Certificate of Education Advanced Subsidiary Examination June 2010

Biology

Unit 1

- Biology and disease

Tuesday 25 May 2010 9.00 am to 10.15 am

For this paper you must have:

- a ruler with millimetre measurements.
- a calculator.

Time allowed

• 1 hour 15 minutes

Instructions

- Use black ink or black ball-point pen.
- Fill in the boxes at the top of this page.
- Answer all questions.
- You must answer the questions in the spaces provided. Do not write outside the box around each page or on blank pages.
- If you need extra space for your answer(s), use the lined pages at the end of this book. Write the question number against your answer(s).
- Do all rough work in this book. Cross through any work you do not want to be marked.

Information

- The marks for questions are shown in brackets.
- The maximum mark for this paper is 60.
- You will be marked on your ability to:
 - use good English
 - organise information clearly
 - use scientific terminology accurately.

For Exam	iner's Use			
Examiner's Initials				
Question	Mark			
1				
2				
3				
4				
5				
6				
7				
TOTAL				

BIOL1







	Answer all questions in the spaces provided.
1 (a)	Cholera bacteria are prokaryotic cells. Give three structures found in prokaryotic cells but not in eukaryotic cells.
	1
	2
	3
1 (b)	Cholera bacteria cause an increase in the secretion of chloride ions into the small intestine. Use your knowledge of water potential to explain how the increased secretion of chloride ions causes diarrhoea.
1 (c)	People with diarrhoea suffer fluid loss. They can use oral rehydration solutions (ORS) to replace the lost fluid. The mixture used to make an oral rehydration solution is stored as a powder. The powder can be made into a solution with boiled water.
1 (c) (i)	Why must boiled water be used to make an ORS?
	(1 mark)
1 (c) (ii)	The mixture used to make the ORS contains glucose. Give one other substance that must be present in the mixture.
	(1 mark)



Do not write outside the box





The person was breathing in between times A and B on the graph.	
Explain how the graph shows that the person was breathing in between times A and B	.
(1 mark	;)
(2 marks	
The person's pulmonary ventilation changed between times C and D .	·)
Describe how the graph shows that the pulmonary ventilation changed.	
(3 marks	
(Extra space)	
	Explain how the graph shows that the person was breathing in between times A and B (1 mark Describe and explain what happens to the shape of the diaphragm between times A and B. (2 marks The person's pulmonary ventilation changed between times C and D. Describe how the graph shows that the pulmonary ventilation changed. (3 marks (3 marks))







3 (c)	There are lots of organelle G in this cell. Explain why.	
		(2 marks)
3 (d)	A group of scientists homogenised pancreatic tissue before carrying out cell fractionation to isolate organelle G .	
	Explain why the scientists	
3 (d) (i)	homogenised the tissue	
		(1 mark)
3 (d) (ii)	filtered the resulting suspension	
		(1 mark)
3 (d) (iii)	kept the suspension ice cold during the process	
		(1 mark)
3 (d) (iv)	used isotonic solution during the process.	()
		(2 marks)





(5 marks)	
offering the vaccine to young men. Explain the advantage of well as young women.	
(2 marks)	
Turn over ►]
WMP/Jun10/BIOL1	

	antigens.
4 (b) (i)	What is an HPV antigen?
	(2 marks)
4 (b) (ii)	A vaccine can be used to produce immunity to HPV. Describe how memory cells are important in this process.
	(3 marks) (Extra space)
4 (c)	Some doctors suggested offering the vaccine to young men. Explain the advantage of vaccinating young men as well as young women.
	(2 marks)



4 (b)

10

Scientists have developed vaccines against HPV. One of the vaccines contains HPV

. . . .

5	Gangliosides are lipids found in the cell surface membranes of nerve cells. Hexosaminidase is an enzyme present in blood that breaks down gangliosides. If gangliosides are not broken down, they damage nerve cells.
5 (a)	Hexosaminidase only breaks down gangliosides. It does not break down other lipids. Explain why this enzyme only breaks down gangliosides.
	(3 marks)

.....

.

(Extra space)

5 (b) Hexosaminidase is found in the blood of healthy people. People with Tay Sachs disease do not have this enzyme in their blood.

Doctors confirm Tay Sachs disease by using a blood test. The technician carrying out the test adds a solution containing a high concentration of gangliosides to a sample of blood from the person being tested. The technician then measures the concentration of gangliosides in the person's blood at regular intervals.

5 (b) (i) Complete the graph below by sketching a curve to show the results you would expect for a person with Tay Sachs disease. Label this curve **T**.

(1 mark)

Ganglioside concentration /arbitrary units Concentration of ganglioside added to blood sample Time/minutes 5 (b) (ii) Sketch a curve on the same graph to show the results you would expect for a healthy person who does not have Tay Sachs disease. Label this curve H. (1 mark) Scientists are trying to find a way to give the missing enzyme to people with Tay Sachs 5 (c) disease. Suggest why they cannot give the enzyme as a tablet that is swallowed. (2 marks)



6	Read the following passage.	
	Some foods contain substances called flavenoids. Flavenoids lower blood cholesterol concentration and reduce the risk of developing coronary heart disease.	
	Some types of dark chocolate have a high concentration of flavenoids. One group of scientists investigated the effect of eating dark chocolate on the risk of developing coronary heart disease.	5
	The scientists randomly divided healthy volunteers into two groups. Every day one group was given dark chocolate containing flavenoids to eat. The other group acted as a control.	
	The scientists measured the diameter of the lumen of the main artery in the arms of the volunteers every week. At the end of a month, the diameter of the lumen of the main artery in the arm of the volunteers who had eaten dark chocolate containing flavenoids had increased.	10
	Use information from the passage and your own knowledge to answer the question	ns.
6 (a)	High blood cholesterol concentration is a risk factor associated with coronary hear disease.	t
	Give two other risk factors associated with coronary heart disease.	
	1	
	2	narks)
6 (b) (i)	The scientists used healthy volunteers in this investigation (line 7). Why was it important that the volunteers were healthy?	
		mark)
6 (b) (ii)	The scientists randomly divided the volunteers into two groups (line 7). Explain whethey divided them randomly.	чy
	(1)	mark)



6 (c) (i)	Describe how the control group should have been treated.
	(2 mortes)
6 (c) (ii)	(2 marks) Why was it important to have a control group in this investigation?
	(1 mark)
6 (d)	Suggest why an increase in the diameter of the lumen of the main artery in the arm (lines 11-12) is associated with a reduced risk of coronary heart disease.
	(3 marks)
	(Extra space)



7 (a) Many different substances enter and leave a cell by crossing its cell surface membrane. Describe how substances can cross a cell surface membrane. (5 marks) (Extra space)



	he alveoli and blood	·	
(Extra space) .			
	END OF	QUESTIONS	



7 (b)

Question number	Write the question numbers in the left-hand margin



Question number	Write the question numbers in the left-hand margin



Question number	Write the question numbers in the left-hand margin



Question number	Write the question numbers in the left-hand margin



Question number	Write the question numbers in the left-hand margin

Copyright © 2010 AQA and its licensors. All rights reserved.

