

GCSE Mathematics

Paper 3 Higher Tier

Mark scheme

8300 November 2017

Version: 1.0 Final

Mark schemes are prepared by the Lead Assessment Writer and considered, together with the relevant questions, by a panel of subject teachers. This mark scheme includes any amendments made at the standardisation events which all associates participate in and is the scheme which was used by them in this examination. The standardisation process ensures that the mark scheme covers the students' responses to questions and that every associate understands and applies it in the same correct way. As preparation for standardisation each associate analyses a number of students' scripts. Alternative answers not already covered by the mark scheme are discussed and legislated for. If, after the standardisation process, associates encounter unusual answers which have not been raised they are required to refer these to the Lead Assessment Writer.

It must be stressed that a mark scheme is a working document, in many cases further developed and expanded on the basis of students' reactions to a particular paper. Assumptions about future mark schemes on the basis of one year's document should be avoided; whilst the guiding principles of assessment remain constant, details will change, depending on the content of a particular examination paper.

Further copies of this mark scheme are available from aqa.org.uk

Copyright © 2017 AQA and its licensors. All rights reserved.

AQA retains the copyright on all its publications. However, registered schools/colleges for AQA are permitted to copy material from this booklet for their own internal use, with the following important exception: AQA cannot give permission to schools/colleges to photocopy any material that is acknowledged to a third party even for internal use within the centre.

Glossary for Mark Schemes

GCSE examinations are marked in such a way as to award positive achievement wherever possible. Thus, for GCSE Mathematics papers, marks are awarded under various categories.

If a student uses a method which is not explicitly covered by the mark scheme the same principles of marking should be applied. Credit should be given to any valid methods. Examiners should seek advice from their senior examiner if in any doubt.

Μ	Method marks are awarded for a correct method which could lead to a correct answer.
Α	Accuracy marks are awarded when following on from a correct method. It is not necessary to always see the method. This can be implied.
В	Marks awarded independent of method.
ft	Follow through marks. Marks awarded for correct working following a mistake in an earlier step.
SC	Special case. Marks awarded for a common misinterpretation which has some mathematical worth.
M dep	A method mark dependent on a previous method mark being awarded.
B dep	A mark that can only be awarded if a previous independent mark has been awarded.
oe	Or equivalent. Accept answers that are equivalent.
	eg accept 0.5 as well as $\frac{1}{2}$
[a, b]	Accept values between a and b inclusive.
[a, b)	Accept values a ≤ value < b
3.14	Accept answers which begin 3.14 eg 3.14, 3.142, 3.1416
Use of brackets	It is not necessary to see the bracketed work to award the marks.

Examiners should consistently apply the following principles

Diagrams

Diagrams that have working on them should be treated like normal responses. If a diagram has been written on but the correct response is within the answer space, the work within the answer space should be marked. Working on diagrams that contradicts work within the answer space is not to be considered as choice but as working, and is not, therefore, penalised.

Responses which appear to come from incorrect methods

Whenever there is doubt as to whether a student has used an incorrect method to obtain an answer, as a general principle, the benefit of doubt must be given to the student. In cases where there is no doubt that the answer has come from incorrect working then the student should be penalised.

Questions which ask students to show working

Instructions on marking will be given but usually marks are not awarded to students who show no working.

Questions which do not ask students to show working

As a general principle, a correct response is awarded full marks.

Misread or miscopy

Students often copy values from a question incorrectly. If the examiner thinks that the student has made a genuine misread, then only the accuracy marks (A or B marks), up to a maximum of 2 marks are penalised. The method marks can still be awarded.

Further work

Once the correct answer has been seen, further working may be ignored unless it goes on to contradict the correct answer.

Choice

When a choice of answers and/or methods is given, mark each attempt. If both methods are valid then M marks can be awarded but any incorrect answer or method would result in marks being lost.

Work not replaced

Erased or crossed out work that is still legible should be marked.

Work replaced

Erased or crossed out work that has been replaced is not awarded marks.

Premature approximation

Rounding off too early can lead to inaccuracy in the final answer. This should be penalised by 1 mark unless instructed otherwise.

Continental notation

Accept a comma used instead of a decimal point (for example, in measurements or currency), provided that it is clear to the examiner that the student intended it to be a decimal point.

Question	Answer	Mark	Comments	
	-4 < x ≤ 5	B1		
1	Additional Guidance			

	1:2	B1		
2	Additional Guidance			

	2n – 12	B1			
3	Additional Guidance				

	y = -5	B1				
4	Additional Guidance					

	$x^{2} - 8x - 8x + 64$ M1 Allow one error or omission terms may be seen in a get			
	$x^2 - 16x + 64$	A1	Ignore fw eg if attempting Do not ignore fw if attemp	
	Ad	Iditional	Guidance	
	$x^2 - 16x (+ k)$ $k \neq 64$			M1A0
5	$x^2 - 8x + 64$			M1A0
	$x^2 - 16x + 64 = -15x^3 + 64$			M1A0
	$x^2 - 8x + 8x + 64$ (one error)			M1A0
	$x^{2} + 8x + 8x + 64$ (one error)			M1A0
	$x^2 - 6x + 8x + 64$ (two errors)			M0A0
	x^2 + 64 (two errors)			M0A0

Question	Answer	Mark	Comme	nts	
	Lists three from 3, 9, 27, 81, 243, 729				
	or lists three from 1, 4, 9, 16,, 225, 256, 289				
	or correctly evaluating a power of 3 + a square number	M1	eg 27 + 25 = 52 or 3^3 + 5	² = 52	
	or correctly evaluating 268 – a power of 3		eg 268 – 27 = 241		
	or correctly evaluating 268 – a square number		eg 268 – 49 = 219		
6	243 + 25 or 3 ⁵ + 5 ²	A1	oe Addition sign must be seen in working of on answer line		
	Ad	ditional G	Guidance		
-	3^5 , 5^2 or 3^5 and 5^2 on answer line			M1A0	
	268 – 243 = 25			M1A0	
	243, 25 or 243 and 25 on answer line			M1A0	
	Beware of $5^3 + 5^2$				
		_			

	10 < t ≤ 15	B1			
7	Additional Guidance				


Question	Answer	Mark	Comments
	Alternative method 1		
	PAB = 51 or $PAD = 51$ or $APC = 180 - 51$ or $APC = 129$	M1	
	<i>ABP</i> = 180 – 51 – their 51 or <i>ABP</i> = 180 – 102 or <i>ABP</i> = 78		<i>PAB</i> = 51 and <i>PAD</i> = 51 or <i>BAD</i> = 102
		M1dep	
	or <i>ADC</i> = 180 – their 51 – their 51 <i>ADC</i> = 180 – 102 <i>ADC</i> = 78		
8			
Alt 1 of 2	<i>BCD</i> = 180 – their 78 or <i>BCD</i> = 360 – their 129 – their 51 – their 78		oe eg <i>BCD</i> = (360 – 2 × their 78) ÷ 2
	or <i>BCD</i> = 360 – 258 or <i>BCD</i> = 102		
	or 4x = 180 – their 78	M1dep	or 4x = (360 – 2 × their 78) ÷ 2
	or $4x = 360$ – their 129 – their 51 – their 78		
	or 4x = 360 - 258		
	or 4x = 102		
	or 102 ÷ 4		
	25.5	A1	


Question	Answer	Mark	Comments
	Alternative method 2		
8 Alt 2 of 2	ABC = 180 - 3x - x or $ABC = 180 - 4x$ or $APC = 180 - 51$ or $APC = 129$ PAB = 2x or $APB = 2x$ or $2x = 51$	M1 M1dep	
	51 ÷ 2	M1dep	
	25.5	A1	
	Additional Guidance		
	Angles must be labelled or shown o		

Question	Answer Mark Comments			nents	
	Alternative metho	od 1			
	v - u = at	-at = u - v	M1		
	$t = \frac{v - u}{a}$	$t = \frac{u - v}{-a}$	A1	oe	
	Alternative metho	od 2			
	$\frac{v}{a} = \frac{u}{a} + t$		M1		
	$t = \frac{v}{a} - \frac{u}{a}$		A1	oe	
9(a)					
	$\mathbf{t} = (\mathbf{v} - \mathbf{u}) \div \mathbf{a}$	M1A1			
	v - u = at and t =	$v - u \div a$			M1A0
	$\frac{v-u}{a}$ or $\frac{u-v}{-a}$ or		M1A0		
	$a = \frac{v-u}{t}$ with or	M1A0			
	$\mathbf{t} = \mathbf{v} - \mathbf{u} \div \mathbf{a}$	M0A0			
	$t = \frac{v + u}{a}$	M0A0			

Question	Answer	Mark	Comments	
	(Speed) m/s or ms ⁻¹ (Acceleration) m/s ² or ms ⁻² or m/s/s	B2	B1 for one correct or two mutually consisten and km/h ² Accept mps for m/s and n	-
	Additional Guidance			
9(b)	Allow units given in words eg metres per second metres per second squared or metres per second per second			
	m/s ⁻¹ (speed)	B0		
	m/s ⁻² (acceleration)			B0

	Two pairs of intersecting arcs with equal radii > 0.5 <i>AB</i>	M1	tolerance ± 0.1 cm	
10	Perpendicular bisector drawn with correct method seen	A1	tolerance ± 0.1 cm	
	Ado	ditional G	uidance	






Question	Answer	Mark	Commer	nts
	85% or 0.85	M1		
	27.2 ÷ 0.85 or 27.2 ÷ 85 (× 100) or 0.32	M1dep		
11(b)	32(.00)	A1	Correct money notation Allow £32.00p	
	Additional Guidance			
	32.0			M1M1A0

	140 ÷ 50 or 2.8 or 140 ÷ 50 × 60 or 168	M1	oe		
	2 (hours) 48 (minutes)	A1	258 (minutes) (after midday) implies M1A1		
	4.18 (pm)	A1ft	oe ft their time in hours and awarded	minutes with M1	
12(a)	Additional Guidance				
	140 ÷ 50 or 2.8 = 2 hours 80 minutes 4.50	M1A0A1ft			
	140 ÷ 50 or 2.8 = 2 hours 8 minutes,	M1A0A1ft			
	140 ÷ 50 or 2.8 = 2 hours 80 minutes	M1A0A0			
	140 ÷ 50 or 2.8, Answer 4.10	M1A0A0			
	2 hours 8 minutes implies attempt at	140 ÷ 50		M1	

Question	Answer	Mark	Comme	nts
	Valid statement	B1ft	eg the arrival time will be it will be later time will be more ft their time in (a) eg it w 4.18pm	
	Ade	ditional G	auidance	
	It will be delayed			B1
	The arrival time will be increased			B1
	He will reach there late			B1
	The time will go up			B1
12(b)	It will go up			B1
	The journey will take longer so the arrival time is later			B1
	Take longer			B0
	Longer			B0
	Slower (restating question)			B0
	You won't get there as quick			B0
	Time will be longer			B0
	Journey will be longer			B0
	'Longer' is referring to a time period r	ather thar	n an arrival time	



Question	Answer	Mark	Comme	nts
	6 + 5 + 2x + x + 2 = 31 or $3x + 13 = 31$ or $3x = 18$ or $\frac{5 + 2x}{31}$ or $\frac{5 + 2x}{3x + 13}$	M1	oe equation 6 + 5 + 2(6) + 6 + 2 = 31 answer)	(embedded
	(x =) 6	A1		
14(a)	$\frac{17}{31}$ or 0.548 or 0.55 or 54.8% or 55%	A1ft	ft $\frac{5 + \text{their } 2x}{31}$ and M1 A or ft $\frac{23 - \text{their } x}{31}$ and M1	
	Ad	ditional G	uidance	
	x = 6, answer $\frac{12}{31}$ or answer $\frac{12}{31}$ alone (implied x = 6)			M1A1A0
	$3x = 18, x = 5$, answer $\frac{15}{31}$ or $\frac{18}{31}$			M1A0A1ft

14(b)	5/11 or 0.45 or 45.()%	B1	oe	
	Additional Guidance			

	2xy	B1		
15	5 Additional Guidance			

	36	B1		
16	Additional Guidance			

Question	Answer	Mark	Comments
17	$13 - 5 \rightarrow 4152$ or $8 \rightarrow 4152$ $\frac{x + 4152}{x} = \frac{13}{5}$ or $5x + 20\ 760 = 13x$ or $20\ 760 = 8x$ or $2595 = x$ or (number of men =) 6747 or (number of women =) 2595 or (total number of people =) 12\ 926	M1 M1dep	oe eg 4152 ÷ 8 or 519 seen or 8 parts is 4152 oe
	or 4152 ÷ 8 × 7 or 519 × 7 3633	A1	
		ditional G	uidance

Question	Answer	Mark	Comme	nts	
	$-6x^{3} + 18x$ or (-)($6x^{3} - 18x$)	B1			
	$6x^3 + 15x^2 + 4x + 10$	M1	Allow one error		
	$6x^3 + 15x^2 + 4x + 10 - 6x^3 + 18x$	A1ft	oe ft B0M1 only		
	15x ² + 22x + 10	A1ft	ft their 6 terms if at least M1 scored Do not ignore fw		
	Additional Guidance				
18	$-6x^{3} - 18x$ $6x^{3} + 15x^{2} + 4x + 10$ $6x^{3} + 15x^{2} + 4x + 10 - 6x^{3} - 18x$ $15x^{2} - 14x + 10$			B0 M1 A1ft A1ft	
	$- 6x^{2} - 18x$ $6x^{2} + 15x^{2} + 4x + 10$ $6x^{2} + 15x^{2} + 4x + 10 - 6x^{2} - 18x$ $15x^{2} - 14x + 10$			B0 M1 A1ft A1ft	
	$- 6x^{2} + 18x$ $6x^{2} + 15x^{2} + 4x + 10$ $6x^{2} + 15x^{2} + 4x + 10 - 6x^{2} + 18x$ $15x^{2} + 22x + 10$			B0 M1 A1ft A1ft	
	$- 6x^{3} + 18x$ $6x^{3} + 15x^{2} + 4x + 7$ $6x^{3} + 15x^{2} + 4x + 7 - 6x^{3} + 18x$ $15x^{2} + 22x + 7$			B1 M1 A0 A1ft	

Question	Answer	Mark	Comments	
		1 1		
	65	B1		
	Alternate segment (theorem)	B1dep		
19	Ad	ditional G	uidance	
	65 alternative segment (theorem)			B1 B0
	65 alternate angles			B1 B0

	3rd box indicated	B1		
20	20 Additional Guidance			

21	3^8 or 3^9 or y^6 or $2 \times 3^4 \times y^3 \times 2 \times 3^4 \times y^3$ or $3 \times 2 \times 3^4 \times y^3 \times 2 \times 3^4 \times y^3$	M1	78 732 or 19 683	
	$2^2 \times 3^8 \times y^6$ or $3 \times 2^2 \times 3^8 \times y^6$ or 2^2 and 3^9 and y^6 or $2^a \times 3^b \times y^c$ with two powers correct	M1dep	2 ² × 19 683y ⁶ 78 732y ⁶	
	$2^2 \times 3^9 \times y^6$	A1	Must be in index form Do not ignore fw	
	Ad			
	$2^2 \times 3^8 \times y^6$	M1 M1 A0		
	$2^2 + 3^9 \times y^6$	M1 M1 A0		
	$2^2 + 3^8 + y^6$			M1 M0 A0

Question	Answer	Mark	Commer	nts
	$6^{2} + 9^{2} - 2 \times 6 \times 9 \times \cos 120$ or 36 + 81 - 108 cos 120 or 36 + 81 + 54 or 171	M1	oe	
22	$\sqrt{6^2 + 9^2 - 2 \times 6 \times 9 \times \cos 120}$ or $\sqrt{36 + 81 - 108 \cos 120}$ or $\sqrt{36 + 81 + 54}$	M1dep	oe	
	[13, 13.1] or $\sqrt{171}$ or $3\sqrt{19}$	A1		
	Additional Guidance			
	$6^{2} + 9^{2} = 36 + 81$ = 117 Answer $\sqrt{117}$			MO

Question	Answer	Mark	Comme	nts
	Line $x = 3$ should be dashed or not included	B1	oe eg vertical line should	d be dotted
	R is in the wrong place	B1	oe eg region is not corre May be shown on diagra	
	Ad	ditional G	Guidance	
	x is not equal to 3			B1
	R does not include x = 3			B1
23	Straight line should be less than 3	B1		
	x = 3 is not in the region	B1		
	Line at x = 3 is closed not open	B1		
	Lines are not drawn correctly (not enough)			B0
	Should have shaded above the dotted line $(y > 3 - x)$			B1
	R should be where (2, 2) is			B1
	R should be shaded	В0		

Question	Ans	swer	Mark	Comments	
	Alternative method 1				
	4a = 9b		M1	$\frac{a}{b} = \frac{9}{4}$	
	$4a = 9 \times \frac{7c}{10}$ or $40a = 63c$	40a = 90b and 90b = 63c	M1dep	oe 9: $\frac{40}{7}$	
24	63 : 40		A1	Accept $\frac{63}{40}$: 1 or 1.575: 1 or 1: $\frac{40}{63}$	
	Alternative method 2				
	b : c = 7 : 10		M1		
	a : b = 63 : 90 and or 63 : 90 : 40	b : c = 90 : 40	M1dep	oe common value for b	
	63 : 40		A1	Accept $\frac{63}{40}$: 1 or 1.575 : 1 or 1 : $\frac{40}{63}$	

Question	Answer	Mark	Commen	ts	
	Alternative method 3				
	$a = \frac{9b}{4}$ or $c = \frac{10b}{7}$	M1			
	$\frac{9b}{4}:\frac{10b}{7} \text{ or } \frac{9}{4}:\frac{10}{7}$	M1dep	oe		
	63 : 40	A1	Accept $\frac{63}{40}$: 1 or 1.575 : 1 or 1 : $\frac{40}{63}$		
	Alternative method 4				
24 cont	$c = \frac{10}{7}b$	M1	eg a : c = a : $\frac{10}{7}$ b		
	9: $\frac{10}{7} \times 4$ or 9: $\frac{40}{7}$	M1dep	ое		
	63 : 40	A1	Accept $\frac{63}{40}$: 1 or 1.575 : 1 or 1 : $\frac{40}{63}$		
	Additional Guidance				
	2^{nd} method mark is for a link between a and c or a correct ratio in an unsimplified form				
	40 : 63 on answer line		M1M1A0		

Answer	Mark	Comments	
		·	
Attempt to draw a tangent	M1		
Attempt at slope of a tangent drawn		tolerance $\pm \frac{1}{2}$ square	
at (10, 15)	M1dep	Must be an attempt at change in y divided by change in x	
		Accept positive or negative	
[0.6, 0.8] from tangent drawn at Condone –[0.6, 0.8]		Condone –[0.6, 0.8] from tangent drawn	
(10, 15)	A1ft	at (10, 15)	
		ft from their tangent drawn at (10, 15)	
Additional Guidance			
Tangent drawn at incorrect point	M1M0A0		
No tangent	MO		
Tangent drawn at (10, 15)	M1		
10 ÷ 15 = 0.6	M0 A0		
Misread of scale for tangent drawn at	could score M1M1		
	Attempt to draw a tangentAttempt at slope of a tangent drawn at (10, 15) $[0.6, 0.8]$ from tangent drawn at (10, 15) $[0.6, 0.8]$ from tangent drawn at (10, 15)Add Tangent drawn at incorrect pointNo tangentTangent drawn at (10, 15) $10 \div 15 = 0.6$	Attempt to draw a tangent M1 Attempt at slope of a tangent drawn at (10, 15) M1 dep [0.6, 0.8] from tangent drawn at (10, 15) A1ft Image: Construction of the tangent drawn at (10, 15) A1ft Image: Construction of tangent drawn at the tangent drawn at the tangent drawn at the tangent drawn at (10, 15) Image: Construction of tangent drawn at (10, 15)	

	Full explanation stating one of a + b or a – b must be 1 and a + b cannot be 1	B2	B1 partial explanation ie a + b or a – b must be 1 or a + b cannot be 1
26	and		or
	a – b must be 1		a – b must be 1
	Additional Guidance		

Question	Ans	wer	Mark	Comments
	10 ² + 10 ² or 200	$5^2 + 5^2$ or 50	M1	oe
	$\sqrt{\text{their 200}}$ or $10\sqrt{2}$	$\sqrt{\text{their 50}}$ or $5\sqrt{2}$	M1dep	oe
	or [14, 14.2]	or [7, 7.1]		
	$\tan 68 = \frac{h}{\text{their 7.1}}$		M1dep	
27	their 7.1 × tan 68 or [17.3, 17.6]		M1dep	
	$\frac{1}{3}$ × 10 × 10 × the	ir [17.3, 17.6]	M1dep	
	[576, 587] or 590		A1	
	Additional Guidance			

Question	Answer	Mark	Comments	
	$p \times q^{1-1} = 10$ or $p \times q^{0} = 10$ or $p \times q^{6-1} = 0.3125$ or $p \times q^{5} = 0.3125$ p = 10 or $10 \times q^{6-1} = 0.3125$ or $q^{5} = 0.3125 \div$ their 10 or $q^{5} = 0.03125$	M1 M1dep	oe	
28	⁵ √their 0.03125 or 0.5	M1dep	ое	
	their 10 × their 0.5^2 or their 10 × their $(\sqrt[5]{\text{their } 0.03125})^2$ or their 10 × their $0.03125^{\frac{2}{5}}$	M1dep		
	2.5	A1		
	Additional Guidance			

29	-3 -2 -1 0 1 2	B2	B1 for 5 correct and 0 incorrect and 1 incorrect	
	Additional Guidance			
	Do not accept coordinates			

Question	Answer	Mark	Comments	
30	$\frac{6x^{2} + 3}{3}$ or 2x ² + 1 or $\frac{6x^{2} + 3}{3} + 4$ or 2x ² + 1 + 4	M1	oe	
	$2x^2 + 5$	A1		
	Additional Guidance			