Version 1.1



General Certificate of Secondary Education June 2012

Mathematics (Linear) B 4365 Paper 2 Foundation Tier

Final

Mark Scheme

Mark schemes are prepared by the Principal Examiner and considered, together with the relevant questions, by a panel of subject teachers. This mark scheme includes any amendments made at the standardisation meeting attended by all examiners and is the scheme which was used by them in this examination. The standardisation meeting ensures that the mark scheme covers the students' responses to questions and that every examiner understands and applies it in the same correct way. As preparation for the standardisation meeting each examiner analyses a number of students' scripts: alternative answers not already covered by the mark scheme are discussed at the meeting and legislated for. If, after this meeting, examiners encounter unusual answers which have not been discussed at the meeting they are required to refer these to the Principal Examiner.

It must be stressed that a mark scheme is a working document, in many cases further developed and expanded on the basis of students' reactions to a particular paper. Assumptions about future mark schemes on the basis of one year's document should be avoided; whilst the guiding principles of assessment remain constant, details will change, depending on the content of a particular examination paper.

Further copies of this Mark Scheme are available to download from the AQA Website: www.aqa.org.uk

Copyright © 2012 AQA and its licensors. All rights reserved.

COPYRIGHT

AQA retains the copyright on all its publications. However, registered schools/colleges for AQA are permitted to copy material from this booklet for their own internal use, with the following important exception: AQA cannot give permission to schools/colleges to photocopy any material that is acknowledged to a third party even for internal use within the school/college.

Set and published by the Assessment and Qualifications Alliance.

Glossary for Mark Schemes

GCSE examinations are marked in such a way as to award positive achievement wherever possible. Thus, for GCSE Mathematics papers, marks are awarded under various categories.

- M Method marks are awarded for a correct method which could lead to a correct answer.
- **M dep** A method mark which is dependent on a previous method mark being awarded.
- A Accuracy marks are awarded when following on from a correct method. It is not necessary to always see the method. This can be implied.
- **B** Marks awarded independent of method.
- **B dep** A mark that can only be awarded if a previous independent mark has been awarded.
- **Q** This mark is for quality of written communication. Further details of how to apply it will be in the mark scheme.
- ft Follow through marks. Marks awarded following a mistake in an earlier step.
- **SC** Special case. Marks awarded within the scheme for a common misinterpretation which has some mathematical worth.
- **oe** Or equivalent. Accept answers that are equivalent.

eg, accept 0.5 as well as $\frac{1}{2}$

[a, b] Accept values between a and b inclusive.

Q	Answer	Mark	Comments
1(a)	4	B1	
	5 (+) 3.5 (+) 6 (+) 1.5 or 16 seen or one of 3.5 × (a), 6 × (a) or 1.5 × (a) or any number × their (a)	M1	oe
1(b)	their $16 \times$ their 4 or 20 + their 11 × their 4 or (their) 20 + their 14 + their 24 + their 6	M1dep	oe
	64	A1 ft	Unless key = 1 ft their key \times 16 or ft 20 + their key \times 11
	12 + 9.99 + 9.99	M1	ое
2(a)	31.98	A1	
	12 + 14.5(0) or 26.5(0) or 50 - 12 or 38 or 50 - 14.5(0) or 35.5(0)	M1	
2(b)	50 - (12 + 14.5(0)) or $50 -$ their 26.5(0) or their $38 - 14.5(0)$ or their $35.5(0) - 12$	M1dep	oe
	23.50	A1	23.5 implies M1M1A0

Q	Answer	Mark	Com	iments
2(c)	9.70 + $\frac{9.70}{2}$ or 9.70 + 4.85 oe or 9.7 × 1.5	M1	14.50 - 9.70 (= 4.80) and 9.70 ÷ 2 (4.85)	9.70 ÷ 2 (= 4.85) and 14.50 – their 4.85 (= 9.65)
	14.55 and no oe	A1	4.80 and 4.85 and No	(4.85 and) 9.65 and No
	Likely	B1		
3	Impossible	B1		
	Unlikely	B1		
4	3, 3, 4, 4, 2	В3	B2 for two criteria m eg 3, 3, 3, 4, 4 B1 for one criteria m eg 3, 3, 4, 4, 4	
5	7488	B1		
6(a)	50 (%)	B1		
6(b)	$\frac{1}{4}$	B2	B1 $\frac{4}{16}$ oe B1 wrong fraction co	rrectly simplified
6(c)	Shade the equivalent of 2 squares	B1		
7(a)	285 ÷ 95	M1	oe eg 95 + 95 + 95 = 28	5
	3	A1		
	£2, 50p, 10p, 10p, 10p, 5p	B1		
7(b)	£2, 50p, 20p, 5p, 5p, 5p	B1	 If no B marks are awarded, SC1 for any number of coins with a total of £2.85 wh 	
	£2, 20p, 20p, 20p, 20p, 5p	B1	 may include £1 coin 	

Q	Answer	Mark	Comments
8	1.5 (cm) or 6 (cm) seen or scale factor = 4 (can be indicated on diagram)	B1	Accept [1.4, 1.6] Accept [5.9, 6.1] Accept [3.6, 4.4]
	$2 \times$ their 6 ÷ their 1.5 oe or 2 × their [3.6, 4.4]	M1	
	8	A1	Accept [7.2, 8.8]

	70 × 3	M1	
9(b)	210	A1	
	30	B1ft	ft their 240 – their 210 provided gives +ve answer

Β1

	$\frac{80}{100} \times 90 \text{ or } 72 \text{ (from M)}$ or $\frac{20}{100} \times 90 \text{ or } 18 \text{ (from B)}$ or $80(\%) - 50(\%) \text{ or } 50(\%) - 20(\%)$ or 30%	M1	oe
9(c)	90 ÷ 2 or 45 seen or their 30% of 90	M1	oe
	their 45 – their 18 or their 72 – their 45 or $\frac{30}{100} \times 90$	M1dep	oe Dep on one M awarded
	27	A1	

	10(a)	46.9148(1642)	B1	
г		1		
	10(b)	50	B1ft	ft their (a) to the nearest 10

AQA GCSE Mathematics Linear (B) 4365/ Paper 2 Foundation Tier /June 2012 / Final

Q	Answer	Mark	Comments
11(a)	A and C in any order	B2	B1 for 1 correct (and 1 incorrect)
11(b)	С	B1	
11(c)		B1	
12(a)	132	B1	
12(b)	360 – (142 + 115) 103	M1 A1	oe
13	100 grams2 litres5 metres	B1 B1 B1	
14(a)	6	B1	
14(b)	60	B1	
14(c)	(2y =) 12 + 5 or 17 $\frac{17}{2}$ or $8\frac{1}{2}$ or 8.5	M1 A1	
15(a)	5 × 6.2 31	M1 A1	

Q	Answer	Mark	Comments
	x + 3x + 5x + 5x or $14x$	M1	7 (+) 3 × 7 (+) 5 × 7 (+) 5 × 7 oe
15(b)	their 14 × 7	M1dep	oe 7 + 3 × 7 + 5 × 7 + 5 × 7 or 7 + 21 + 35 + 35
	98	A1	
16(a)	9	B1	
16(b)	7.4	B1	
16(c)	2.6	B1	
	Footballers slower or athletes faster	B1ft	Strict follow through from their (b) and (c)
16(d)	Footballers less consistent or athletes more consistent	B1ft	Strict follow through from their (b) and (c)
	7.2 + 6 or 13.2	M1	4x - 6 = 7.2
17	their 13.2 ÷ 4	M1dep	$4x = 7.2 + 6 \text{ or } x - \frac{6}{4} = \frac{7.2}{4}$
	3.3	A1	SC2 for 52.8 or 0.3 or 8.7 SC1 for 4.8
	Lists at least 4 different combinations or $\frac{1}{2}$ or $\frac{1}{4}$ seen	M1	1A, 1B, 1C, 1D, 2A, 2B, 2C, 2D
18	Lists all 8 combinations or 2 × 4 or 8 seen or $\frac{1}{2} \times \frac{1}{4}$	M1dep	Seen or implied eg 8 lines drawn from numbers to letters on diagram eg 1→A, 1→B etc
	<u>1</u> 8	A1	ое

Q	Answer	Mark	Comments
	169 ÷ 65	M1	65×2.5 or $65 \times$ their 2.5 or 169 \div 2.5
	2.6 or 2 hours 36 (minutes)	A1	162.5 or 6.5 miles to go or 67.6 (mph)
19	2h 30 or 2.5 h or 150 (minutes) or 9.06 or 9.1 (not 9.10) or 6.24 or 6.4	B1	2.5h
	No	A1	
	10 × 78 or 780 or 78 ÷ 3 or 26	M1	or 10 × 44 or 440
	$10 \times 78 \div 3 \text{ or } 260$ or $78 \div 3 \times 2$	M1	
	520 or 52	A1	
20(a)	0.15 × 600 or 15 × 600 (÷ 100) or $\frac{600 \times 0.15}{10}$ or $\frac{600 \times 15}{10}$ or 900	M1	
	53 or 530	A1	
	520 and 530 and Hire Deal or 52 and 53 and Hire Deal	A1ft	from 3 method marks awarded and consistent answers
20(b)	15 (×) (3 × 13 + 8) or 15 × 47	M1	$15 \times 3 \times 13 + 15 \times 8$ or $15 \times 39 + 15 \times 8$ $45 \times 13 + 15 \times 8$ or $585 + 120$ oe
	(£) 705	A1	

Q	Answer	Mark	Comments
	147	B1	May be seen on diagram
21(a)	Corresponding	Q1	oe eg (y is) alternate and x is opposite Check part (b) Strand (i)
			May be seen on diagram

24(b)	147	B1 ft	May be seen on diagram ft their (a)
21(b)	Alternate or (vertically) opposite	Q1	oe eg x is corresponding and y is opposite Strand (i)

	380 + 400 + 420 or 1200 seen		M1		
	28 + 32 + 36 or 96 seen		M1	352 + 368 + 384 or 1104 seen	
	$\frac{7}{100} \times 1200$	<u>96</u> 1200 × 100 (%)	M1	$\frac{93}{100} \times 1200$	<u>1104</u> 1200 × 100(%)
	84	8 (%)	A1	1116	92 (%)
22	84 < 96	8(%) > 7 (%)		1104 < 1116	92 (%) (< 93 (%))
	and No			á	and No
			Q1 ft	Strand (iii) for calculating 93%, 7% of total number of pupils and correct comparison with total number of present, absent; or working out $\frac{\text{total present/absent}}{\text{total of whole school}} \times 100(\%)$	
				and correct compa	rison with total of school

Q	Ans	wer	Mark	Comments
	ark scheme has bee f numbers may rende		ugh it is on	ly correct for the numbers in the question.
	380 – 28 or 352 or 400 – 32 or 368 or 420 – 36 or 384		M1	100(%) – 93(%) or 7(%)
Alt 22	$\frac{\text{their } 352}{380} \times 100(\%)$ or $\frac{\text{their } 368}{400} \times 100(\%)$ or $\frac{\text{their } 384}{420} \times 100(\%)$		M1	$\frac{28}{380} \times 100(\%)$ or $\frac{32}{400} \times 100(\%)$ or $\frac{36}{420} \times 100(\%)$
	92.6()(%) or 92(%) or 91.4()(%)	353.4 or 372 or 390.6	A1	7.3()(%) or 7.4(%) or 8(%) or 8.5()(%) or 8.6(%)
	92.6() (%) and 92 (%) and 91.4() (%)	353.4 and 372 and 390.6	A1	7.3()(%) or 7.4(%) and 8(%) and 8.5()(%) or 8.6(%)
	All numbers are below 93(%) and no	353.4 > 352 and 372 > 368 and 390.6 > 384 and no	Q1ft	All numbers are above 7(%) and no

Q	Answer	Mark	Comments			
	Correct trial such that root < trial $\leqslant5$	M1	eg $4^3 - 3 \times 4 = 52$ (too big)			
			Obtains $3 < x \le 5$ or better (need not be stated)			
		M1	3 < trial < 1 st trial			
	Improved correct trial		or 3 < trial < root			
			eg $3.5^3 - 3 \times 3.5 = 32.(3)$ or 32.4 (too small)			
23		A1	3.6 → 35.(8) or 35.9			
	Obtains $3.8 \leq x \leq 3.9$ or better		3.7 → 39.(5) or 39.6			
			3.8 → 43.(4) or 43.5			
			3.9 → 47.(6)			
	Tests 3.85 (or 3.84) and concludes		3.85 → 45.5(16625)			
		Q1	3.84 → 45.1(03104)			
	3.8		Using 2 dp to ensure 1 dp			
			Strand (ii)			

	(AC ² =) 23 ² + 31 ² (=1490)	M1	
	$\sqrt{23^2 + 31^2}$		
24	or	M1 dep	
	$\sqrt{\text{their 1490}}$		
	38.6() or 39	A1	

		Suitable question with time frame	B1	
2	5	Suitable response section	B1	No gaps, no overlap and final category open-ended

26(a)	$3x \ge 16 + 5 \text{ or } 3x \ge 21$	M1	oe $x \ge \frac{21}{3}$
	$x \ge 7$	A1	ое

26(b)	$-2 \leqslant 2y \leqslant 6$	B1	
-------	-------------------------------	----	--

Q	Answer	Mark	Comments
	Correct heights plotted or shown	B1	
27	Fully correct frequency polygon	B1	Midpoints used and straight lines intended to join them Allow midpoints to be at [24.5, 26] [34.5, 36] etc
			SC1 for one height plotted incorrectly but midpoints used in an otherwise correct frequency polygon