

# Mark Scheme (Results)

Summer 2018

Pearson Edexcel International GCSE In Mathematics A (4MA1) Paper 1F

### **Edexcel and BTEC Qualifications**

Edexcel and BTEC qualifications are awarded by Pearson, the UK's largest awarding body. We provide a wide range of qualifications including academic, vocational, occupational and specific programmes for employers. For further information visit our qualifications websites at <u>www.edexcel.com</u> or <u>www.btec.co.uk</u>. Alternatively, you can get in touch with us using the details on our contact us page at <u>www.edexcel.com/contactus</u>.

#### Pearson: helping people progress, everywhere

Pearson aspires to be the world's leading learning company. Our aim is to help everyone progress in their lives through education. We believe in every kind of learning, for all kinds of people, wherever they are in the world. We've been involved in education for over 150 years, and by working across 70 countries, in 100 languages, we have built an international reputation for our commitment to high standards and raising achievement through innovation in education. Find out more about how we can help you and your students at: <u>www.pearson.com/uk</u>

Summer 2018 Publications Code 4MA1\_1F\_1806\_MS All the material in this publication is copyright © Pearson Education Ltd 2018

## **General Marking Guidance**

- All candidates must receive the same treatment. Examiners must mark the first candidate in exactly the same way as they mark the last.
- Mark schemes should be applied positively. Candidates must be rewarded for what they have shown they can do rather than penalised for omissions.
- Examiners should mark according to the mark scheme not according to their perception of where the grade boundaries may lie.
- There is no ceiling on achievement. All marks on the mark scheme should be used appropriately.
- All the marks on the mark scheme are designed to be awarded. Examiners should always award full marks if deserved, i.e. if the answer matches the mark scheme. Examiners should also be prepared to award zero marks if the

candidate's response is not worthy of credit according to the mark scheme.

- Where some judgement is required, mark schemes will provide the principles by which marks will be awarded and exemplification may be limited.
- When examiners are in doubt regarding the application of the mark scheme to a candidate's response, the team leader must be consulted.
- Crossed out work should be marked UNLESS the candidate has replaced it with an alternative response.
- Types of mark
  - M marks: method marks
  - A marks: accuracy marks
  - B marks: unconditional accuracy marks (independent of M marks)

### • Abbreviations

- cao correct answer only
- ft follow through
- isw ignore subsequent working
- SC special case
- oe or equivalent (and appropriate)
- dep dependent
- indep independent
- eeoo each error or omission

#### • No working

If no working is shown then correct answers normally score full marks If no working is shown then incorrect (even though nearly correct) answers score no marks.

#### • With working

If there is a wrong answer indicated on the answer line always check the working in the body of the script (and on any diagrams), and award any marks appropriate from the mark scheme.

If it is clear from the working that the "correct" answer has been obtained from incorrect working, award 0 marks.

Any case of suspected misread loses A (and B) marks on that part, but can gain the M marks.

If working is crossed out and still legible, then it should be given any appropriate marks, as long as it has not been replaced by alternative work.

If there is a choice of methods shown, then no marks should be awarded, unless the answer on the answer line makes clear the method that has been used.

If there is no answer on the answer line then check the working for an obvious answer.

#### • Ignoring subsequent work

It is appropriate to ignore subsequent work when the additional work does not change the answer in a way that is inappropriate for the question: eg. Incorrect cancelling of a fraction that would otherwise be correct.

It is not appropriate to ignore subsequent work when the additional work essentially makes the answer incorrect eg algebra.

Transcription errors occur when candidates present a correct answer in working, and write it incorrectly on the answer line; mark the correct answer.

#### • Parts of questions

Unless allowed by the mark scheme, the marks allocated to one part of the question CANNOT be awarded in another.

Apart from questions 11, 16c (where the mark scheme states otherwise) the correct answer, unless obtained from an incorrect method, should be taken to imply a correct method.

Question	Working	Answer	Mark	Notes
<b>1</b> a		0.07	1	B1 cao
b		$\frac{4}{5}$	1	B1 cao
с		$5\frac{2}{3}$	1	B1 cao
d	840 ÷ 7 (=120) oe <b>or</b> $\frac{6}{7}$ × 840 oe <b>or</b> 0.14(2) × 840 (=120) oe <b>or</b> 117.6	720	2	M1 A1 cao

Que	estion	Working	Answer	Mark	Notes	
2	а		Kenya	1	B1	
	b	67 - 27 (may be seen on bar chart)	40	2	M1	for $x - 27$ (can be implied by an answer of 39, 41)
					A1	cao
	С	56:42 oe <b>or</b> 3:4 <b>or</b> 1: $\frac{4}{3}$ oe	4:3	2	M1 A1	or for an unsimplified ratio with one value correct e.g. 56 : 41, 66 : 42 or for 53 : 41 or for 3 and 4 in incorrect notation E.g. $\frac{3}{4}$ or $\frac{4}{3}$ allow 1 : $\frac{3}{4}$ or 1 : 0.75
	d	$46 + 37 + 38 (=121)$ or $\frac{46}{m}$ , m>46	$\frac{46}{121}$	2	M1	
					A1	cao

Question	Working	Answer Mar		Notes
<b>3</b> i		(triangular) prism	1	B1
ii		5	1	B1
iii		6	1	B1
<b>4</b> a		6.5	1	B1
b		8000	1	B1
c	6 × 1000 (=6000) or 475 ÷ 1000 (=0.475) 6 × 1000 ÷ 475 or 6 ÷ (475 ÷ 1000) or 12.6(3) or 475 × 12 (=5700) or 475 × 13 (=6175)	12	3	M1 M1 or for repeated subtraction of 475 from 6000 <b>or</b> repeated addition of 475 (may work in grams or kg) A1 cao SC : B2 for an answer of 13
5 a		11x	1	B1
b		20ef	1	B1
с		3	1	B1
d		17	1	B1
e		7t + 6d	2	B2 B1 for 7t <b>or</b> (+) 6d

Question	Working	Answer			Mark		Notes		
<b>6</b> a				3	B3	If not B3 then			
			UK	Africa	USA	Total			B2 for at least 4 correct entries
		Male	14	7	2	23			If not B2 then B1 for at least 2 compatient
		Female	16	9	2	27			B1 for at least 2 correct entries
		Total	30	16	4	50			
b	$\frac{9}{50}$ or 0.18	18					2	M1 A1	for selecting 9 (may be seen in a calculation)
7	3.80 ÷ 4 (=0.95) <b>or</b> 0.75 × 3.80 oe (=2.85)	2.24						M1	
	7.33 – 3 × "0.95" (=4.48) <b>or</b> 7.33 – "2.85" (=4.48)							M1	
	"4.48" ÷ 2							M1	
							4	A1	SC: Award B2 for an answer of £2.08 or £2.09

Working	Answer	Mark		Notes
(angle EAD or ADE or AED =) $60$	123	5	B1	may be seen on diagram
(angle BCD =) 180 – 108 (=72)			M1	may be seen on diagram
(angle BAD =) $360 - (135 + "72" + 90)$ (=63) or			<b>M</b> 1	may be seen on diagram
(angle EAB =) $123$			D 1	(den en M1) for et lasst en a compatinger
			BI	(dep on M1) for at least <b>one</b> correct reason <b>reason 1</b> : <u>Angles</u> on straight line add up to 180° or
				Angles on straight line add up to $180^{\circ}$
				Angles on straight <u>ine</u> add up to <u>180</u>
				reason 2 : Angles in a quadrilateral (accept 4-sided
				shape) add up to $360^{\circ}$ or
				Angles in a <u>quadrilateral</u> (accept 4-sided shape) add
				up to $360^{\circ}$
				1
			A1	for 123 and full reasons
Two readings from graph 20°C apart	36	2	M1	
-70 °F)			A 1	22
			AI	accept answer in range 34 – 38
	No with	1	R1	e.g. graph does not go through (0,0) (accept 0) <b>or</b>
		1	DI	temperatures in °F are not proportional to
	r			temperatures in °C or gives counter example that
				doubling does not work or $60^{\circ}$ C is the same as $140^{\circ}$ F
				$(135 - 145)$ or $15^{\circ}$ C is not $43^{\circ}$ F
	(angle EAD or ADE or AED =) 60 (angle BCD =) 180 – 108 (=72) (angle BAD =) 360 – (135 + "72" + 90) (=63) or (angle BAD =) 360 – 297 (=63) or (angle EAB =) 123	(angle EAD or ADE or AED =) 60 123   (angle BCD =) 180 - 108 (=72) (angle BAD =) 360 - (135 + "72" + 90) (=63) or   (angle BAD =) 360 - 297 (=63) or (angle EAB =) 123   (angle EAB =) 123 123   Two readings from graph 20°C apart 36   eg. readings from 0°C (30 - 34 °F) and 20°C (66 36	(angle EAD or ADE or AED =) 60 123 5   (angle BCD =) 180 - 108 (=72) (angle BAD =) 360 - (135 + "72" + 90) (=63) or (angle BAD =) 360 - 297 (=63) or (angle EAB =) 123   (angle EAB =) 123 Two readings from graph 20°C apart (angle Eadings from 0°C (30 - 34 °F) and 20°C (66) 36 2   (angle FAB =) 123 No with 1	(angle EAD or ADE or AED =) 60 123 5 B1   (angle BCD =) 180 - 108 (=72) (angle BAD =) 360 - (135 + "72" + 90) (=63) or M1 M1   (angle BAD =) 360 - 297 (=63) or (angle EAB =) 123 B1 B1   Two readings from graph 20°C apart eg. readings from 0°C (30 - 34 °F) and 20°C (66 - 70 °F) 36 2 M1   No with 1 B1

Question	Working	Answer	Mark		Notes
<b>10</b> a	12, 24, 36 and 20, 40, 60, or 2, 2, 3 and 2, 2, 5 (may be on a factor tree oe)	60	2	M1 A1	accept prime factors seen in factor tree or correct position in Venn diagram for 60 or $2 \times 2 \times 3 \times 5$ oe
b	at least 3 of 2, 3, 4, 6, 8, 12 and at least 3 of 2, 4, 7, 8, 14, 28 or 2, 2, 2, 3 and 2, 2, 2, 7 (may be on a factor tree oe)	8	2		accept prime factors seen in factor tree or correct position in Venn diagram for 8 or $2 \times 2 \times 2$ oe
11	32 ÷ 5 (= 6.4 or 6) or 15 ÷ 5 (=3) or 30 ÷ 5 (=6) "6" × "3" × "6" (=108)	No with 108	3	M1 M1 A1	integer values must be used SC: If no marks awarded then award B1 for an answer of 'yes' with 115(.2) <b>OR</b> 'yes' and 14400 and 13750

Question	Working	Answer	Mark	x Notes		
<b>12</b> a		Reflection in $x = -1$	2	B1 for reflection		
				B1 for $x = -1$		
				NB. If more than one transformation then award	1	
				no marks		
b		(3, -1)(3, -5)(5, -5)	1	B1 condone missing label		
с		(-2)	1	B1 NB. If more than one transformation then award	1	
		Translation		no marks		
		$\left( \begin{array}{c} 6 \end{array} \right)$				

Question	Working	Answer	Mark		Notes
13	170 ÷ 2 (=85) or 170 ÷ 2 × 7 (=595) or 7 ÷ 2 (=3.5)	510	5	M1	
	7 × "85" + 170 (=765) or 9 × "85" (=765) or "595" + 170 (=765) or 170 × "3.5" + 170 (=765)			M1	award of this mark implies the first M1
	"765" $\div$ 3 (=255) or "765" $\div$ 3 × 5 (=1275)			M1	dep on M2
	"255" × 2 or "1275" – "765" or "1275" $\div$ 5 × 2			M1	
				A1	
	Alternative scheme				
	(girls = ) $\frac{2}{9}$ (of children)	510	5	M1	
	(girls = ) $\frac{2}{9} \times \frac{3}{5} \left( = \frac{2}{15} \right)$ (of total)			M1	award of this mark implies the first M1
	or G: C: A = $\frac{2}{9} \times \frac{3}{5} : \frac{3}{5} : \frac{2}{5} \left( = \frac{2}{3} : 3 : 2 \right)$				
	" $\frac{15}{2}$ "×170 (=1275) or G : A = 2 : 6 oe			M1	dep on M2
	"1275" $\div$ 5 × 2 or 3 × 170			<b>M</b> 1	
				A1	

Qu	estion	Working	Answer	Mark		Notes
14	a		110	1	B1	for 108 – 112
	b		cross marked in correct position	3	M1	for arc drawn radius 7.8 cm $-$ 8.2 cm centre L or P marked 7.8 cm $-$ 8.2 cm from L or 40 $\div$ 5 (= 8)
					M1	for bearing of $238^{\circ} - 242^{\circ}$ from M
					A1	Overlay (P 7.8 cm $-$ 8.2 cm from L and on a bearing of 238 ° $-$ 242° from M)
15	a		$0$	1	B1	
	b	0.5 × 19 + 1.5 × 12 + 2.5 × 5 + 3.5 × 2 + 4.5 × 2 (=56) <b>or</b> 9.5 + 18 + 12.5 + 7 + 9 (=56) "56" ÷ 40	1.4	4	M2	for at least 4 correct products added (need not be evaluated) If not M2 then award M1 for consistent use of value within interval (including end points) for at least 4 products which must be added <b>OR</b> correct mid-points used for at least 4 products and not added dep on at least M1 Allow division by their $\sum f$ provided addition or total under column seen
					A1	for 1.4 or $1\frac{2}{5}$

Que	stion	Working	Answer	Mark		Notes
16	а		y <sup>14</sup>	1	B1	
	b		16m <sup>12</sup>	2	B2	if not B2 then
						B1 for $am^{12}$ or $16m^{b}$ or $2^{4}m^{12}$ $b \neq 0, 12$ $a \neq 1, 16$
	с	5x + 15 = 3x - 4 or $x + 3 = \frac{3x}{5} - \frac{4}{5}$ e.g. $5x - 3x = -4 - 15$	$-\frac{19}{2}$ oe	3	M1	for removing bracket in a correct equation or dividing all terms by 5 in a correct equation
		e.g. $5x - 3x = -4 - 15$		2	M1	ft from $ax + b = cx + d$ for correctly isolating terms in x on one side of equation and constant terms on the other side
					A1	dep on at least M1
	d (i)				M1	for $(x + a)(x + b)$ where either $ab = -24$ or $a + b = +2$
						e.g $(x-6)(x+4)$
			(x-4)(x+6)		A1	
	(ii)		4, - 6	1	B1	cao <b>or</b> ft from any $(x + p)(x + q)$
17	ai		1, 2, 3, 4, 6, 12	1	B1	cao
	aii		1, 3, 5, 7, 9, 10, 11	1	B1	cao
	b		Yes with reason	1	B1	e.g. no numbers in both A and C or A and C do not intersect or A and C do not overlap or A and C are mutually exclusive
	с		$\frac{10}{12}$ oe	2	M1	for $12 - 2$ (=10) or $\frac{a}{12}$ with a < 12 or
						10 and 12 used with incorrect notation E.g. 10:12
					A1	for $\frac{10}{12}$ or 0.83(3) or 83(.3)%

Question	Working	Answer	Mark	Notes
<b>18</b> a		80 000	1	B1
b	$0.5 \times 10^{5-8}$ or 0.0005 or $5 \times 10^{n}$ or $5.0 \times 10^{n}$	5 × 10 <sup>-4</sup>	2	M1 A1 for $5 \times 10^{-4}$ or $5.0 \times 10^{-4}$ SC : B1 for $\frac{1}{2000}$ or $\frac{1}{2 \times 10^{3}}$

Question Working		Answer	Mark	Notes
<b>19</b> a		x -2 -1 0 1 2 3	3	B3 For a correct line between $x = -2$ and $x = 3$
		y -1 1 3 5 7 9		B2 For a correct straight line segment through at
				least 3 of
				(-2, -1) (-1, 1) (0, 3) (1, 5) (2, 7) (3, 9) <b>OR</b>
				for all of $(-2, -1)(-1, 1)(0, 3)(1, 5)(2, 7)$
				(3, 9) plotted but not joined
				B1 For at least 2 correct points plotted or stated (ignore incorrect points)
				OR
				for a line drawn with a positive gradient
				through $(0, 3)$ and clear intention to use a
				gradient of 2
				(eg. a line through $(0, 3)$ and $(0.5, 5)$
				<b>OR</b> a line drawn with a gradient of 2
b			2	M1 for $x = 2$ and $y = 1$ drawn
				A1 for correct region identified
				NB: Region may be unshaded or shaded, condone missing label

Question	Working	Answer	Mark	Notes	
20	9.7 <sup>2</sup> + 3.5 <sup>2</sup> (=106.34)	32.4	4	M1	M1 for the use of MN and a correct angle (70.1 or 70.2, 19.8) in a correct trig statement eg cos70.2= $\frac{3.5}{MN}$
	$\sqrt{9.7^2 + 3.5^2}$ or $\sqrt{"106.34"}$ (=10.3)			M1	M1 for a complete method to find MN eg MN= $\frac{3.5}{\cos 70.2}$ (=10.3)
	$\pi \times$ "10.3" or $2 \times \pi \times \frac{"10.3"}{2}$			M1 dep on M2 A1 for answer in range 32.3 – 32.41	

Question	Working	Answer	Mark	Notes			
21 a	$\frac{4}{100} \times 160\ 000\ \text{oe}\ (=6400)$	141 558	3	M1 M1	for a complete	M2 for 160 000 $\times$ 0.96 <sup>3</sup> or 160 000 $\times$ 0.96 <sup>4</sup> (=135 895.44))	
	$\frac{4}{100} \times (160\ 000\ -\ ``6400'')\ (= 6144)$ $\frac{4}{100} \times (160\ 000\ -\ ``6400'' -\ ``6144'')\ (= 5898.24)$ $160\ 000\ -\ ``6400'' -\ ``6144'' -\ ``5898.24''$				method (condone 4 years rather than 3)	If not M2 then award M1 for 160 000 $\times 0.96$ (=153 600) <b>or</b> 160 000 $\times 0.96^2$ (=147 456)	
					accept $(1 - 0.04)$ in p	blace of 0.96 throughout	
				A1		11 558 rks gained, award 0.12 oe (=19 200) oe (=140 800)	
b	E.g. 252 000 ÷ 1.05	240 000	3	M2 A1		or 252 000 ÷ 105 oe 89 400 scores M0 M0 A0	

Pearson Education Limited. Registered company number 872828 with its registered office at 80 Strand, London, WC2R 0RL, United Kingdom