

F

Wednesday 22 May 2019 – Afternoon GCSE (9–1) Physics A (Gateway Science)

J249/01 Paper 1 (Foundation Tier)

Time allowed: 1 hour 45 minutes

You must have:

- a ruler (cm/mm)
- the Data Sheet (for GCSE Physics A (inserted))

You may use:

- · a scientific or graphical calculator
- an HB pencil



| Please write clearly in black ink. Do not write in the barcodes. | | | | | | | |
|---|--|--|--|--|------------------|--|--|
| Centre number | | | | | Candidate number | | |
| First name(s) | | | | | | | |
| Last name | | | | | | | |

INSTRUCTIONS

- The Data Sheet will be found inside this document.
- Use black ink. You may use an HB pencil for graphs and diagrams.
- Answer all the questions.
- Where appropriate, your answers should be supported with working. Marks may be given for a correct method even if the answer is incorrect.
- Write your answer to each question in the space provided. If additional space is required, use the lined page(s) at the end of this booklet. The question number(s) must be clearly shown.

INFORMATION

- The total mark for this paper is 90.
- The marks for each question are shown in brackets [].
- Quality of extended responses will be assessed in the questions marked with an asterisk (*).
- · This document consists of 28 pages.




SECTION A

Answer **all** the questions.

You should spend a maximum of 30 minutes on this section.

Write your answer to each question in the box provided.

1 A sealed boiling tube contains gas.



The boiling tube is heated.

What happens?


- **A** The particles in the gas evaporate.
- **B** The particles in the gas expand.
- **C** The particles in the gas move faster.
- **D** The particles in the gas move slower.

| Your answer | [1] |
|-------------|-----|
|-------------|-----|

2 A student puts different weights on four balances.


3


Your answer





[1]

4 A student investigates how current and potential difference vary in different components.
Look at the graphs of her results.









Which graph shows a filament lamp?


Your answer

[1]


5 A student sets up four different circuits. He uses identical lamps and the same cell.

Look at the diagrams of his circuits.


Α




В



С



D



Which circuit has the brightest lamp(s)?

Your answer

[1]

6 Different states of matter have different densities.

Which of the following shows the states of matter in density order, starting with the lowest density?

- A Solid liquid gas
- B Solid gas liquid
- C Gas liquid solid
- **D** Liquid gas solid


Your answer

[1]

- 7 What conditions are needed for charge to flow?
 - A A source of potential difference and two lamps.
 - **B** A complete circuit and two lamps.
 - **C** A complete circuit and a source of potential difference.
 - **D** A complete circuit and a source of resistance.

Your answer [1]

8 Look at the distance-time graph for a journey to school.



What is the average speed for the journey?

Use the equation: average speed = distance travelled ÷ time


- **A** 0.2 m/s
- **B** 5.0 m/s
- **C** 6.0 m/s
- **D** 50 m/s

Your answer [1]

| 9 | Whi | ich of the following is Newton's Third Law? | | | | | |
|----|-----|---|-------|--|--|--|--|
| | Α | For every action there is an equal and opposite reaction. | | | | | |
| | В | What goes up must come down. | | | | | |
| | С | The acceleration that a resultant force produces depends on the size of the force and mas the object. | ss of | | | | |
| | D | An object will continue to stay at rest or move with uniform speed unless a force acts on i | t. | | | | |
| | You | ır answer | [1] | | | | |
| 10 | On | Mars the gravitational field strength is 4.0 N/kg. | | | | | |
| | Hov | ow much would a 60 kg person weigh on Mars? | | | | | |
| | Use | se the equation: weight = mass × gravitational field strength | | | | | |
| | Α | 15N | | | | | |
| | В | 64 N | | | | | |
| | С | 240 N | | | | | |
| | D | 600 N | | | | | |
| | You | ir answer | [1] | | | | |

11 A student sets up two cogs.

Cog **A** has 10 teeth and cog **B** has 20 teeth.



Cog A is turned 2 times.

How many times does cog B turn?

- A 0.5 times
- B 1 time
- C 2 times
- D 20 times

Your answer [1]

12 A car travels at 72 km/h.

How fast is this in metres per second (m/s)?

- **A** 1.2 m/s
- **B** 20 m/s
- **C** 120 m/s
- **D** 1200 m/s


Your answer [1]

| 13 | A cy | linder contains a gas. | | | | | |
|----|------|---|-----|--|--|--|--|
| | The | volume of the gas is halved and the temperature remains the same. | | | | | |
| | Wha | What happens to the pressure of the gas? | | | | | |
| | Α | It remains the same. | | | | | |
| | В | It halves. | | | | | |
| | С | It doubles. | | | | | |
| | D | It quadruples. | | | | | |
| | You | r answer | [1] | | | | |
| 14 | An | object has a volume of 1.5 m ³ and a mass of 3.0 kg. | | | | | |
| | Wha | at is the density of the object? | | | | | |
| | Use | the equation: density = mass ÷ volume | | | | | |
| | Α | $0.5\mathrm{kg/m^3}$ | | | | | |
| | В | $2.0\mathrm{kg/m^3}$ | | | | | |
| | С | $4.5\mathrm{kg/m^3}$ | | | | | |
| | D | $6.0\mathrm{kg/m^3}$ | | | | | |
| | You | r answer | [1] | | | | |
| 15 | Whi | ch one of the following uses of forces causes a rotation? | | | | | |
| | Α | Lowering a book vertically from a shelf | | | | | |
| | В | Opening a door | | | | | |
| | С | Lifting a book vertically onto a shelf | | | | | |
| | D | Sitting in the centre of a see-saw | | | | | |
| | You | r answer | [1] | | | | |

SECTION B

Answer all the questions.

- **16** A student investigates motion graphs.
 - (a) Look at a distance-time graph for the movement of a dog in a park.



(i) How far did the dog move in the park?

Distance = m [1]

(ii) How long was the dog in the park?


Time = s [1]

(iii) Name a piece of apparatus the student could use to accurately measure the distance the dog moved.

[1]

| (b) | The | distance-time graph has four sections: A , B , C and D . | |
|-----|------|--|-----|
| | (i) | Which section of the graph shows the greatest speed? | |
| | | Tick (✓) one box. | |
| | | A | |
| | | В | |
| | | c | |
| | | D | |
| | | Explain your answer. | |
| | | | |
| | | | |
| | | | [2] |
| | (ii) | Which section of the graph shows zero speed? | |
| | | Tick (✓) one box. | |
| | | A | |
| | | В | |
| | | c | |
| | | D | |
| | | Explain your answer. | |
| | | | |
| | | | |
| | | | [2] |
| | | | |

(c) The student draws a velocity-time graph for a boat accelerating.



Acceleration is the gradient of a velocity-time graph.

Calculate the acceleration of the boat.

Use the equation: acceleration = change in velocity ÷ time


Acceleration = m/s² [2]

13 BLANK PAGE

PLEASE DO NOT WRITE ON THIS PAGE

| 17 | A student sets up a circuit to find out the resistance of an unknown resistor. The student make |
|----|---|
| | three mistakes in their circuit. |

Look at the circuit diagram of their experiment.



| | | | _ | | | | | | _ |
|-----|-----|-------|------|-----|-------|----------|-----|---------|-------|
| (a) | (i) | Write | down | the | three | mistakes | the | student | makes |

| | [3] |
|-----|-----|
| | |
| 3. | |
| | |
| 2 . | |
| | |
| 1 . | |

| (ii) | For one of the mistakes identified in (a)(i) describe how the student can fix the error. |
|------|--|
| | |
| | |
| | [1] |

(b) The student finds that the current is 20 mA when the potential difference is 4.0 V.

Calculate the **resistance** of the unknown resistor.

Include the unit for resistance in your answer.

Use the equation: resistance = potential difference ÷ current.

(c) Calculate the **charge** that flows when a current of 2.5A flows for 30 seconds.

| Charge = C [3] |
|----------------|

A student has a spring, a ruler and a 2.0 N weight.


| (a) | Describe how the student can use this equipment to determine the spring constant of the spring. |
|-----|--|
| | |
| | |
| (b) | The 2.0 N weight has a surface area of 0.005 m ² . |
| (6) | Calculate the pressure when it is placed on a surface. |
| | Use the equation: pressure = force normal to a surface ÷ area of that surface |
| | Pressure = Pa [2] |
| (c) | Describe how to change the shape of an object. |
| | Use the idea of forces in your answer. |
| | |
| | |
| | |
| | [2] |
| (d) | Describe the differences between elastic and plastic deformation. |
| | |
| | |
| | |

19 A tall building needs a lift to move people from one floor to another.

The builder has a choice of three different lifts.

Each lift takes a different amount of time to move between the two floors.

Look at a bar chart of the time taken for each lift.



(a) (i) Lift C takes 12s to move between the two floors.

Draw a bar for lift **C** on the bar chart.

[1]

(ii) Calculate the **mean** time of the three lift journeys.

Mean =s [2]

(iii) Explain which lift uses the most power.


.....[2]

| (b) | (i) | One lift uses 50 000 J for a 12s journey. |
|-----|------|---|
| (D) | (1) | |
| | | Calculate the power of the lift. |
| | | Give your answer to 1 decimal place. |
| | | |
| | | |
| | | |
| | | |
| | | Power = W [4] |
| | (ii) | When the lift is broken the stairs are used. |
| | | Calculate the work done when a 750 N person climbs a distance of 4 m. |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | Work done = J [3] |
| | | |
| | | |
| | | |

| (a) | Draw the magnetic field pattern between the North and South poles of the magne | ts. |
|-----|--|-----|
| | Include arrows on your field lines. | |
| | N | |
| | | [3] |
| (b) | Describe one difference between a permanent magnet and an induced magnet. | |
| (D) | Describe one amerence between a permanent magnet and an induced magnet. | |
| (6) | | [11 |
| (c) | | [1] |
| | | [1] |
| | A student investigates solenoids and writes the following: | [1] |
| | A student investigates solenoids and writes the following: Solenoids | [1] |
| | A student investigates solenoids and writes the following: Solenoids Solenoids are coils of wire. | [1] |
| | A student investigates solenoids and writes the following: Solenoids Solenoids are coils of wire. When a voltage flows through them a magnetic field is created. The magnetic field can be increased by decreasing the number of | [1] |

21 A student investigates the average speed at which a trolley with different loads travels down a ramp.

Look at the diagram of her experiment.



She releases the trolley from a distance of 2.0 m from the bottom of the ramp.

The student uses a stop-clock to measure the time it takes to reach the bottom of the ramp.

She calculates the average speed. Look at her results.

| Load (N) | Time taken (s) | Average speed (m/s) |
|----------|----------------|---------------------|
| 20 | 2.3 | 0.87 |
| 40 | 2.4 | 0.83 |
| 60 | 2.3 | 0.87 |
| 80 | 2.4 | 0.83 |


| (a)* | Describe the trend shown by the results, identify problems with the experiment and describe any improvements that you would make to the experiment. |
|------|---|
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |

| (b) | For one experiment the trolley starts from rest and reaches a final speed of 2 m/s. |
|-----|---|
| | The ramp length is 2.0 m. |
| | Calculate the acceleration of the trolley. |
| | |
| | |
| | |
| | |
| | |
| | |
| | Acceleration = m/s ² [4] |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |

| 22 | A student puts an ice cube into a beaker. The mass of the ice cube is 40 g. | | | | | | |
|----|---|------|--|-------|--|--|--|
| | The ice cube melts. (a) (i) Write down the mass of the water produced. | | | | | | |
| | | | | | | | |
| | | | Mass = g | [1] | | | |
| | | (ii) | Explain your answer to (a)(i). | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | [2 | | | |
| | (b) | Des | scribe one difference between a physical change and a chemical change. | | | | |
| | | | | | | | |
| | | | | . [1] | | | |

(c) A student does an experiment to find the difference between the specific heat capacities of seawater and tap water.

The student places a heater and a thermometer into two beakers, **A** and **B**. Look at the diagram.



There are 5 steps to the method for this experiment.

Complete the missing steps for this method.

| Step ' | 1 – Put | seawater | into | beaker | Α | and | tap | water | into | beaker | B. |
|--------|---------|----------|------|--------|---|-----|-----|-------|------|--------|----|
|--------|---------|----------|------|--------|---|-----|-----|-------|------|--------|----|

| Step 2 - | | | |
|----------|------|------|------|
| | | | |

| Step 3 – | | |
|----------|--|--|
|----------|--|--|

[3]

[2]

(ii) Suggest **one** mistake the student made when choosing their equipment.

| · · | 41 |
|-----|-------|
| | ַנייַ |

(iii) Suggest **two** improvements to the method followed.

| 1 | |
|---|--|
| ı | |

Turn over © OCR 2019

| 23 | A T\ | has | the | lahel | below | on | it |
|----|----------------------|-----|-----|-------|-------|----|----|
| | \neg \cup \vee | Has | uic | Idoci | DCIOW | OH | 10 |

| Vo Po | CR TV Ditage: 230 V Dower: 65 W Tequency: 50 Hz | | |
|----------|--|---------------------------|-----------------|
| (a) | Calculate the curr | rent in the TV when it is | s turned on. |
| | Use the equation: | power = potential diffe | rence × current |
| | Give your answer | to 2 significant figures. | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | Current = A [4 |
| (b) | The TV is turned of | on for 30 minutes. | |
| | Calculate the ener | rgy transferred by the T | V. |
| | | | |
| | | | |
| | | | |
| | | | |

END OF QUESTION PAPER

25

ADDITIONAL ANSWER SPACE

| If additional space is required, you should use the following lined page(s). The question number(s) must be clearly shown in the margin(s). | | | | | | |
|---|--|--|--|--|--|--|
| | | | | | | |
| ••••• | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| ••••• | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |

| ••••• | |
|-------|--|
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |

| ••••• | |
|-------|--|
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |

| | •••• |
|-------|----------|
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | •••• |
| | |
| | |
| ••••• | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | • |
| | |
| | |
| | |



Copyright Information

OCR is committed to seeking permission to reproduce all third-party content that it uses in its assessment materials. OCR has attempted to identify and contact all copyright holders whose work is used in this paper. To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced in the OCR Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download from our public website (www.ocr.org.uk) after the live examination series.

If OCR has unwittingly failed to correctly acknowledge or clear any third-party content in this assessment material, OCR will be happy to correct its mistake at the earliest possible opportunity.

For queries or further information please contact The OCR Copyright Team, The Triangle Building, Shaftesbury Road, Cambridge CB2 8EA.

OCR is part of the Cambridge Assessment Group; Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.