

**Wednesday 14 June 2017 – Morning**

**GCSE TWENTY FIRST CENTURY SCIENCE  
CHEMISTRY A/ADDITIONAL SCIENCE A**

**A172/02** Modules C4 C5 C6 (Higher Tier)

Candidates answer on the Question Paper.  
A calculator may be used for this paper.


**OCR supplied materials:**

None

**Other materials required:**

- Pencil
- Ruler (cm/mm)

**Duration: 1 hour**



Candidate forename		Candidate surname	
-----------------------	--	----------------------	--

Centre number						Candidate number				
---------------	--	--	--	--	--	------------------	--	--	--	--

### INSTRUCTIONS TO CANDIDATES

- Write your name, centre number and candidate number in the boxes above. Please write clearly and in capital letters.
- Use black ink. HB pencil may be used for graphs and diagrams only.
- Answer **all** the questions.
- Read each question carefully. Make sure you know what you have to do before starting your answer.
- Write your answer to each question in the space provided. If additional space is required, you should use the lined page(s) at the end of this booklet. The question number(s) must be clearly shown.
- Do **not** write in the barcodes.

### INFORMATION FOR CANDIDATES

- The quality of written communication is assessed in questions marked with a pencil (✎).
- The number of marks is given in brackets [ ] at the end of each question or part question.
- The total number of marks for this paper is **60**.
- This document consists of **24** pages. Any blank pages are indicated.
- A list of qualitative tests for ions is printed on page **2**.
- The Periodic Table is printed on the back page.

## TWENTY FIRST CENTURY SCIENCE DATA SHEET

### Qualitative analysis

#### Tests for ions with a positive charge

Ion	Test	Observation
calcium $\text{Ca}^{2+}$	add dilute sodium hydroxide	a white precipitate forms; the precipitate does not dissolve in excess sodium hydroxide
copper $\text{Cu}^{2+}$	add dilute sodium hydroxide	a light blue precipitate forms; the precipitate does not dissolve in excess sodium hydroxide
iron(II) $\text{Fe}^{2+}$	add dilute sodium hydroxide	a green precipitate forms; the precipitate does not dissolve in excess sodium hydroxide
iron(III) $\text{Fe}^{3+}$	add dilute sodium hydroxide	a red-brown precipitate forms; the precipitate does not dissolve in excess sodium hydroxide
zinc $\text{Zn}^{2+}$	add dilute sodium hydroxide	a white precipitate forms; the precipitate dissolves in excess sodium hydroxide

#### Tests for ions with a negative charge

Ion	Test	Observation
carbonate $\text{CO}_3^{2-}$	add dilute acid	the solution effervesces; carbon dioxide gas is produced (the gas turns lime water from colourless to milky)
chloride $\text{Cl}^-$	add dilute nitric acid, then add silver nitrate	a white precipitate forms
bromide $\text{Br}^-$	add dilute nitric acid, then add silver nitrate	a cream precipitate forms
iodide $\text{I}^-$	add dilute nitric acid, then add silver nitrate	a yellow precipitate forms
sulfate $\text{SO}_4^{2-}$	add dilute acid, then add barium chloride or barium nitrate	a white precipitate forms

**BLANK PAGE**

**Question 1 begins on page 4**

**PLEASE DO NOT WRITE ON THIS PAGE**

Answer **all** the questions.


1 Seawater contains water and dissolved salts.

(a) Salts can be extracted from seawater by evaporating the water to leave solid salts.

The table shows the names and formulae of some salts in seawater.

Name of salt	Formula
lithium fluoride	LiF
calcium chloride	CaCl <sub>2</sub>
sodium sulfate	Na <sub>2</sub> SO <sub>4</sub>

(i) The diagram represents the three dimensional arrangement of ions in one of the salts.



The diagram can only be used to represent **one** of the salts in the table.

Which one? Explain your answer.

.....  
 .....  
 ..... [3]

(ii) The solid salt forms when seawater evaporates.

Describe the differences between the movement and arrangement of ions in the seawater and the movement and arrangement of the ions in the solid salt.


.....  
 .....  
 ..... [3]

(b) When seawater evaporates, water changes from a liquid to a gas.

- (i) Complete the equation to show what happens when water evaporates by filling in the missing state symbols.



- (ii) The diagrams show what happens to the molecules when water evaporates.



Describe and explain what happens to the **bonds between atoms** and the **forces between molecules** when water evaporates.

.....

.....


..... [2]

[Total: 9]

2 Ben investigates the reactivity of the Group 7 elements.

(a) Ben adds bromine water to dilute potassium iodide.

This is the equation for the reaction.





How does the equation show that bromine is more reactive than iodine?

.....

.....

..... [2]

(b) The diagrams show the structure of bromine and iodine molecules.



(i) How do the diagrams show that both bromine and iodine are **elements**?

.....

..... [1]


(ii) How do the diagrams show that both bromine and iodine have **diatomic** molecules?

.....

..... [1]

(c) Ben wants to show that chlorine is more reactive than bromine and iodine.

He has these solutions.



Describe what experiments Ben should do to show that chlorine is more reactive than bromine and iodine, and predict his observations. Include equations for any reactions that you expect to happen.



*The quality of written communication will be assessed in your answer.*

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

..... [6]

**[Total: 10]**

- 3 Döbereiner was a chemist who had the idea that elements with similar properties could be arranged in groups of three.

He called the groups 'triads'.

Döbereiner's idea was that the mean relative atomic mass of the first and last element in each triad was close to the relative atomic mass of the element in the middle.

This is an example of a triad.

		relative atomic mass of selenium = 79	
		↓	
<b>Element</b>	<b>Sulfur</b>	<b>Selenium</b>	<b>Tellurium</b>
<b>Symbol</b>	S	Se	Te
<b>Relative atomic mass</b>	32	79	128
		↙      ↘	
		mean relative atomic mass of sulfur and tellurium = 80	

- (a) Sulfur, selenium and tellurium are in the same group of the modern Periodic Table.

- (i) Which group of the Periodic Table contains sulfur, selenium and tellurium?

.....

[1]

- (ii) Suggest why these three elements are in the same group of the Periodic Table.

.....

..... [1]



(b) Döbereiner suggested two other triads.

Element	Carbon	Nitrogen	Oxygen
Relative atomic mass	12		16

Element	Chlorine	Bromine	Iodine
Relative atomic mass	35.5		127

(i) Use Döbereiner’s idea about relative atomic masses to predict the relative atomic masses of nitrogen and bromine.

Show your working.

Döbereiner’s predicted relative atomic mass of nitrogen:

.....

Döbereiner’s predicted relative atomic mass of bromine:

.....

[3]

(ii) The atomic number of nitrogen is 7.

The atomic number of bromine is 35.

Use the Periodic Table to find the actual relative atomic masses of nitrogen and bromine.

relative atomic mass of nitrogen .....

relative atomic mass of bromine .....

[2]

(iii) Does Döbereiner’s idea work for nitrogen and bromine?

Explain your answer.

.....

.....

..... [2]

(c) Döbereiner published his idea over 200 years ago.

Scientists who worked after Döbereiner rejected his idea.

Suggest reasons why they did this.

.....

.....

..... [2]

[Total: 11]

11  
BLANK PAGE

PLEASE DO NOT WRITE ON THIS PAGE


4 Nikesh tests some bottled fizzy water to find out what ions it contains.

(a) He has a new machine called an ion chromatography machine.

The machine gives a printout to show the negative ions in the water.

The position of each peak identifies the ion and the height of each peak shows the amounts of each ion.

This is the printout for the fizzy water.




He also uses test-tube tests to identify the ions in the water.

These are his results.

Test-tube test	Result
add dilute acid	fizzing, gas turns lime water milky
add silver nitrate	white precipitate
add barium nitrate	white precipitate



- 5 Jack measures the temperature change when different dilute acids react with dilute sodium hydroxide.



He uses the same volume and concentration of the acid and the sodium hydroxide every time.

The table shows his results.

Acid		Temperature change in °C
Name	Formula	
hydrochloric acid	HCl	+ 5.0
nitric acid	HNO <sub>3</sub>	+ 5.0
sulfuric acid	H <sub>2</sub> SO <sub>4</sub>	+ 9.5

- (a) (i) Jack has an idea about his results.

**Jack's Idea: I think that the temperature change is linked to the number of hydrogen atoms in the formula of the acid.**

Explain how the results in the table support Jack's idea.

.....

.....

.....

.....

.....

..... [3]

- (ii) Jack does an investigation to find out if his idea works for other acids.

He reacts acids with different numbers of hydrogen atoms in their formula with dilute sodium hydroxide. He measures the temperature change.

Identify whether each variable is an **input variable**, an **outcome variable** or a **control variable** in his investigation.

Put a tick (✓) in one box in each row.

Variable	Input variable	Outcome variable	Control variable
Number of hydrogen atoms in formula of acid			
Volume of dilute sodium hydroxide			
Concentration of acid			
Temperature			

[3]

- (b) Which words can be used to describe the reactions between any acid and dilute sodium hydroxide?

Put ticks (✓) in the boxes next to the **two** correct answers.

neutralisation

titration


analysis

exothermic

corrosive

[2]

- (c) Jack knows that every reaction between an acid and an alkali can be represented by this equation.



Explain why this equation is the same for every reaction between an acid and an alkali.

.....

.....

.....

.....

.....

.....

..... [2]

- (d) The table shows some information about the reactants and products in the reaction between sulfuric acid and potassium hydroxide.

Complete the table by filling in the missing information.

	Name	Formula	Formula of positive ion	Formula of negative ion
<b>Acid used</b>	sulfuric acid	$\text{H}_2\text{SO}_4$	$\text{H}^+$	$\text{SO}_4^{2-}$
<b>Alkali used</b>	potassium hydroxide		$\text{K}^+$	$\text{OH}^-$
<b>Salt formed</b>			$\text{K}^+$	$\text{SO}_4^{2-}$

[3]


[Total: 13]



17  
**BLANK PAGE**

**PLEASE DO NOT WRITE ON THIS PAGE**

- 6 Jay does some experiments to investigate the rate of the reaction between zinc and a dilute acid. He uses this apparatus to measure the time taken to collect  $10\text{ cm}^3$  gas in each experiment.



He varies the concentration of the acid.

He also uses a catalyst in some experiments.

- (a) (i) State **two** variables that Jay needs to control in every experiment.

1 .....

2 .....

[2]

- (ii) Name the gas that is made in the reaction between zinc and the dilute acid.

..... [1]

(b) These are Jay's results.

Concentration of acid in mol/dm <sup>3</sup>	Time taken to collect 10cm <sup>3</sup> gas in s	Catalyst used
0.1	50	no catalyst
0.1	35	catalyst
0.5	25	no catalyst
0.5	18	catalyst
1.0	7	no catalyst
1.0	7	catalyst
2.0	7	no catalyst
2.0	7	catalyst

What conclusions can you make from the data? Use values from the data to support your answer.



*The quality of written communication will be assessed in your answer.*

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

**[6]**

**[Total: 9]**

**END OF QUESTION PAPER**

**ADDITIONAL ANSWER SPACE**

If additional space is required, you should use the following lined page(s). The question number(s) must be clearly shown in the margin(s).

A large area of lined paper for writing. It consists of a vertical solid line on the left side, creating a margin. To the right of this line are horizontal dotted lines spaced evenly down the page, providing a guide for writing.

A handwriting practice grid consisting of 25 horizontal dashed lines and a vertical solid line on the left side, forming a margin. The grid is empty and ready for use.

A large grid of dotted lines for writing, with a solid vertical line on the left side. The grid consists of 20 horizontal rows and 10 columns of dotted lines. The solid vertical line is positioned on the left side of the grid, approximately one-tenth of the way across the page.

A large area of the page is filled with horizontal dotted lines, providing a space for writing answers. A solid vertical line runs down the left side of this area, creating a margin.



**Copyright Information**

OCR is committed to seeking permission to reproduce all third-party content that it uses in its assessment materials. OCR has attempted to identify and contact all copyright holders whose work is used in this paper. To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced in the OCR Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download from our public website ([www.ocr.org.uk](http://www.ocr.org.uk)) after the live examination series.

If OCR has unwittingly failed to correctly acknowledge or clear any third-party content in this assessment material, OCR will be happy to correct its mistake at the earliest possible opportunity.

For queries or further information please contact the Copyright Team, First Floor, 9 Hills Road, Cambridge CB2 1GE.

OCR is part of the Cambridge Assessment Group; Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.

# The Periodic Table of the Elements

1												3	4	5	6	7	0										
		<div style="border: 1px solid black; padding: 5px; display: inline-block;"> <b>Key</b>                      relative atomic mass                      atomic symbol                      name                      atomic (proton) number                 </div>										<div style="border: 1px solid black; padding: 5px; display: inline-block;">                     1  <b>H</b>                      hydrogen                      1                 </div>															<div style="border: 1px solid black; padding: 5px; display: inline-block;">                     4  <b>He</b>                      helium                      2                 </div>
7 <b>Li</b> lithium 3	9 <b>Be</b> beryllium 4											11 <b>B</b> boron 5	12 <b>C</b> carbon 6	14 <b>N</b> nitrogen 7	16 <b>O</b> oxygen 8	19 <b>F</b> fluorine 9	20 <b>Ne</b> neon 10										
23 <b>Na</b> sodium 11	24 <b>Mg</b> magnesium 12											27 <b>Al</b> aluminium 13	28 <b>Si</b> silicon 14	31 <b>P</b> phosphorus 15	32 <b>S</b> sulfur 16	35.5 <b>Cl</b> chlorine 17	40 <b>Ar</b> argon 18										
39 <b>K</b> potassium 19	40 <b>Ca</b> calcium 20	45 <b>Sc</b> scandium 21	48 <b>Ti</b> titanium 22	51 <b>V</b> vanadium 23	52 <b>Cr</b> chromium 24	55 <b>Mn</b> manganese 25	56 <b>Fe</b> iron 26	59 <b>Co</b> cobalt 27	59 <b>Ni</b> nickel 28	63.5 <b>Cu</b> copper 29	65 <b>Zn</b> zinc 30	70 <b>Ga</b> gallium 31	73 <b>Ge</b> germanium 32	75 <b>As</b> arsenic 33	79 <b>Se</b> selenium 34	80 <b>Br</b> bromine 35	84 <b>Kr</b> krypton 36										
85 <b>Rb</b> rubidium 37	88 <b>Sr</b> strontium 38	89 <b>Y</b> yttrium 39	91 <b>Zr</b> zirconium 40	93 <b>Nb</b> niobium 41	96 <b>Mo</b> molybdenum 42	[98] <b>Tc</b> technetium 43	101 <b>Ru</b> ruthenium 44	103 <b>Rh</b> rhodium 45	106 <b>Pd</b> palladium 46	108 <b>Ag</b> silver 47	112 <b>Cd</b> cadmium 48	115 <b>In</b> indium 49	119 <b>Sn</b> tin 50	122 <b>Sb</b> antimony 51	128 <b>Te</b> tellurium 52	127 <b>I</b> iodine 53	131 <b>Xe</b> xenon 54										
133 <b>Cs</b> caesium 55	137 <b>Ba</b> barium 56	139 <b>La*</b> lanthanum 57	178 <b>Hf</b> hafnium 72	181 <b>Ta</b> tantalum 73	184 <b>W</b> tungsten 74	186 <b>Re</b> rhenium 75	190 <b>Os</b> osmium 76	192 <b>Ir</b> iridium 77	195 <b>Pt</b> platinum 78	197 <b>Au</b> gold 79	201 <b>Hg</b> mercury 80	204 <b>Tl</b> thallium 81	207 <b>Pb</b> lead 82	209 <b>Bi</b> bismuth 83	[209] <b>Po</b> polonium 84	[210] <b>At</b> astatine 85	[222] <b>Rn</b> radon 86										
[223] <b>Fr</b> francium 87	[226] <b>Ra</b> radium 88	[227] <b>Ac*</b> actinium 89	[261] <b>Rf</b> rutherfordium 104	[262] <b>Db</b> dubnium 105	[266] <b>Sg</b> seaborgium 106	[264] <b>Bh</b> bohrium 107	[277] <b>Hs</b> hassium 108	[268] <b>Mt</b> meitnerium 109	[271] <b>Ds</b> darmstadtium 110	[272] <b>Rg</b> roentgenium 111	Elements with atomic numbers 112-116 have been reported but not fully authenticated																

\* The lanthanoids (atomic numbers 58-71) and the actinoids (atomic numbers 90-103) have been omitted.

The relative atomic masses of copper and chlorine have not been rounded to the nearest whole number.