

**ADVANCED GCE UNIT
MATHEMATICS**

Core Mathematics 4

TUESDAY 23 JANUARY 2007

4724/01

Afternoon

Time: 1 hour 30 minutes

Additional Materials: Answer Booklet (8 pages)
List of Formulae (MF1)

INSTRUCTIONS TO CANDIDATES

- Write your name, centre number and candidate number in the spaces provided on the answer booklet.
- Answer **all** the questions.
- Give non-exact numerical answers correct to 3 significant figures unless a different degree of accuracy is specified in the question or is clearly appropriate.
- You are permitted to use a graphical calculator in this paper.

INFORMATION FOR CANDIDATES

- The number of marks is given in brackets [] at the end of each question or part question.
- The total number of marks for this paper is 72.

ADVICE TO CANDIDATES

- Read each question carefully and make sure you know what you have to do before starting your answer.
- **You are reminded of the need for clear presentation in your answers.**

This document consists of **4** printed pages.

1 It is given that

$$f(x) = \frac{x^2 + 2x - 24}{x^2 - 4x} \quad \text{for } x \neq 0, x \neq 4.$$

Express $f(x)$ in its simplest form. [3]

2 Find the exact value of $\int_1^2 x \ln x \, dx$. [5]

3 The points A and B have position vectors \mathbf{a} and \mathbf{b} relative to an origin O , where $\mathbf{a} = 4\mathbf{i} + 3\mathbf{j} - 2\mathbf{k}$ and $\mathbf{b} = -7\mathbf{i} + 5\mathbf{j} + 4\mathbf{k}$.

(i) Find the length of AB . [3]

(ii) Use a scalar product to find angle OAB . [3]

4 Use the substitution $u = 2x - 5$ to show that $\int_{\frac{5}{2}}^3 (4x - 8)(2x - 5)^7 \, dx = \frac{17}{72}$. [5]

5 (i) Expand $(1 - 3x)^{-\frac{1}{3}}$ in ascending powers of x , up to and including the term in x^3 . [4]

(ii) Hence find the coefficient of x^3 in the expansion of $(1 - 3(x + x^3))^{-\frac{1}{3}}$. [3]

6 (i) Express $\frac{2x + 1}{(x - 3)^2}$ in the form $\frac{A}{x - 3} + \frac{B}{(x - 3)^2}$, where A and B are constants. [3]

(ii) Hence find the exact value of $\int_4^{10} \frac{2x + 1}{(x - 3)^2} \, dx$, giving your answer in the form $a + b \ln c$, where a , b and c are integers. [4]

7 The equation of a curve is $2x^2 + xy + y^2 = 14$. Show that there are two stationary points on the curve and find their coordinates. [8]

8 The parametric equations of a curve are $x = 2t^2$, $y = 4t$. Two points on the curve are $P(2p^2, 4p)$ and $Q(2q^2, 4q)$.

(i) Show that the gradient of the normal to the curve at P is $-p$. [2]

(ii) Show that the gradient of the chord joining the points P and Q is $\frac{2}{p + q}$. [2]

(iii) The chord PQ is the normal to the curve at P . Show that $p^2 + pq + 2 = 0$. [2]

(iv) The normal at the point $R(8, 8)$ meets the curve again at S . The normal at S meets the curve again at T . Find the coordinates of T . [4]

- 9 (i) Find the general solution of the differential equation

$$\frac{\sec^2 y}{\cos^2(2x)} \frac{dy}{dx} = 2. \quad [7]$$

- (ii) For the particular solution in which $y = \frac{1}{4}\pi$ when $x = 0$, find the value of y when $x = \frac{1}{6}\pi$. [3]

- 10 The position vectors of the points P and Q with respect to an origin O are $5\mathbf{i} + 2\mathbf{j} - 9\mathbf{k}$ and $4\mathbf{i} + 4\mathbf{j} - 6\mathbf{k}$ respectively.

- (i) Find a vector equation for the line PQ . [2]

The position vector of the point T is $\mathbf{i} + 2\mathbf{j} - \mathbf{k}$.

- (ii) Write down a vector equation for the line OT and show that OT is perpendicular to PQ . [4]

It is given that OT intersects PQ .

- (iii) Find the position vector of the point of intersection of OT and PQ . [3]

- (iv) Hence find the perpendicular distance from O to PQ , giving your answer in an exact form. [2]

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

OCR is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.