

# Thursday 19 January 2012 – Afternoon

# AS GCE CHEMISTRY B (SALTERS)

**F332/TEST** Chemistry of Natural Resources

Candidates answer on the Question Paper.

#### **OCR** supplied materials:

- Data Sheet for Chemistry B (Salters)
  (inserted)
- Advance Notice: 'Chlorine dioxide' (inserted)

#### Other materials required:

Scientific calculator

**Duration:** 1 hour 45 minutes




Candidate forename				Candidate surname			
Centre numb	er			Candidate nu	umber		

#### **INSTRUCTIONS TO CANDIDATES**

- The inserts will be found in the centre of this document.
- Write your name, centre number and candidate number in the boxes above. Please write clearly and in capital letters.
- Use black ink. HB pencil may be used for graphs and diagrams only.
- Read each question carefully. Make sure you know what you have to do before starting your
- Write your answer to each question in the space provided. If additional space is required, you should use the lined pages at the end of this booklet. The question number(s) must be clearly shown
- Answer all the questions.
- Do not write in the bar codes.

#### INFORMATION FOR CANDIDATES

- The number of marks is given in brackets [] at the end of each question or part question.
- Where you see this icon you will be awarded marks for the quality of written communication in your answer.
- This means for example you should:
  - ensure that text is legible and that spelling, punctuation and grammar are accurate so that meaning is clear;
  - organise information clearly and coherently, using specialist vocabulary when appropriate.
- You may use a scientific calculator.
- The insert 'Chlorine dioxide' is provided for use with question 5.
- A copy of the Data Sheet for Chemistry B (Salters) is provided as an insert with this question paper.
- You are advised to show all the steps in any calculations.
- The total number of marks for this paper is 100.
- This document consists of 20 pages. Any blank pages are indicated.



## Answer all the questions.

1	Snottites are slimy colonies of bacteria that live in extreme conditions in caves. They take in
	hydrogen sulfide gas, H <sub>2</sub> S, and oxygen gas and form sulfuric acid, H <sub>2</sub> SO <sub>4</sub> , in their slime.

(a) Hydrogen su	ulfide is produced by	<i>r</i> sulfur springs and	stagnant water.
-----------------	-----------------------	-----------------------------	-----------------

(i)	Draw a	'dot-and-cross'	diagram	to	represent	the	bonding	in	а	molecule	of	hydrogen
	sulfide.											

[1]

Show outer electron shells only.

	(ii)	Suggest and explain the shape of the hydrogen sulfide molecule. Give the bond angle.
		[4]
(b)	Use is po	your answer to part (a)(ii) to help explain whether or not the molecule of hydrogen sulfide
(b)		your answer to part (a)(ii) to help explain whether or not the molecule of hydrogen sulfide
(b)		your answer to part (a)(ii) to help explain whether or not the molecule of hydrogen sulfide
(b)		your answer to part <b>(a)(ii)</b> to help explain whether or not the molecule of hydrogen sulfide plar.
(b)		your answer to part <b>(a)(ii)</b> to help explain whether or not the molecule of hydrogen sulfide plar.

(c)	Give the oxidation state of sulfur in hydrogen sulfide and in sulfuric acid.
	H <sub>2</sub> S
	H <sub>2</sub> SO <sub>4</sub> [2]
(d)	Name the substance that has been reduced during the reaction of hydrogen sulfide with oxygen gas to form sulfuric acid. Explain your answer.
	101

## **QUESTION 1 CONTINUES ON PAGE 4**


(e) A sample of the sulfuric acid formed by snottites was collected in order to find its concentration.

A scientist measured out a 10.0 cm <sup>3</sup> sample of cave water containing sulfuric acid using volumetric pipette and then diluted it to 250 cm <sup>3</sup> in a volumetric flask.
The scientist then carried out a titration of the diluted acid with sodium hydroxide solution.
In the titration, $20.0\mathrm{cm^3}$ of the diluted sulfuric acid solution was found to react exactly with $26.40\mathrm{cm^3}$ of $0.0500\mathrm{moldm^{-3}}$ sodium hydroxide solution.
$H_2SO_4(aq) + 2NaOH(aq) \rightarrow Na_2SO_4(aq) + 2H_2O(l)$ equation 1.
(i) Name the piece of apparatus that the scientist would use to add the sodium hydroxide solution to the sulfuric acid during the titration.
[1
(ii) Calculate the number of moles of NaOH used in the titration.
moles of NaOH = mol [1
(iii) Use <b>equation 1.1</b> to calculate the number of moles of H <sub>2</sub> SO <sub>4</sub> that took part in the titration
moles of H <sub>2</sub> SO <sub>4</sub> = mol <b>[1</b>
(iv) Calculate the concentration of the diluted sulfuric acid used in the titration.
concentration of sulfuric acid = mol dm <sup>-3</sup> [2
(v) Calculate the concentration of the sulfuric acid in the cave water.
Give your answer to three significant figures.
concentration of sulfuric acid =mol dm <sup>-3</sup> [2
[Total: 18

## 5 BLANK PAGE

# PLEASE DO NOT WRITE ON THIS PAGE PLEASE TURN OVER FOR QUESTIONS 2, 3, 4 AND 5

2 'Violet oil' is sometimes used in aromatherapy treatments for its mild pain-killing properties. The oil has a strong 'leafy' odour due partly to the presence of compound **A**.



compound A

	tudent reacts compound <b>A</b> with bromine water.  Describe the colour change the student would <b>see</b> when this reaction takes place.  from
 (c) As	tudent reacts compound <b>A</b> with bromine water.  Describe the colour change the student would <b>see</b> when this reaction takes place.
 ( <b>b)</b> Giv	
	re the molecular formula of compound <b>A</b> .
	[2]
<b>(a)</b> Nai	me the functional groups present in compound <b>A</b> .

$$H_3C$$
— $CH_2$   $CH_2$ — $OH$ 

## compound A

- (d) Compound A is one of a pair of E/Z isomers.
  - (i) Draw a diagram to show the structure of the other isomer and label it as E or Z.

(ii)	Explain why $\mathrm{CH_3CH_2CHCHCH_2OH}$ can exist as a pair of $E/Z$ isomers.
	[2

(e) Compound **A** reacts with hydrogen chloride to form **two** products with the molecular formula  $C_5H_{10}Cl_2$ . Draw the structures of **both** of these products.

[2]

[1]

$$H_3C$$
— $CH_2$   $CH_2$ — $OH$   $C$ 
 $H$   $H$   $C$ 

- (f) Compound A can also be used to produce an addition polymer that is soluble in water.
  - (i) Draw a diagram below to show the repeating unit of the polymer formed from compound A.

[1]

(ii) The polymer formed from compound A is soluble in water.

Explain this solubility in terms of the molecular structure of the polymer and the formation of hydrogen bonds.


You should:

- explain how hydrogen bonds form
- suggest why the polymer is soluble in water.

<b>.</b>
//2
////
<i>K</i> ///
12/

In your answer, you should make it clear how the structure of the polymer links to its solubility in water.

(g) A student produces compound **B** by gently heating compound **A** with suitable reagents and immediately distilling the product from the mixture.



	(i)	Name the reagents the student uses to convert compound <b>A</b> into compound <b>B</b> .
	(ii)	Name the functional group that is present in compound <b>B</b> that is not present in compound <b>A</b> .
(h)		sudent carries out a reaction using the same reagents as in part <b>(g)</b> , but by heating the etion mixture under reflux. Compound <b>C</b> is produced.
	(i)	Explain what is meant by the term heating under reflux.
		[2]
	(ii)	Draw the <b>full</b> structural formula of the new functional group present in compound <b>C</b> and

name this functional group.

name of functional group: .....[2]

[Total: 25]

In 2010, an Icelandic volcano erupted producing ash clouds that stopped plane flights across much of Europe. The volcano also emitted a mixture of gases.

(a)		ash produced by the volcano contained silicon dioxide, $\mathrm{SiO}_2$ , whilst the gas mixture tained carbon dioxide.
	Silic	con dioxide is a solid but carbon dioxide is a gas at room temperature.
	Ехр	lain this difference in terms of the bonding and structure in both compounds.
		[3]
(b)		st scientists are concerned about the increasing amount of carbon dioxide in the Earth's osphere.
		e <b>two</b> different processes, other than volcanic activity, that are causing an increase in the bunt of carbon dioxide in the atmosphere.
		[2]
(c)	Mos	st carbon dioxide from industrial processes is allowed to escape into the atmosphere.
	(i)	Carrying out capture and storage of carbon dioxide is one way that a chemical manufacturing process could be changed to slow down the increase in carbon dioxide levels in the atmosphere.
		Suggest <b>TWO</b> other changes that a chemical company could make to its processes to achieve a reduction in the rate of increase of carbon dioxide levels.
		[2]
	(ii)	Suggest why capture and storage of carbon dioxide is expensive.
		[1]

3

of	he Earth absorbs visible radiation from the Sun and emits radiation from a different part the electromagnetic spectrum. Carbon dioxide molecules absorb some of the emitted diation.
(i)	Name the type of electromagnetic radiation that is emitted from the Earth's surface.  [1]
(ii)	Explain what happens to carbon dioxide molecules when they absorb the radiation emitted from the Earth.
	[1]
(iii)	Explain how the changes that happen after the process in (ii) result in the warming of the atmosphere.
	[2]
	ne amount of carbon dioxide in the troposphere is affected by the fact that it can dissolve in sean water. The following equations describe the main reactions that occur.
	$CO_2(g) \iff CO_2(aq)$ equation 3.1
	$CO_2(aq) + H_2O(l)$ $\rightleftharpoons$ $H^+(aq) + HCO_3^-(aq)$ equation 3.2
(i)	Using these equations, explain the effect that an increase in carbon dioxide concentration in the troposphere will have on the $\mathrm{HCO_3}^-$ concentration in the oceans.
(ii)	oceans cannot be regarded as a true dynamic equilibrium.
	[1]

(f)	There has also been	en concern about	the amount of	ozone in the	atmosphere.	The over	al
	equation for the forr	nation of ozone in t	he Earth's atmo	sphere is sho	wn below.		

$$3O_2 \rightarrow 2O_3$$

(i) Complete and balance **two** equations to show how oxygen is converted into ozone in the stratosphere.

$O_2$	$\stackrel{hv}{\rightarrow}$	
	$\rightarrow$	

ı	2	

the formation of ozone you have described in (i) takes place in the but <b>not</b> usually in the troposphere.	(ii)
[2]	

(g)	Ozone can be broken down by nitrogen monoxide. The mechanism for this process is sho	own
	below.	

step 1	$NO(g) + O_3(g) \longrightarrow NO_2(g) + O_2(g)$	equation 3.3
step 2	$NO_{\alpha}(a) + O(a) \rightarrow NO(a) + O_{\alpha}(a)$	equation 3.4

(i) Combine equations 3.3 and 3.4 to produce the overall equation for the reaction.

ניו
In the mechanism shown above for the breakdown of ozone, NO is acting as a homogeneous catalyst.
Explain what is meant by the term <i>homogeneous</i> in the context of catalysis.
How can you tell from equation 3.3 and equation 3.4 that NO is a catalyst?
homogeneous:
NO is a catalyst because:
[2]
[Total: 23]

4	Chlorofluorocarbons, CFCs, were originally regarded as very useful compounds. Their physical
	and chemical properties meant that they could be used for a wide range of applications, including
	as refrigerants and cleaning solvents.

(a)	Unfortunately, we now know that CFCs break down in the stratosphere, starting a sequence
	of reactions that lead to ozone depletion.

		$h\nu$	
equation 4.1	$CClF_2 + Cl$	$\rightarrow$	$CCl_2F_2$
equation 4.2	ClO + O <sub>2</sub>	$\rightarrow$	$Cl + O_3$
equation 4.3	$Cl + O_2$	$\rightarrow$	ClO+O

termination

(i) Underline the term from the list below that describes the type of process shown in equation 4.3.

propagation

(ii)	Explain why it is important that there is a certain minimum amount of ozone in stratosphere.	the
		[3]

(b) The table below shows two CFCs and a former use for each of them.

initiation

Complete the table by choosing **one** property from the list below that is **essential** for the given use of **each** CFC:

non-flammable low boiling point high ozone depletion potential low reactivity

CFC	use	essential property linked to use
CCl <sub>2</sub> F <sub>2</sub>	refrigerant	
CCl <sub>3</sub> F	blowing agent	

[2]

[1]

(c)	Scientists have decided that hydrofluorocarbons, or HFCs, like $\rm F_3CCFH_2$ , will make good long-term replacements for CFCs.		
	(i)	Explain, in terms of the reactivity of HFCs in the <b>stratosphere</b> , why scientists think HFCs are a good long-term solution as replacements for CFCs.	
		[2]	
	(ii)	Give <b>one</b> advantage and <b>one</b> disadvantage, not linked to their ozone depleting potential, which scientists would take into account when considering the use of HFCs in place of CFCs.	
		Advantage:	
		Disadvantage:	
		[2]	
(d)		hydrofluorocarbon, $F_3$ CCFH $_2$ , can be prepared industrially by reacting hydrogen fluoride $Cl_2$ C=CC $l$ H.	
		$Cl_2C=CClH + 4HF \rightarrow F_3CCFH_2 + 3HCl$ equation 4.4	
	(i)	In the reaction shown in <b>equation 4.4</b> , some of the hydrogen fluoride takes part in a nucleophilic substitution reaction with the $Cl_2C=CClH$ .	
		Explain how HF can act as a <i>nucleophile</i> in this reaction.	
		[2]	
	(ii)	The reaction shown in <b>equation 4.4</b> can be catalysed by chromium(III) fluoride.	
		Explain why the use of a catalyst speeds up the reaction rate.	
		[2]	
		[Total: 14]	

This question is based on the Advance Notice article 'Chlorine dioxide' which is provided as an

(a)	Explain what is meant by the term <i>radical</i> and name the type of bond breaking that forms radicals. Give an example of a radical from the article, other than chlorine dioxide.
	Example:
(b)	Write the <b>ionic</b> equation for the reaction of sodium chlorate(V) with HC <i>l</i> .
	$\rightarrow$
	[2]
(c)	By reference to the types of intermolecular bonds that are present, explain why chlorine dioxide has a higher boiling point than chlorine.
	In your answer, you should use appropriate technical terms, spelled correctly.

5

insert to this paper.

) Chlorine dioxide can oxidise some organic compounds.		
(i)	Suggest a <b>hydrocarbon</b> with three carbon atoms that might be oxidised by chlorine dioxide, giving your reason.	
	[2]	
(ii)	Explain why, in the reaction of chlorine dioxide with organic molecules, the chlorine dioxide is said to have been reduced.	
	[1]	
	culate the percentage of 'available chlorine' in chlorine dioxide when it is reduced to ride.	
	available chlorine =% [2]	
	(i) (ii)	

## **QUESTION 5 CONTINUES ON PAGE 18**

(f)	Explain why chlorine dioxide is preferred to chlorine as a disinfectant.
	In your answer you should make clear the chemical theory behind some of the comparisons you make.

END OF QUESTION PAPER

[Total: 20]

.....[6]

## **ADDITIONAL PAGE**

If additional space is required, you should use the lined pages below. The question number(s) must be clearly shown.			

### **ADDITIONAL PAGE**




#### Copyright Information

OCR is committed to seeking permission to reproduce all third-party content that it uses in its assessment materials. OCR has attempted to identify and contact all copyright holders whose work is used in this paper. To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced in the OCR Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download from our public website (www.ocr.org.uk) after the live examination series.

If OCR has unwittingly failed to correctly acknowledge or clear any third-party content in this assessment material, OCR will be happy to correct its mistake at the earliest possible opportunity.

 $For queries \ or \ further \ information \ please \ contact \ the \ Copyright \ Team, \ First \ Floor, 9 \ Hills \ Road, \ Cambridge \ CB2 \ 1GE.$ 

OCR is part of the Cambridge Assessment Group; Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.