4751 (C1) Introduction to Advanced Mathematics

Section A

	IION A		Table 1	1
1	x > 6/4 o.e. isw	2	M1 for $4x > 6$ or for $6/4$ o.e. found or for their final ans ft their $4x > k$ or $kx > 6$	2
2	(i) (0, 4) and (6, 0)	2	1 each; allow $x = 0$, $y = 4$ etc; condone $x = 6$, $y = 4$ isw but 0 for $(6, 4)$ with no working	
	(ii) -4/6 o.e. or ft their (i) isw	2	1 for $-\frac{4}{6}x$ or 4/-6 or 4/6 o.e. or ft	
			(accept 0.67 or better) 0 for just rearranging to $y = -\frac{2}{3}x + 4$	4
3	(i) 0 or −3/2 o.e.	2	1 each	
	(ii) <i>k</i> < −9/8 o.e. www	3	M2 for 3^2 (-)(-8 k) < 0 o.e. or -9/8 found or M1 for attempted use of b^2 - 4 ac (may be in quadratic formula); SC: allow M1 for 9 - 8 k < 0 and M1 ft for k > 9/8	5
4	(i) T (ii) E (iii) T	3	3 for all correct, 2 for 3 correct. 1 for 2 correct	
	(iv) F			3
5	y(x-2) = (x+3) $xy-2y = x+3 or ft [ft from earlier]$	M1	for multiplying by x - 2; condone missing brackets	
	errors if of comparable difficulty – no ft if there are no xy terms]	M1	for expanding bracket and being at stage ready to collect <i>x</i> terms	
	xy - x = 2y + 3 or ft	M1	for collecting x and 'other' terms on opposite sides of eqn	
	$[x=]\frac{2y+3}{y-1}$ o.e. or ft	M1	for factorising and division	
	alt method:		for either method: award 4 marks only if fully correct	
	$y = 1 + \frac{5}{x - 2}$	M1	Tuny correct	
	$y-1=\frac{5}{x-2}$	M1		
		M1		
	$x-2=\frac{5}{y-1}$	M1		
	$x = 2 + \frac{5}{y - 1}$			4

18

					_
6	(i) 5 www	2	allow 2 for ±5; M1 for 25 ^{1/2} seen or for 1/5 seen or for using 25 ^{1/2} = 5 with another error (ie M1 for coping correctly with fraction and negative index or with square root)		
	(ii) $8x^{10}y^{13}z^4$ or $2^3x^{10}y^{13}z^4$	3	mark final answer; B2 for 3 elements correct, B1 for 2 elements correct; condone multn signs included, but -1 from total earned if addn signs	5	
7	(i) $\frac{5-\sqrt{3}}{22}$ or $\frac{5+(-1)\sqrt{3}}{22}$ or $\frac{5-1\sqrt{3}}{22}$	2	or $a = 5$, $b = -1$, $c = 22$; M1 for attempt to multiply numerator and denominator by $5 - \sqrt{3}$		
	(ii) 37 − 12√7 isw www	3	2 for 37 and 1 for $-12\sqrt{7}$ or M1 for 3 correct terms from $9 - 6\sqrt{7} - 6\sqrt{7} + 28$ or $9 - 3\sqrt{28} - 3\sqrt{28} + 28$ or $9 - \sqrt{252} - \sqrt{252} + 28$ o.e. eg using $2\sqrt{63}$ or M2 for $9 - 12\sqrt{7} + 28$ or $9 - 6\sqrt{28} + 28$ or $9 - 2\sqrt{252} + 28$ or $9 - \sqrt{1008} + 28$ o.e.; 3 for $37 - \sqrt{1008}$ but not other equivs	5	
8	-2000 www	4	M3 for $10 \times 5^2 \times (-2[x])^3$ o.e. or M2 for two of these elements or M1 for 10 or $(5\times4\times3)/(3\times2\times1)$ o.e. used $[^5C_3$ is not sufficient] or for 1 5 10 10 5 1 seen; or B3 for 2000;		
			condone x^3 in ans;		
			equivs: M3 for e.g $5^5 \times 10 \times \left(-\frac{2}{5}[x]\right)^3$		
			o.e. [5 ⁵ may be outside a bracket for whole expansion of all terms], M2 for two of these elements etc		
			similarly for factor of 2 taken out at start	4	
9	(y-3)(y-4) = 0	M1	for factors giving two terms correct or attempt at quadratic formula or completing square		-
	y = 3 or 4 cao	A1	or B2 (both roots needed)		
	$x = \pm \sqrt{3}$ or ± 2 cao	B2	B1 for 2 roots correct or ft their <i>y</i> (condone √ 3 and √ 4 for B1)	4	18

Section B

	1.	12 -		1		1
10	i	$(x-3)^2-7$	3	mark final answer; 1 for $a = 3$, 2 for $b = 7$ or M1 for $-3^2 + 2$; bod 3 for $(x - 3) - 7$	3	
	ii	(3, -7) or ft from (i)	1+1		2	
	iii	sketch of quadratic correct way up and through (0, 2)	G1	accept (0, 2) o.e. seen in this part [eg in table] if 2 not marked as intercept on graph		
		t.p. correct or ft from (ii)	G1	accept 3 and -7 marked on axes level with turning pt., or better; no ft for (0, 2) as min	2	
	iv	$x^2 - 6x + 2 = 2x - 14$ o.e.	M1	or their (i) = $2x - 14$		
		$x^2 - 8x + 16 = 0$	M1	dep on first M1; condone one error		
		$(x-4)^2 [=0]$	M1	or correct use of formula, giving equal roots; allow $(x + 4)^2$ o.e. ft $x^2 + 8x + 16$		
		x = 4, y = -6	A1	if M0M0M0, allow SC2 for showing (4, -6) is on both graphs (need to go on to show line is tgt to earn more)		
		equal/repeated roots [implies tgt] - must be explicitly stated; condone 'only one root [so tgt]' or 'line meets curve only once, so tgt' or	A1	or for use of calculus to show grad of line and curve are same when $x = 4$		
		'line touches curve only once' etc]			5	12

		T		T	
11	i	f(-4) used	M1		
		-128 + 112 + 28 - 12 [= 0]	A1	or B2 for $(x + 4)(2x^2 - x - 3)$ here; or correct division with no remainder	2
	ii	division of $f(x)$ by $(x + 4)$	M1	as far as $2x^3 + 8x^2$ in working, or two terms of $2x^2 - x - 3$ obtained by inspection etc (may be earned in (i)), or $f(-1) = 0$ found	
		$2x^2 - x - 3$	A1	$2x^2 - x - 3$ seen implies M1A1	
		(x+1)(2x-3)	A1		
		[f(x) =] (x + 4) (x + 1)(2x - 3)	A1	or B4; allow final A1 ft their factors if M1A1A0 earned	4
	iii	sketch of cubic correct way up	G1	ignore any graph of $y = f(x - 4)$	
		through −12 shown on y axis	G1	or coords stated near graph	
		roots -4 , -1 , 1.5 or ft shown on x axis	G1	or coords stated near graph	
				if no curve drawn, but intercepts marked on axes, can earn max of G0G1G1	3
	iv	x(x-3)(2[x-4]-3) o.e. or $x(x-3)(x-5.5)$ or ft their factors	M1	or $2(x-4)^3 + 7(x-4)^2 - 7(x-4) - 12$ or stating roots are 0, 3 and 5.5 or ft; condone one error eg $2x - 7$ not $2x - 11$	
		correct expansion of one pair of brackets ft from their factors	M1	or for correct expn of $(x - 4)^3$ [allow unsimplified]; or for showing $g(0) = g(3) = g(5.5) = 0$ in given ans $g(x)$	
		correct completion to given answer	M1	allow M2 for working backwards from given answer to $x(x-3)(2x-11)$ and M1 for full completion with factors or roots	
				10013	3

12

12	l i	0 1	M1		
'2		grad AB = $\frac{9-1}{31}$ or 2			
		y-9=2(x-3) or $y-1=2(x+1)$	M1	ft their m , or subst coords of A or B in $y = $ their $m x + c$	
		y = 2x + 3 o.e.	A1	or B3	3
	ii	mid pt of AB = (1, 5)	M1	condone not stated explicitly, but	
		grad perp = −1/grad AB	M1	used in eqn soi by use eg in eqn	
		$y-5=-\frac{1}{2}(x-1)$ o.e. or ft [no ft for just grad AB used]	M1	ft their grad and/or midpt, but M0 if their midpt not used; allow M1 for $y = -\frac{1}{2}x + c$ and then their midpt subst	
		at least one correct interim step towards given answer $2y + x =$ 11, and correct completion NB ans $2y + x =$ 11 given	M1	no ft; correct eqn only	
		alt method working back from		mark one method or the other, to	
		ans:		benefit of cand, not a mixture	
		$y = \frac{11 - x}{2}$ o.e.	M1		
		grad perp = −1/grad AB and showing/stating same as given line	M1	eg stating $-\frac{1}{2} \times 2 = -1$	
		finding into of their $y = 2x + 3$ and $2y + x = 11$ [= (1, 5)]	M1	or showing that (1, 5) is on $2y + x$ = 11, having found (1, 5) first	4
		showing midpt of AB is (1, 5)	M1	[for both methods: for M4 must be fully correct]	
	iii	showing $(-1 - 5)^2 + (1 - 3)^2 = 40$	M1	at least one interim step needed for each mark; M0 for just $6^2 + 2^2 = 40$	
		showing B to centre = $\sqrt{40}$ or verifying that (3, 9) fits given circle	M1	with no other evidence such as a first line of working or a diagram; condone marks earned in reverse order	2
	iv	$(x-5)^2 + 3^2 = 40$ $(x-5)^2 = 31$	M1	for subst $y = 0$ in circle eqn	
			M1	condone slip on rhs; or for rearrangement to zero (condone one error) <u>and</u> attempt at quad. formula [allow M1 M0 for $(x - 5)^2 = 40$ or for $(x - 5)^2 + 3^2 = 0$]	
		$x = 5 \pm \sqrt{31} \text{ or } \frac{10 \pm \sqrt{124}}{2} \text{ isw}$	A1	$\sqrt{124}$	
		<u> </u>		or $5 \pm \frac{\sqrt{124}}{2}$	3

12