

Mark Scheme (Results)

Summer 2021

Pearson Edexcel International GCSE In Biology (4BI1) Paper 1B and Science (Double Award) (4SD0) Paper 1B

Edexcel and BTEC Qualifications

Edexcel and BTEC qualifications are awarded by Pearson, the UK's largest awarding body. We provide a wide range of qualifications including academic, vocational, occupational and specific programmes for employers. For further information visit our qualifications websites at <u>www.edexcel.com</u> or <u>www.btec.co.uk</u>. Alternatively, you can get in touch with us using the details on our contact us page at <u>www.edexcel.com/contactus</u>.

Pearson: helping people progress, everywhere

Pearson aspires to be the world's leading learning company. Our aim is to help everyone progress in their lives through education. We believe in every kind of learning, for all kinds of people, wherever they are in the world. We've been involved in education for over 150 years, and by working across 70 countries, in 100 languages, we have built an international reputation for our commitment to high standards and raising achievement through innovation in education. Find out more about how we can help you and your students at: www.pearson.com/uk

Summer 2021 Question Paper Log Number 66428 Publications Code 4BI1_1B_2106_msc All the material in this publication is copyright © Pearson Education Ltd 2021

| Question Number | Answer | | Mark |
|--------------------|---|--|------|
| 1(a) | | | 4 |
| | Value | Apparatus | |
| | magnification of a red blood cell | microscope | |
| | heat produced by germinating seeds | thermometer / temperature probe / data logger/eq (1) | |
| | surface area to volume ratio of a potato chip | ruler /eq (1) | |
| | breathing rate of a human | clock / watch / timer / spirometer /eq (1) | |
| | volume of gas produced by yeast in anaerobic respiration | syringe / measuring cylinder / respirometer/ eq (1) | |

| Question Number | Answer | additional guidance | Mark |
|--------------------|---|--|------|
| 1(b) | width of cell = 5.3 cm width of cell = in 53 000 µm ÷ 8 = 6625 | 5.0 – 5.4 cm | 2 |
| | 6250 to 6750 | allow full marks for answer alone | |
| | | allow 1 mark for dividing by 8 | |

Total 6 marks

| Question Number | Answer | Mark |
|--------------------|---|------|
| 2(a) (i) | The only correct answer is D | 1 |
| | A is not correct as it does not bring oxygenated blood to heart | |
| | B is not correct as it does not bring oxygenated blood to heart | |
| | C is not correct as it does not bring oxygenated blood to heart | |

| Question Number | Answer | Mark |
|--------------------|---|------|
| 2(a) (ii) | The only correct answer is C | 1 |
| | A is not correct as it does not contain blood with the highest pressure | |
| | B is not correct as it does not contain blood with the highest pressure | |
| | D is not correct as it does not contain blood with the highest pressure | |

| Question Number | Answer | additional guidance | Mark |
|--------------------|---------|--|------|
| 2(b) (i) | A B C D | allow other forms of indication of location | 1 |

| Question Number | Answer | additional guidance | Mark |
|--------------------|---|-------------------------|------|
| 2(b)(ii) | A description that makes reference to the following points: prevent backflow of blood /one way flow /eq (1) (from arteries) into <u>ventricle/ ventricles</u> (1) | back into heart =mp1 | 2 |

| Question Number | Answer | Mark |
|--------------------|---|------|
| 2(c)(i) | An explanation that makes reference to the following points: so that oxygenated and deoxygenated blood do not mix / as left hand side now contains oxygenated blood from lungs / eq (1) so that oxygenated blood can be pumped around body / so deoxygenated blood does not go round body / so oxygenated blood does not go to lungs / eq (1) | 2 |

| Question Number | Answer | Mark |
|--------------------|--|------|
| 2(c)(ii) | An explanation that makes reference to three of the following points: | 3 |
| | may appear blue / lack colour / not survive / shortness of breath/ eq (1) | |
| | as less oxygen (transported from heart to body) / deoxygenated blood goes to body / eq (1) | |
| | less (aerobic) respiration (1) | |
| | less energy / less ATP/ eq (1) | |
| | | |

Total = 10 marks

| Question Number | Answer | Mark |
|--------------------|--|------|
| 3(a) | A description that makes reference to four of the following points: | 4 |
| | boil leaf in water / eq (1) | |
| | • boil in <u>ethanol</u> (to remove chlorophyll) (1) | |
| | hot water bath / kettle / turn off Bunsen / eq (1) | |
| | soak in water (to rehydrate / allow diffusion) (1) | |
| | add iodine solution (1) | |
| | <u>blue black</u> / eq (leaf uncovered) <u>starch present</u> / <u>yellow / eq</u> <u>no starch</u> (leaf covered) (1) | |

| Question Number | Answer | additional guidance | Mark |
|--------------------|---|--|------|
| 3(b)(i) | An answer that makes reference to four of the following points: increasing carbon dioxide increases rate /eq (1) CO₂ required / substrate (for photosynthesis)/ eq (1) greater higher (in rate) at high light intensity / eq (1) light required / provides energy for photosynthesis/ eq (1) | correct ref to CO ₂ limiting factor allow converse | 4 |
| | increase is same from 0.00 to 0.02 / first two readings / eq (in both light intensities) (1) levelling at (high light intensity) due to temperature / number of chloroplasts / amount of chlorophyll/ eq (1) | light limiting/ eq factor ref to temperature | |
| | | limiting factor | |

| Question Number | Answer | Mark |
|--------------------|---|------|
| 3(b)(ii) | An answer that makes reference to one of the following points: use more bulbs / change bulb / wattage / use dimmer / filters / eq (1) change distance (1) | 1 |

| Question Number | Answer | Mark |
|--------------------|--|------|
| 3(b)(iii) | (number of) bubbles (per minute) / rate of photosynthesis / rate of oxygen production / eq | 1 |

| Question Number | Answer | Mark |
|--------------------|--|-----------|
| 3(b)(iv) | same type / species / mass / number of leaves / length / size same piece of plant / eq | 1 Grad |

Total = 11 marks

| Question Number | Answer | Mark |
|--------------------|--|------|
| 4(a)(i) | The only correct answer is C chitin glycogen | 1 |
| | A is not correct as it is not cellulose and glycogen | |
| | B is not correct as it is not cellulose and starch | |
| | D is not correct as it is not chitin and starch | |

| Question Number | Answer | Mark |
|--------------------|--|------|
| 4(a)(ii) | The only correct answer is B fungus | 1 |
| | A is not correct as it is not a bacterium | |
| | C is not correct as it is not a plant | |
| | D is not correct as it is not a protoctist | |

| Question Number | Answer | Mark |
|--------------------|--|------|
| 4(b)(i) | Only correct answer is B glucose> ethanol + carbon dioxide | 1 |
| | A is not correct as it is not the correct equation | |
| | C is not correct as it is not the correct equation | |
| | D is not correct as it is not the correct equation | |

| Question Number | Answer | additional guidance | Mark |
|--------------------|---|---|------|
| 4(b)(ii) | restriction / endonuclease / ligase (1) | allow correctly named endonuclease | 1 |

| Question Number | Answer | Mark |
|--------------------|--|------|
| 4(b)(iii) | contains new DNA / new gene / foreign DNA / foreign gene / altered genes / DNA from other organism/ DNA from other species / gene from other organism / gene form other species / contains gene for digesting cell walls / contains gene for digesting cellulose / gene for cellulase / eq / | 1 |

| Question Number | Answer | | Mark |
|--------------------|--|----------------|------|
| 4(b)(iv) | An answer that makes reference to two of the following points: | | 2 |
| | less burning of fossil fuels / eq (1) | allow named | |
| | - less carbon dioxide in air / carbon neutral / plants use CO_2 (in photosynthesis) / eq (1) | fossil fuel | |
| | less trapping of heat / less greenhouse effect / eq (1) | | |
| | uses renewable resource (1) | | |

| Question Number | Answer | Additional guidance | Mark |
|--------------------|---|--|------|
| 4(c)(i) | 2.2 - 1.25 = 0.95 ÷ 1.25 = 0.76 × 100 = 76% (2) | award full marks for correct numerical answer without working allow 2.2 -1.3 = 0.9 $0.9 \div 1.3 = 0.69$ $\times 100 = 69\%$ allow 2.2 - 1.2 = 1 $1 \div 1.2 = 0.8$ $0.8 \times 100 = 80\%$ allow 1 mark for dividing by mass of normal yeast / 1.2 to 1.3 percentage between 69 and 80 (2) | 2 |

| Question Number | Answer | additional guidance | Mark |
|--------------------|--|--|------|
| 4(c)(ii) | An answer that makes reference to two of the following points: running out of glucose / food / eq (1) (build-up of) ethanol (1) yeast cells die (1) | allow one mark for oxygen becomes available ethanol kills the yeast = mp2 and mp3 | 2 |

Total 11 marks

| Question Number | Answer | additional guidance | Mark |
|--------------------|--|--|------|
| 5(a) | An answer that makes reference to three of the following points: <u>quadrat</u> (1) repeat (1) random / using coordinates / eq (1) count / how many / amount / number /eq (1) divide total /eq (count) by (area / number of) quadrats /eq (1) | use quadrat s scores mp1 and mp 2 | 3 |

| Question Number | Answer | additional guidance | Mark |
|--------------------|---|---------------------------|---------|
| 5(b) | An answer that makes reference to five of the following points: BC numbers decline slower / CC numbers lower at start / February / eq (1) CC numbers lower in some / April/ June / August / stated months /eq (1) | allow converse | 5 |
| | BC numbers are (overall) lower / eq (1) | | |
| | BC stays low / less variable / CC go up and down / eq (1) | | |
| | BC no need to reapply / insects reproduce / eq (1) | | |
| | • BC less risk of pollution / eq (1) | | |
| | • BC less risk of resistance /eq (1) | | |
| | BC is specific / not affect (other) food chains /eq (1) | | |
| | • BC no bioaccumulation / eq (1) | allow biomagnification | |
| | BC could become pest /eq(1) | _ | |
| | | Total = | 8 marks |

| Question Number | Answer | Mark |
|--------------------|--|------|
| 6(a) | The only correct answer is C the organisms of all species in a habitat | 1 |
| | A is not correct as is not a community | |
| | B is not correct as is not a community | |
| | D is not correct as is not a community | |

| Question Number | Answer | Additional guidance | Mark |
|--------------------|--|--|------|
| 6(b)(i) | 1.5 × 10⁴ = 15000 2.5 ÷ 15000 = 1.7 × 10⁻⁴ (3) | award full marks for correct numerical answer without working 1 mark for 2.5 \div 15000 or 2.5 \div 1.5 \times 10 ⁴ 2 marks for 0.00017 2 marks for 17 x 10 ⁻⁵ allow 1.67 x 10 ⁻⁴ = 3 allow 1.66 recurring x 10 ⁻⁴ = 3 | 3 |

| Question Number | Answer | additional guidance | Mark |
|--------------------|---|------------------------------------|------|
| 6(b)(ii) | correct order / names (1) correct pyramid / shape / eq (1) | ignore shape ignore names | 2 |

| Question Number | Answer | additional guidance | Mark |
|--------------------|--|--|------|
| 6(c)(i) | An explanation that makes reference to the following points: undigested / not absorbed / waste / faeces / not assimilated / eq (1) contains energy / cellulose (1) | cellulose not digested = 2 marks | 2 |
| | | energy trapped in faeces = 2 marks | |

| Question Number | Answer | Mark |
|--------------------|---|------|
| 6(c)(ii) | An answer that makes reference to two of the following points: respiration / heat loss (1) movement / eq (1) uneaten / die / not consumed /eq (1) excretion (1) | 2 |

Total 10 marks

| Question Number | Answer | | | Mark |
|--------------------|--------|------------|----------|------|
| 7(a) | • | | | 3 |
| | | Individual | Genotype | |
| | | Р | Dd (1) | |
| | | Q | Dd (1) | |
| | | R | Dd | |
| | | S | dd (1) | |

| Question Number | Answer | Mark |
|--------------------|---------------------|------|
| 7(b) | | 1 |
| | 1/8 / 0.125 / 12.5% | |
| | | |

| Question Number | Answer | Mark |
|--------------------|--|------|
| - | Answer An answer that makes reference to four of the following points: greater increase in testosterone in R / smaller increase in S /eq (1) R male / S female / eq (1) greater increase in oestrogen in S / less increase in R / eq (1) more muscle / deeper voice / beard in R/ eq (1) wider hips / breasts / in S (1) body hair / growth spurt / eq (1) gamete / sperm / egg production / start to menstruate (1) secondary sexual characteristics (1) | 4 |
| | | |

Total 8 marks

| Question Number | Answer | additional guidance | Mark |
|--------------------|---|--|------|
| 8(a) | | allow converse for mp 1,3,4, 5, 9 and 10 | 6 |
| | • Fat more in cow's / eq (1) | allow `too much' | |
| | Fat could lead to obesity / too many kJ calories / eq (1) | | |
| | • Protein more in in cow's / eq (1) | allow `too much' | |
| | Minerals more in cow's / eq (1) | allow `too much' | |
| | Carbohydrate less in cow's / eq (1) | allow `too little in cows ` | |
| | (too little carbohydrate in cow's) so not enough (quick) energy (1) | | |
| | • Vitamins similar / same (1) | | |
| | • Water the similar / same (1) | | |
| | Antibodies no (human antibodies) in cow's (1) | | |
| | Antibiotics in cow's (1) | | |

| Question Number | Answer | additional guidance | Mark |
|--------------------|--|---|------|
| 8(b) | An answer that makes reference to two of the following points:(exposure to) sun(light) (1) | | 2 |
| | named source of vitamin D such as cod-liver oil / oily fish – such as salmon, sardines, herring and mackerel / red meat /liver /eggs / fortified foods – such as most fat spreads and some breakfast cereals (1) | | |
| | add drops / use supplement / eq (1) | give cod- liver oil (tablets) = mp 2 and 3 | |

| Question Number | Answer | additional guidance | Mark |
|--------------------|--|--|------|
| 8(c) | An answer that makes reference to the following points: Add biuret (1) If protein present turns purple / lilac (1) | allow / uristix / clinistix /protein test sticks mp 1 and stated colour change mp 2 | 2 |

Total = 10

| | Additional guidance | Mark |
|---|--|--|
| An answer that makes reference to 5 of the following points: | | 5 |
| • S y axis scale linear and half the grid (1) | allow stacked | |
| • A 2 y axis labelled (number of) deaths (1) | bar chart for LC | |
| • P bars plotted correctly within one (1) | and OC or LC OC | |
| K 1 non- smoker / light/ medium /heavy labelled key shown (1) | and All | |
| K2 labelled lung / other cancer (1) | line graph scores 4 | |
| | points: S y axis scale linear and half the grid (1) A 2 y axis labelled (number of) deaths (1) P bars plotted correctly within one (1) K 1 non- smoker / light/ medium /heavy labelled key shown (1) | An answer that makes reference to 5 of the following points:allow stacked• S y axis scale linear and half the grid (1)allow stacked• A 2 y axis labelled (number of) deaths (1)allow stacked• P bars plotted correctly within one (1)and OC or LC OC and All• K1 non- smoker / light/ medium /heavy labelled key shown (1)line graph |





(a) (i) Plot a bar chart to show the number of deaths from lung cancer and from other cancers for each of the four groups.



| Question | Answer | Additional | Mark |
|---------------------------|--|---|------|
| <u>Number</u> 9(a)(ii) | percentage of deaths due to lung cancer in heavy = 13/157 x 100 = 8.3% percentage of deaths caused by lung cancer in light smokers = 12/345 x 100 = 3.5% difference = 4.8% (3) | guidance Allow 1 mark for 8.3 or 8.28/etc Allow 1 mark for 3.5 or 3.48/etc Allow full marks for 4.8%/ 4.802 etc | 3 |

| Question Number | Answer | additional guidance | Mark |
|--------------------|--|--|------|
| 9(b) | An explanation that makes reference to two of the following as age increase higher incidence of cancers /eq (1) | eg `old people get more cancer' | 2 |
| | as cells more likely to mutate /eq (1) smoked for longer period / eq (1) weak immune system / eq(1) | | |

| Question Number | Answer | additional guidance | Mark |
|--------------------|---|--|------|
| 9(c) | An explanation that makes reference to one pair of the following causing CHD / heart disease / heart attack / blood clots /eq (1) due to narrowing / blocking of arteries / blood vessels / damage to artery lining /blood vessels lining/ eq (1) | ignore veins second point must match first to score 2 | 2 |
| | OR bronchitis / pneumonia/ emphysema / lung infection / shortness of breath / eq(1) due to damage to alveoli / reduces SA / damages cilia / build-up of mucus / prevents removal of mucus (1) | ignore `cough(ing)' | |
| | OR affects oxygen transport / shortness of breath / eq (1) due to carbon monoxide binding to Hb /eq (1) | can get second point without first eg smoking causes build-up of mucus | |

Total = 12 marks

| Question Number | Answer | Mark |
|--------------------|-----------------|------|
| 10(a) | homeostasis (1) | 1 |

| Question Number | Answer | additional guidance | Mark |
|--------------------|--|---|------|
| 10(b) | An answer that makes reference to 4 of the following points. receptors in skin surface detect stimulus / are stimulated /(1) <u>impulse (1) (once)</u> sensory neurone to relay neurone / CNS / eq (1) via diffusion of neurotransmitters / eq (1) (once) synapse (1) (once) motor neurone to muscle / effector (1) effector/ muscle contracts eq (1) | allow action potential ignore message / signal eq | 4 |

| Question Number | Answer | Mark |
|--------------------|--|------|
| 10(c)(i) | An explanation that makes reference to the following points. less sweat released /eq (1) less (sweat) evaporates / less cooling / less heat loss /eq (1) | 2 |

| Question Number | Answer | additional guidance | Mark |
|--------------------|--|------------------------------------|------|
| 10(c)(ii) | An explanation that makes reference to 3 of the following points. | allow converse | 3 |
| | B / blood vessels (to surface) constrict / vasoconstriction / eq (1) | ignore capillaries constrict | |
| | less blood flows (to skin surface) / eq (1) | | |
| | less heat loss / heat conserved /eq (1) | more blood away from | |
| | less convection / radiation (1) | surface / eq | |
| | | | |

| Question Number | Answer | Mark |
|--------------------|---|------|
| 10(d) | An explanation that makes reference to 4 of the following points.variation in amount of body hair / eq (1) | 4 |
| | caused by mutation (1) less hair increased heat loss / can lose heat in sun / warm / hot climate / chase animals / started to wear clothes / eq (1) survive and reproduce (1) | |
| | pass on alleles / genes to offspring (1) | |

Total = 14 marks

| Question Number | Answer | Mark |
|--------------------|--|------|
| 11(a)(i) | An explanation that makes reference to 3 of the following points. | 3 |
| | • (sulfur dioxide) released dissolves in water (vapour) (1) | |
| | forms sulfuric acid (1) | |
| | acid rain (1) | |
| | causes damage to plants / deforestation / eq (1) | |
| | breathing problems for humans / animals / eq (1) | |
| | death of fish /aquatic organisms / eq (1) | |

| Question Number | Answer | additional guidance | Mark |
|--------------------|---|---|------|
| 11(a)(ii) | less burning / use of fossils fuels / named fossil fuel / low sulfur fuel / named example of alternative to using fossil fuels / eq (1) | allow examples use public transport / use wind power / cycling / electric/hybrid vehicles / etc | 1 |

| Answer | additional guidance | Mark |
|--|---|--|
| An answer that makes reference to 6 of the following points. | | 6 Exp |
| C with and without HCO₃ / changes concentrations of HCO₃ (1) | | |
| O use same species / age / size / strain / type of seedling /eq (1) | | |
| • R repeat (for each concentration of HCO_3) (1) | | |
| M1 measure / yield / height / mass / count number of leaves / number of plants that germinate / eq (1) | not just | |
| M2 after <u>stated time</u> 48 hours + (1) | time for | |
| • S1 control light / CO_2 / temperature /eq (1) | 112 | |
| S2 control compost / water / humidity / moisture /minerals / fertiliser/ volume of solution / eq (1) | | |
| | An answer that makes reference to 6 of the following points. C with and without HCO₃ / changes concentrations of HCO₃ (1) O use same species / age / size / strain / type of seedling /eq (1) R repeat (for each concentration of HCO₃) (1) M1 measure / yield / height / mass / count number of leaves / number of plants that germinate / eq (1) M2 after stated time 48 hours + (1) S1 control light / CO₂ / temperature /eq (1) S2 control compost / water / humidity / moisture | An answer that makes reference to 6 of the following points.guidanceAn answer that makes reference to 6 of the following points.guidance• C with and without HCO3 / changes concentrations of HCO3 (1)-• O use same species / age / size / strain / type of seedling /eq (1)-• R repeat (for each concentration of HCO3) (1)-• M1 measure / yield / height / mass / count number of leaves / number of plants that germinate / eq (1)-• M2 after stated time 48 hours + (1)-• S1 control light / CO2 / temperature /eq (1)-• S2 control compost / water / humidity / moisture- |

Total = 10

Pearson Education Limited. Registered company number 872828 with its registered office at 80 Strand, London, WC2R 0RL, United Kingdom