

**ADVANCED GCE
MATHEMATICS**
Core Mathematics 4

4724

Candidates answer on the Answer Booklet

OCR Supplied Materials:

- 8 page Answer Booklet
- List of Formulae (MF1)

Other Materials Required:

None

**Friday 15 January 2010
Afternoon**

Duration: 1 hour 30 minutes



INSTRUCTIONS TO CANDIDATES

- Write your name clearly in capital letters, your Centre Number and Candidate Number in the spaces provided on the Answer Booklet.
- Use black ink. Pencil may be used for graphs and diagrams only.
- Read each question carefully and make sure that you know what you have to do before starting your answer.
- Answer **all** the questions.
- Do **not** write in the bar codes.
- Give non-exact numerical answers correct to 3 significant figures unless a different degree of accuracy is specified in the question or is clearly appropriate.
- You are permitted to use a graphical calculator in this paper.

INFORMATION FOR CANDIDATES

- The number of marks is given in brackets [] at the end of each question or part question.
- **You are reminded of the need for clear presentation in your answers.**
- The total number of marks for this paper is **72**.
- This document consists of **4** pages. Any blank pages are indicated.

1 Find the quotient and the remainder when $x^4 + 11x^3 + 28x^2 + 3x + 1$ is divided by $x^2 + 5x + 2$. [4]

2 Points A , B and C have position vectors $-5\mathbf{i} - 10\mathbf{j} + 12\mathbf{k}$, $\mathbf{i} + 2\mathbf{j} - 3\mathbf{k}$ and $3\mathbf{i} + 6\mathbf{j} + p\mathbf{k}$ respectively, where p is a constant.

(i) Given that angle $ABC = 90^\circ$, find the value of p . [4]

(ii) Given instead that ABC is a straight line, find the value of p . [2]

3 By expressing $\cos 2x$ in terms of $\cos x$, find the exact value of $\int_{\frac{1}{4}\pi}^{\frac{1}{3}\pi} \frac{\cos 2x}{\cos^2 x} dx$. [5]

4 Use the substitution $u = 2 + \ln t$ to find the exact value of

$$\int_1^e \frac{1}{t(2 + \ln t)^2} dt. \quad [6]$$

5 (i) Expand $(1 + x)^{\frac{1}{3}}$ in ascending powers of x , up to and including the term in x^2 . [2]

(ii) (a) Hence, or otherwise, expand $(8 + 16x)^{\frac{1}{3}}$ in ascending powers of x , up to and including the term in x^2 . [4]

(b) State the set of values of x for which the expansion in part (ii) (a) is valid. [1]

6 A curve has parametric equations

$$x = 9t - \ln(9t), \quad y = t^3 - \ln(t^3).$$

Show that there is only one value of t for which $\frac{dy}{dx} = 3$ and state that value. [6]

7 Find the equation of the normal to the curve $x^3 + 2x^2y = y^3 + 15$ at the point $(2, 1)$, giving your answer in the form $ax + by + c = 0$, where a , b and c are integers. [8]

8 (i) State the derivative of $e^{\cos x}$. [1]

(ii) Hence use integration by parts to find the exact value of

$$\int_0^{\frac{1}{2}\pi} \cos x \sin x e^{\cos x} dx. \quad [6]$$

9 The equation of a straight line l is $\mathbf{r} = \begin{pmatrix} 3 \\ 1 \\ 1 \end{pmatrix} + t \begin{pmatrix} 1 \\ -1 \\ 2 \end{pmatrix}$. O is the origin.

(i) The point P on l is given by $t = 1$. Calculate the acute angle between OP and l . [4]

(ii) Find the position vector of the point Q on l such that OQ is perpendicular to l . [4]

(iii) Find the length of OQ . [2]

10 (i) Express $\frac{1}{(3-x)(6-x)}$ in partial fractions. [2]

(ii) In a chemical reaction, the amount x grams of a substance at time t seconds is related to the rate at which x is changing by the equation

$$\frac{dx}{dt} = k(3-x)(6-x),$$

where k is a constant. When $t = 0$, $x = 0$ and when $t = 1$, $x = 1$.

(a) Show that $k = \frac{1}{3} \ln \frac{5}{4}$. [7]

(b) Find the value of x when $t = 2$. [4]

**Copyright Information**

OCR is committed to seeking permission to reproduce all third-party content that it uses in its assessment materials. OCR has attempted to identify and contact all copyright holders whose work is used in this paper. To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced in the OCR Copyright Acknowledgements Booklet. This is produced for each series of examinations, is given to all schools that receive assessment material and is freely available to download from our public website (www.ocr.org.uk) after the live examination series.

If OCR has unwittingly failed to correctly acknowledge or clear any third-party content in this assessment material, OCR will be happy to correct its mistake at the earliest possible opportunity. For queries or further information please contact the Copyright Team, First Floor, 9 Hills Road, Cambridge CB2 1GE.

OCR is part of the Cambridge Assessment Group; Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.