

Tuesday 17 January 2012 – Morning

A2 GCE MATHEMATICS

4724 Core Mathematics 4

QUESTION PAPER

Candidates answer on the Printed Answer Book.

OCR supplied materials:

- Printed Answer Book 4724
- List of Formulae (MF1)

Other materials required:

- Scientific or graphical calculator

Duration: 1 hour 30 minutes



INSTRUCTIONS TO CANDIDATES

These instructions are the same on the Printed Answer Book and the Question Paper.

- The Question Paper will be found in the centre of the Printed Answer Book.
- Write your name, centre number and candidate number in the spaces provided on the Printed Answer Book. Please write clearly and in capital letters.
- **Write your answer to each question in the space provided in the Printed Answer Book.** Additional paper may be used if necessary but you must clearly show your candidate number, centre number and question number(s).
- Use black ink. HB pencil may be used for graphs and diagrams only.
- Answer **all** the questions.
- Read each question carefully. Make sure you know what you have to do before starting your answer.
- Do **not** write in the bar codes.
- You are permitted to use a scientific or graphical calculator in this paper.
- Give non-exact numerical answers correct to 3 significant figures unless a different degree of accuracy is specified in the question or is clearly appropriate.

INFORMATION FOR CANDIDATES

This information is the same on the Printed Answer Book and the Question Paper.

- The number of marks is given in brackets [] at the end of each question or part question on the Question Paper.
- **You are reminded of the need for clear presentation in your answers.**
- The total number of marks for this paper is **72**.
- The Printed Answer Book consists of **16** pages. The Question Paper consists of **4** pages. Any blank pages are indicated.

INSTRUCTION TO EXAMS OFFICER/INVIGILATOR

- Do not send this Question Paper for marking; it should be retained in the centre or recycled. Please contact OCR Copyright should you wish to re-use this document.

1 When the polynomial $f(x)$ is divided by $x^2 + 1$, the quotient is $x^2 + 4x + 2$ and the remainder is $x - 1$. Find $f(x)$, simplifying your answer. [3]

2 (i) Find, in the form $\mathbf{r} = \mathbf{a} + t\mathbf{b}$, an equation of the line l through the points $(4, 2, 7)$ and $(5, -4, -1)$. [3]

(ii) Find the acute angle between the line l and a line in the direction of the vector $\begin{pmatrix} 1 \\ 2 \\ 3 \end{pmatrix}$. [4]

3 The equation of a curve C is $(x + 3)(y + 4) = x^2 + y^2$.

(i) Find $\frac{dy}{dx}$ in terms of x and y . [4]

(ii) The line $2y = x + 3$ meets C at two points. What can be said about the tangents to C at these points? Justify your answer. [2]

(iii) Find the equation of the tangent at the point $(6, 0)$, giving your answer in the form $ax + by = c$, where a , b and c are integers. [2]

4 (i) Expand $(1 - 4x)^{\frac{1}{4}}$ in ascending powers of x , up to and including the term in x^3 . [5]

(ii) The term of lowest degree in the expansion of


$$(1 + ax)(1 + bx^2)^7 - (1 - 4x)^{\frac{1}{4}}$$

in ascending powers of x is the term in x^3 . Find the values of the constants a and b . [4]

5 Use the substitution $u = \cos x$ to find the exact value of

$$\int_0^{\frac{1}{3}\pi} \sin^3 x \cos^2 x \, dx. \quad [6]$$

6



The diagram shows the curves $y = \cos x$ and $y = \sin x$, for $0 \leq x \leq \frac{1}{2}\pi$. The region R is bounded by the curves and the x -axis. Find the volume of the solid of revolution formed when R is rotated completely about the x -axis, giving your answer in terms of π . [7]

7 The equation of a straight line l is

$$\mathbf{r} = \begin{pmatrix} 1 \\ 0 \\ 2 \end{pmatrix} + t \begin{pmatrix} 1 \\ -1 \\ 0 \end{pmatrix}.$$

O is the origin.

- (i) Find the position vector of the point P on l such that OP is perpendicular to l . [3]
- (ii) A point Q on l is such that the length of OQ is 3 units. Find the two possible position vectors of Q . [3]

8 A curve is defined by the parametric equations

$$x = \sin^2 \theta, \quad y = 4 \sin \theta - \sin^3 \theta,$$

where $-\frac{1}{2}\pi \leq \theta \leq \frac{1}{2}\pi$.

- (i) Show that $\frac{dy}{dx} = \frac{4 - 3 \sin^2 \theta}{2 \sin \theta}$. [3]
- (ii) Find the coordinates of the point on the curve at which the gradient is 2. [3]
- (iii) Show that the curve has no stationary points. [2]
- (iv) Find a cartesian equation of the curve, giving your answer in the form $y^2 = f(x)$. [2]

[Questions 9 and 10 are printed overleaf.]

9 Find the exact value of $\int_0^1 (x^2 + 1)e^{2x} dx$. [7]

10 (i) Write down the derivative of $\sqrt{y^2 + 1}$ with respect to y . [1]

(ii) Given that $\frac{dy}{dx} = \frac{(x-1)\sqrt{y^2+1}}{xy}$ and that $y = \sqrt{e^2 - 2e}$ when $x = e$,
find a relationship between x and y . [8]

Copyright Information

OCR is committed to seeking permission to reproduce all third-party content that it uses in its assessment materials. OCR has attempted to identify and contact all copyright holders whose work is used in this paper. To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced in the OCR Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download from our public website (www.ocr.org.uk) after the live examination series.

If OCR has unwittingly failed to correctly acknowledge or clear any third-party content in this assessment material, OCR will be happy to correct its mistake at the earliest possible opportunity.

For queries or further information please contact the Copyright Team, First Floor, 9 Hills Road, Cambridge CB2 1GE.

OCR is part of the Cambridge Assessment Group; Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.