

ADVANCED GCE
MATHEMATICS
Core Mathematics 4

4724

Candidates answer on the Answer Booklet

OCR Supplied Materials:

- 8 page Answer Booklet
- List of Formulae (MF1)

Other Materials Required:

None

Friday 5 June 2009
Afternoon

Duration: 1 hour 30 minutes



INSTRUCTIONS TO CANDIDATES

- Write your name clearly in capital letters, your Centre Number and Candidate Number in the spaces provided on the Answer Booklet.
- Use black ink. Pencil may be used for graphs and diagrams only.
- Read each question carefully and make sure that you know what you have to do before starting your answer.
- Answer **all** the questions.
- Do **not** write in the bar codes.
- Give non-exact numerical answers correct to 3 significant figures unless a different degree of accuracy is specified in the question or is clearly appropriate.
- You are permitted to use a graphical calculator in this paper.

INFORMATION FOR CANDIDATES

- The number of marks is given in brackets [] at the end of each question or part question.
- **You are reminded of the need for clear presentation in your answers.**
- The total number of marks for this paper is **72**.
- This document consists of **4** pages. Any blank pages are indicated.

1 Find the quotient and the remainder when $3x^4 - x^3 - 3x^2 - 14x - 8$ is divided by $x^2 + x + 2$. [4]

2 Use the substitution $x = \tan \theta$ to find the exact value of

$$\int_1^{\sqrt{3}} \frac{1-x^2}{1+x^2} dx. \quad [7]$$

3 (i) Expand $(a+x)^{-2}$ in ascending powers of x up to and including the term in x^2 . [4]

(ii) When $(1-x)(a+x)^{-2}$ is expanded, the coefficient of x^2 is 0. Find the value of a . [3]

4 (i) Differentiate $e^x(\sin 2x - 2 \cos 2x)$, simplifying your answer. [4]

(ii) Hence find the exact value of $\int_0^{\frac{1}{4}\pi} e^x \sin 2x dx$. [3]

5 A curve has parametric equations

$$x = 2t + t^2, \quad y = 2t^2 + t^3.$$

(i) Express $\frac{dy}{dx}$ in terms of t and find the gradient of the curve at the point $(3, -9)$. [5]

(ii) By considering $\frac{y}{x}$, find a cartesian equation of the curve, giving your answer in a form not involving fractions. [4]

6 The expression $\frac{4x}{(x-5)(x-3)^2}$ is denoted by $f(x)$.

(i) Express $f(x)$ in the form $\frac{A}{x-5} + \frac{B}{x-3} + \frac{C}{(x-3)^2}$, where A , B and C are constants. [4]

(ii) Hence find the exact value of $\int_1^2 f(x) dx$. [5]

7 (i) The vector $\mathbf{u} = \frac{3}{13}\mathbf{i} + b\mathbf{j} + c\mathbf{k}$ is perpendicular to the vector $4\mathbf{i} + \mathbf{k}$ and to the vector $4\mathbf{i} + 3\mathbf{j} + 2\mathbf{k}$. Find the values of b and c , and show that \mathbf{u} is a unit vector. [6]

(ii) Calculate, to the nearest degree, the angle between the vectors $4\mathbf{i} + \mathbf{k}$ and $4\mathbf{i} + 3\mathbf{j} + 2\mathbf{k}$. [3]

8 (i) Given that $14x^2 - 7xy + y^2 = 2$, show that $\frac{dy}{dx} = \frac{28x - 7y}{7x - 2y}$. [4]

(ii) The points L and M on the curve $14x^2 - 7xy + y^2 = 2$ each have x -coordinate 1. The tangents to the curve at L and M meet at N . Find the coordinates of N . [6]

9 A tank contains water which is heated by an electric water heater working under the action of a thermostat. The temperature of the water, θ °C, may be modelled as follows. When the water heater is first switched on, $\theta = 40$. The heater causes the temperature to increase at a rate k_1 °C per second, where k_1 is a constant, until $\theta = 60$. The heater then switches off.

(i) Write down, in terms of k_1 , how long it takes for the temperature to increase from 40 °C to 60 °C. [1]

The temperature of the water then immediately starts to decrease at a variable rate $k_2(\theta - 20)$ °C per second, where k_2 is a constant, until $\theta = 40$.

(ii) Write down a differential equation to represent the situation as the temperature is decreasing. [1]

(iii) Find the total length of time for the temperature to increase from 40 °C to 60 °C and then decrease to 40 °C. Give your answer in terms of k_1 and k_2 . [8]



Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (OCR) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

OCR is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.