



Wednesday 22 May 2019 – Afternoon GCSE (9–1) Physics A (Gateway Science)

J249/03 Paper 3 (Higher Tier)

Time allowed: 1 hour 45 minutes

You must have:

- a ruler (cm/mm)
- the Data Sheet (for GCSE Physics A (inserted))

You may use:

- · a scientific or graphical calculator
- an HB pencil



Please write clea	arly in	black	k ink.	Do no	ot writ	e in the barcodes.			
Centre number						Candidate number			
First name(s)									
Last name									

INSTRUCTIONS

- The Data Sheet will be found inside this document.
- Use black ink. You may use an HB pencil for graphs and diagrams.
- Answer all the questions.
- Where appropriate, your answers should be supported with working. Marks may be given for a correct method even if the answer is incorrect.
- Write your answer to each question in the space provided. If additional space is required, use the lined page(s) at the end of this booklet. The question number(s) must be clearly shown.

INFORMATION

- The total mark for this paper is 90.
- The marks for each question are shown in brackets [].
- Quality of extended responses will be assessed in questions marked with an asterisk (*).
- · This document consists of 24 pages.



SECTION A

Answer **all** the questions.

You should spend a maximum of 30 minutes on this section.

Write your answer to each question in the box provided.

1	A 2	.0 kg object moves at a velocity of 40 m/s.	
	Wh	at is the momentum of the object?	
	Use	e the equation: momentum = mass × velocity	
	Α	20 kg m/s	
	В	38kgm/s	
	С	42 kg m/s	
	D	80 kg m/s	
	You	ir answer	[1]
2	Wh	at is the typical diameter of an atom?	
	Α	1.0×10^{-15} m	
	В	$1.0 \times 10^{-10} \mathrm{m}$	
	С	1.0 μm	
	D	1.0 mm	
	You	ır answer	[1]
3	A lic	quid has a volume of 0.01 m ³ and a mass of 12 kg.	
	Wh	at is the density of the liquid?	
	Use	e the equation: density = mass ÷ volume	
	Α	$0.12\mathrm{kg/m^3}$	
	В	$12 \mathrm{kg/m^3}$	
	С	120 kg/m ³	
	D	$1200\mathrm{kg/m^3}$	
	You	ır answer	[1]


© OCR 2019

4	Whi	ch one of the following uses of forces causes a rotation?	
	Α	Lowering a book vertically from a shelf	
	В	Opening a door	
	С	Lifting a book vertically onto a shelf	
	D	Sitting in the centre of a see-saw	
	You	r answer	[1]
5	Whi	ch of these factors affects the strength of the magnetic field around a current-carrying wire	?
	Α	Direction of the current only	
	В	Size of the current only	
	С	Distance from the wire only	
	D	Size of the current and distance from the wire	
	You	r answer	[1]
6	On	the Moon, a 10 kg mass has a weight of 16 N.	
	Wha	at is the gravitational field strength on the Moon?	
	Α	1.6 N/kg	
	В	6.0 N/kg	
	С	26N/kg	
	D	160 N/kg	
	You	r answer	[1]


7 A student investigates four different electrical components.

She plots current-potential difference graphs for the components.







В



C



D



Which of the above shows the characteristic graph for a diode?

Your answer


[1]

- 8 Which object has the **most** gravitational potential energy?
 - A 1kg bag on a shelf 1m above the ground
 - B 2kg bag on a shelf 1m above the ground
 - C 2kg bag on a shelf 2m above the ground
 - **D** 1kg bag on a shelf 2m above the ground

Your answer

[1]

9 Look at the circuit diagram.




What is the current at point **P** in the circuit?

- **A** 2.5A
- **B** 5.0A
- **C** 7.5A
- **D** 10.0A

Your answer [1]

10 A student investigates cogs and gears.

Cogs A and C have 10 teeth. Cog B has 20 teeth.




Cog A is turned 5 times.

How many times does cog C turn?

- A 5 times
- B 10 times
- C 20 times
- D 50 times

Your answer [1]

11 Two forces act at right angles to each other.





What is the magnitude of the resultant force?

- **A** 18N
- **B** 20 N
- C 22N
- **D** 24 N

Your answer [1]

12 Look at the motion graphs.








Which graph shows a journey with a distance of 24 m?


Your answer [1]

13 Look at the field line diagrams for positive and negative charges.










Which field line diagram is correct?

Your answer

[1]

14 A skydiver falls from a plane. His parachute opens and he lands safely.

Look at the velocity-time graph of his journey.



Which parts of the graph show balanced forces on the skydiver?

- A X only
- B Y and Z
- C X and Z
- **D** Y only

Your answer

[1]

15	A s	pring stretches by 2.0 cm when a force is added.	
	The	e spring constant is 60 N/m.	
	Cal	culate the energy transferred to the spring when it is stretched.	
	Α	0.012 J	
	В	0.024 J	
	С	120 J	
	D	240 J	
	You	ır answer	[1]

9

BLANK PAGE

PLEASE DO NOT WRITE ON THIS PAGE

10


SECTION B

Answer all the questions.

16	As	tuder	nt puts an ice cube into a beaker. The mass of the ice cube is 40 g.	
	The	e ice	cube melts.	
	(a)	(i)	Write down the mass of the water produced.	
			Mass =	g [1]
		(ii)	Explain your answer to (a)(i).	
				[2]
	(b)	Des	scribe one difference between a physical change and a chemical change .	
				[1]

(c) A student does an experiment to find the difference between the specific heat capacities of seawater and tap water.

The student places a heater and a thermometer into two beakers, **A** and **B**. Look at the diagram.



(i) There are 5 steps to the method for this experime	(i)	i)	There	are	5 ste	eps to	the	method	for	this	exper	imei
-------------------------------------------------------	-----	----	-------	-----	-------	--------	-----	--------	-----	------	-------	------

Complete the missing steps for this method.

Step 1 – Put seawater into beaker ${\bf A}$ and tap water into beaker ${\bf B}$.	

Step 5 – Calculate the temperature change of beaker	A and beaker B

[3]

[2]

/\								
(ii)	Suaaest one	mictal/a t	TODALITO ON	mada whan	Chacina	thoir	α	nt
	OUGGSI OHE	IIIISIANE I	HE SHICEH	IIIAUE WIIEII	CHROOSHRO	11110	=01110111	21 11

7.11
171

(iii) Suggest **two** improvements to the method followed.


	12
A T\	V has the label below on it.
0	CR TV
Po	oltage: 230 V ower: 65 W requency: 50 Hz
(a)	Calculate the current in the TV when it is turned on.
	Use the equation: power = potential difference × current
	Give your answer to 2 significant figures.
	Current = A [4
(b)	The TV is turned on for 30 minutes.

13 BLANK PAGE

PLEASE DO NOT WRITE ON THIS PAGE

18 A student investigates how a spring stretches when a force is added.

Look at a graph of his results.




(a) Calculate the spring constant of the spring.

Spring constant = N/m [3]

(b) The student continues to load the spring until it passes its elastic limit.

Complete the force-extension graph and label the elastic limit.



(c) The student puts a small load on the spring. It is in equilibrium.


Draw and label a free body force diagram for the load at the end of the spring.

[3]

19 A student investigates the electrical characteristics of a light emitting diode (LED).

The student builds a circuit to investigate how the current through an LED and the potential difference across it vary when the LED lights up.

Look at the circuit diagram.



(a)	(i)	The student has made two errors connecting the circuit.	
		Identify the errors.	
		1	
		2	
		l	2]
	(ii)	What is the purpose of the component in the circuit?	
		[1]
(b)		e student then connects the circuit correctly. He measures the current through the LED 3A when the potential difference across it is 3.0 V.	зs
	(i)	Calculate the resistance of the LED	


Use the equation: potential difference = current × resistance

Resistance = Ω [3]

(ii)	Calculate the charge which flows when this LED operates for 2.5 minutes.
	Charge = C [4]
	Onarge – O [4]
(iii)	Calculate the energy transferred when this LED operates for 2.5 minutes.
	Use the equation: energy transferred = charge × potential difference
	Energy transferred =

20 A student investigates building model transformers in the laboratory.

Look at the diagram.



The student builds four different transformers, each with different primary and secondary coils.

Using an input voltage of 12V the student measures the output voltage.


Look at the results.

Attempt	Number of turns in primary coil	Number of turns in secondary coil	Output voltage (V)
Α	100	200	23
В	200	100	6
С	300	600	23
D	600	300	6

	6
Explain now a transformer works and it this data supports the expected output voltages.	

(b) A student completes a project on how dynamic microphones work.

Look at her project. The student uses two incorrect words in her work.



(i)	Identify one of the incorrect words and write a correct sentence to replace the mistake.
	Incorrect word
	Corrected sentence
(ii)	Name a device which uses this effect in reverse.
	[1]

21 A student investigates how the angle of a ramp affects the final speed of a trolley.

He uses light gates to record the speed of the trolley at the bottom of the ramp.


The student releases the trolley from rest at the same point on the ramp each time.

Look at his results.

Angle of ramp	Final speed (m/s)			
(°)	Attempt 1	Attempt 2	Attempt 3	Mean
10	1.81	1.80	1.81	1.81
20	2.58	2.56	2.57	2.57
30	3.1	3.11	3.11	3.11
40	3.52	3.51	3.50	3.51

(a) (i) Plot the results on the graph and draw a line of best fit.

Two results have been plotted for you.



(ii)	Describe the pattern shown by the results.	
	Use data from the table or graph in your answer.	
		[3]
(iii)	Explain why the final speed changes when the angle of the ramp increases.	
	In your answer use ideas about energy.	
		[2]
(iv)	The student made a mistake when recording one of his results.	
	Identify the mistake and explain what he should have done.	
, ,		[2]
(v)	The student thinks this data shows that his results are reproducible .	
	He is not correct.	
	Explain why.	
		[2]

(b)	(i)	The mean final velocity for the ramp at a 40° angle is 3.51m/s . The distance from the top of the ramp to the light gate at the bottom is 1.0m .
		Calculate the acceleration of the trolley when the ramp is at a 40° angle.
		Give your answer to 2 decimal places.
		Acceleration = m/s ² [5]
	(ii)	The trolley has a mass of 2.0 kg.
		Calculate the kinetic energy of the trolley at a speed of 3.0 m/s.
		Kinetic energy = J [3]
		· · · · · · · · · · · · · · · · ·

22 A student investigates four gases.

Look at her data.

Gas	Pressure (Pa)	Volume (m ³)
Α	5	0.5
В	10	0.4
С	20	0.2
D	40	0.2

Two readings are for the same mass of the same gas at a constant temperature.

(a) Which two readings are for the **same mass** of the **same gas** at a constant temperature?

Use calculations in your answer.

(b)	The student investigates another gas at constant volume .
	Explain, using ideas about particles, how temperature affects gas pressure.
	ro.
	[3]
(c)	Calculate the pressure at the bottom of a 0.5 m tall measuring cylinder filled with a liquid.
	Density of the liquid = 1100 kg/m ³ .

Pressure = Pa [3]

[3]

ADDITIONAL ANSWER SPACE

If additional must be clea	space is required, you should use the following lined page(s). arly shown in the margin(s).	The question number(s)



Copyright Information

OCR is committed to seeking permission to reproduce all third-party content that it uses in its assessment materials. OCR has attempted to identify and contact all copyright holders whose work is used in this paper. To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced in the OCR Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download from our public website (www.ocr.org.uk) after the live examination series.

If OCR has unwittingly failed to correctly acknowledge or clear any third-party content in this assessment material, OCR will be happy to correct its mistake at the earliest possible opportunity.

For queries or further information please contact The OCR Copyright Team, The Triangle Building, Shaftesbury Road, Cambridge CB2 8EA.

OCR is part of the Cambridge Assessment Group; Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.