



1. A string  $AB$  of length 5cm is cut, in a random place  $C$ , into two pieces. The random variable  $X$  is the length of  $AC$ .
- (a) Write down the name of the probability distribution of  $X$  and sketch the graph of its probability density function. (3)
- (b) Find the values of  $E(X)$  and  $\text{Var}(X)$ . (3)
- (c) Find  $P(X > 3)$ . (1)
- (d) Write down the probability that  $AC$  is 3 cm long. (1)









5. (a) Write down the conditions under which the Poisson distribution may be used as an approximation to the Binomial distribution. (2)

A call centre routes incoming telephone calls to agents who have specialist knowledge to deal with the call. The probability of the caller being connected to the wrong agent is 0.01

- (b) Find the probability that 2 consecutive calls will be connected to the wrong agent. (2)

- (c) Find the probability that more than 1 call in 5 consecutive calls are connected to the wrong agent. (3)

The call centre receives 1000 calls each day.

- (d) Find the mean and variance of the number of wrongly connected calls. (3)

- (e) Use a Poisson approximation to find, to 3 decimal places, the probability that more than 6 calls each day are connected to the wrong agent. (2)

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---



**Question 5 continued**

Lined area for writing the answer to Question 5 continued.



6. Linda regularly takes a taxi to work five times a week. Over a long period of time she finds the taxi is late once a week. The taxi firm changes her driver and Linda thinks the taxi is late more often. In the first week, with the new driver, the taxi is late 3 times.

You may assume that the number of times a taxi is late in a week has a Binomial distribution.

Test, at the 5% level of significance, whether or not there is evidence of an increase in the proportion of times the taxi is late. State your hypotheses clearly.

(7)

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---









8. The continuous random variable  $X$  has probability density function given by

$$f(x) = \begin{cases} \frac{1}{6}x & 0 < x \leq 3 \\ 2 - \frac{1}{2}x & 3 < x < 4 \\ 0 & \text{otherwise} \end{cases}$$

- (a) Sketch the probability density function of  $X$ . (3)
- (b) Find the mode of  $X$ . (1)
- (c) Specify fully the cumulative distribution function of  $X$ . (7)
- (d) Using your answer to part (c), find the median of  $X$ . (3)



