







3. (a) State two conditions under which a Poisson distribution is a suitable model to use in statistical work. (2)

The number of cars passing an observation point in a 10 minute interval is modelled by a Poisson distribution with mean 1.

- (b) Find the probability that in a randomly chosen 60 minute period there will be
- (i) exactly 4 cars passing the observation point,
  - (ii) at least 5 cars passing the observation point.
- (5)

The number of other vehicles, other than cars, passing the observation point in a 60 minute interval is modelled by a Poisson distribution with mean 12.

- (c) Find the probability that exactly 1 vehicle, of any type, passes the observation point in a 10 minute period. (4)

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---



**Question 3 continued**

Lined writing area with 28 horizontal lines for student response.



4. The continuous random variable  $Y$  has cumulative distribution function  $F(y)$  given by

$$F(y) = \begin{cases} 0 & y < 1 \\ k(y^4 + y^2 - 2) & 1 \leq y \leq 2 \\ 1 & y > 2 \end{cases}$$

- (a) Show that  $k = \frac{1}{18}$ . (2)
- (b) Find  $P(Y > 1.5)$ . (2)
- (c) Specify fully the probability density function  $f(y)$ . (3)

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---



**Question 4 continued**

Lined writing area for the answer to Question 4.



- 5. Dhriti grows tomatoes. Over a period of time, she has found that there is a probability 0.3 of a ripe tomato having a diameter greater than 4 cm. She decides to try a new fertiliser. In a random sample of 40 ripe tomatoes, 18 have a diameter greater than 4 cm. Dhriti claims that the new fertiliser has increased the probability of a ripe tomato being greater than 4 cm in diameter.

Test Dhriti’s claim at the 5% level of significance. State your hypotheses clearly.

(7)

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---









7. (a) Explain what you understand by

(i) a hypothesis test,

(ii) a critical region.

**(3)**

During term time, incoming calls to a school are thought to occur at a rate of 0.45 per minute. To test this, the number of calls during a random 20 minute interval, is recorded.

(b) Find the critical region for a two-tailed test of the hypothesis that the number of incoming calls occurs at a rate of 0.45 per 1 minute interval. The probability in each tail should be as close to 2.5% as possible.

**(5)**

(c) Write down the actual significance level of the above test.

**(1)**

In the school holidays, 1 call occurs in a 10 minute interval.

(d) Test, at the 5% level of significance, whether or not there is evidence that the rate of incoming calls is less during the school holidays than in term time.

**(5)**

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---





8. The continuous random variable  $X$  has probability density function  $f(x)$  given by

$$f(x) = \begin{cases} 2(x-2) & 2 \leq x \leq 3 \\ 0 & \text{otherwise} \end{cases}$$

(a) Sketch  $f(x)$  for all values of  $x$ . (3)

(b) Write down the mode of  $X$ . (1)

Find

(c)  $E(X)$ , (3)

(d) the median of  $X$ . (4)

(e) Comment on the skewness of this distribution. Give a reason for your answer. (2)



