Please check the examination details below before entering your candidate information				
Candidate surname			Other names	
	Car	tua Nicurala au	Con di data Nurahan	
Pearson Edexcel International GCSE (9–1)		tre Number	Candidate Number	
Time 2 hours		Paper reference	4CH1/1C 4SD0/1C	
Chemistry				
Science (Double Award PAPER 1C	d) 49	5D0		
<b>You must have:</b> Calculator, ruler			Total Marks	

## Instructions

- Use **black** ink or ball-point pen.
- Fill in the boxes at the top of this page with your name, centre number and candidate number.
- Answer **all** questions.
- Answer the questions in the spaces provided

   there may be more space than you need.
- Show all the steps in any calculations and state the units.
- Some questions must be answered with a cross in a box ⊠. If you change your mind about an answer, put a line through the box ₩ and then mark your new answer with a cross ⊠.

## Information

- The total mark for this paper is 110.
- The marks for each question are shown in brackets
    *use this as a guide as to how much time to spend on each question.*

## Advice

- Read each question carefully before you start to answer it.
- Write your answers neatly and in good English.
- Try to answer every question.
- Check your answers if you have time at the end.
- Good luck with your examination.





Turn over 🕨



2 2 A <b>H</b>	20 Neon 10	40 argon 18	84 Kr 36 36	131 <b>Xe</b> 54	[222] Rn 86	fully	
7	19 fluorine 9	35.5 CI chlorine 17	80 Br 35	127 	[210] At astatine 85	orted but not	
Q	16 8 8	32 sultur 16	79 <b>Se</b> 34	128 <b>Te</b> 52	[209] Po 84	ive been repo	
a	14 N nitrogen 7	31 Phosphorus 15	75 <b>As</b> arsenic 33	122 <b>Sb</b> 51	209 <b>Bi</b> 83	s 112–116 ha authenticated	
4	12 carbon 6	28 Silicon 14	73 <b>Ge</b> germanium 32	119 50 tin	207 <b>Pb</b> <sup>Iead</sup> 82	mic numbers	
б	11 boron 5	27 <b>Al</b> 13	70 Ga 31	115 <sup>indium</sup> 49	204 TI 81	Elements with atomic numbers 112–116 have been reported but not fully authenticated	nitted.
			65 Zn 30	112 Cd cadmium 48	201 <b>Hg</b> 80	Elem	been om
			63.5 Cu <sup>copper</sup> 29	108 <b>Ag</b> 81Ver 47	197 <b>Au</b> 79	[272] <b>Rg</b> 111	(atomic numbers 90–103) have been omitted.
			59 <b>Ni</b> 10(kel	106 Pd <sup>palladium</sup> 46	195 <b>Pt</b> Platinum 78	[271] <b>Ds</b> darmstadtium 110	ers 90–1
			59 Co cobatt 27	103 <b>Rh</b> rhodium 45	192 Ir 77	[268] Mt neitnerium 109	ic numbo
→ <b>T</b> hydrogen			56 <b>Fe</b> iron 26	101 <b>Ru</b> ruthenium 44	190 <b>Os</b> osmium 76	[277] <b>HS</b> hassium 108	ds (atom
			55 Mn <sup>manganese</sup> 25	[98] Tc technetium 43	186 <b>Re</b> <sup>rhenium</sup> 75	[264] <b>Bh</b> <sup>bohrium</sup> 107	e actinoi
	mass <b>bol</b> tumber		52 Cr chromium 24	96 <b>Mo</b> 42	184 W tungsten 74	[266] Sg <sup>seaborglum</sup> 106	1) and th
Key	relative atomic mass atomic symbol name atomic (proton) number		51 vanadium 23	93 Nb 41	181 <b>Ta</b> tantalum 73	[262] <b>Db</b> dubnium 105	ers 58–7
	relati <b>ato</b> atomic		48 titanium 22	91 Zr 40	178 Hf <sup>hafnium</sup> 72	[261] Rf rutherfordium 104	ic numbe
			45 <b>Sc</b> scandium 21	89 yttrium 39	139 La* lanthanum 57	[227] <b>Ac*</b> actinium 89	* The lanthanoids (atomic numbers 58–71) and the actinoids
5	9 beryllium 4	24 <b>Mg</b> 12	40 calcium 20	88 <b>Sr</b> 38 38	137 <b>Ba</b> <sup>barium</sup> 56	[226] <b>Ra</b> 88	Inthanoic
~	1 Li 3	23 Na 11	39 Potassium 19	85 <b>Rb</b> 37	133 <b>Cs</b> caesium 55	[223] <b>Fr</b> francium 87	* The lé

The Periodic Table of the Elements

P 6 6 0 5 6 A 0 2 2 8

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

The relative atomic masses of copper and chlorine have not been rounded to the nearest whole number.

#### Answer ALL questions.

1 The box shows the names of some substances.

bromine	carbon dioxi	de copper	iodine
methane	nitrogen	sulfur dioxide	water

(a) Complete the table by choosing substances from the box that match the description.

Each substance may be used once, more than once or not at all.

(5)

Description	Substance
a good conductor of electricity	
an element that has a basic oxide	
a substance used as a fuel	
a major cause of acid rain	
a non-metallic element that is a solid at room temperature	

(b) Describe a test for carbon dioxide.

(2)

(Total for Question 1 = 7 marks)



- **2** (a) Table 1 gives some information about three subatomic particles.
  - (i) Complete Table 1 by giving the missing information.

Subatomic particle	<b>Relative mass</b>	Relative charge
electron	0.0005	
proton		+1
neutron	1	

#### Table 1

(ii) Give the name of the part of the atom containing protons and neutrons.

(1)

(3)

(b) Table 2 shows the numbers of protons, neutrons and electrons in the species U, V, W, X, Y and Z.

Species	Number of protons	Number of neutrons	Number of electrons
U	8	10	8
V	9	10	10
W	11	12	10
Х	11	12	11
Y	12	12	12
Z	12	13	12

Table 2



DO NOT WRITE IN THIS AREA

Use the information in Table 2 to answer these questions. Each species may be used once, more than once or not at all. (i) Give the letter of the species that has six electrons in its outer shell.	(1)
(ii) Give the mass number of Z.	(1)
(iii) Give the letter of the species that is a positive ion.	(1)
(iv) Give the letters of the two species that are isotopes of the same element.	(1)
(c) A sample of neon contains two isotopes, <sup>20</sup> Ne and <sup>22</sup> Ne The relative abundances of the two isotopes in the sample are <sup>20</sup> Ne 91.2% <sup>22</sup> Ne 8.80% Calculate the relative atomic mass of this sample of neon. Give your answer to one decimal place.	(3)
(Total for Question 2 = 11 m	



# (Total for Question 3 = 6 marks)

DO NOT WRITE IN THIS AREA



**3** Some sugar is added to cold water in a beaker.

the water.

After some time, all the sugar dissolves and spreads throughout the water.

(ii) State two ways to make the sugar dissolve more quickly.

(b) Pure water can be obtained from the sugar solution using this apparatus.

(i) Name the process used to obtain pure water from the sugar solution.

water out

water in

Х

1.....

2.....

heat

(ii) Explain the purpose of the piece of apparatus labelled X.







DO NOT WRITE IN THIS AREA

(ii) Deduce the number of dyes in food colouring H. (1) (iii) Suggest why food colouring F does not move during the experiment. (1) (iv) Explain which two food colourings contain the dye that is likely to be the most soluble in the solvent. (2) (b) Determine which food colouring contains a dye with R<sub>f</sub> value closest to 0.67 Show your working. (3) (Total for Question 4 = 10 marks)



DO NOT WRITE IN THIS AREA

- This question is about alkanes and alkenes. 5
  - (a) (i) Complete the boxes by giving the missing information about the alkane with the molecular formula  $C_2H_6$

(3)

(1)

(2)

(1)

	molecular formula	C <sub>2</sub> H <sub>6</sub>	
	name		
	empirical formula		
	displayed formula		
(ii) Con	nplete the chemical equation	on for the complete combustion of the alkane (	C <sub>2</sub> H <sub>6</sub> (1
	$C_2H_6$ +	$\dots O_2 \rightarrow \dots CO_2 + \dots H_2O$	
(iii) Inco	omplete combustion occurs	s when the air supply is limited.	
Give	e the names of two produc	ts of incomplete combustion.	(2
1			

- (b) An alkene with molecular formula C<sub>4</sub>H<sub>8</sub> reacts with bromine to form a compound with molecular formula C<sub>4</sub>H<sub>8</sub>Br<sub>2</sub>
  - (i) What is the name of this type of reaction?
    - X **A** addition
    - $\mathbf{X}$ decomposition В
    - $\mathbf{X}$ С precipitation
    - X **D** substitution



2...

(ii)	Draw displayed formulae for two different alkenes with the
	molecular formula C <sub>4</sub> H <sub>8</sub>

alkene 1	alkene 2
(iii) State the term used for compounds with different structural formulae.	n the same molecular formula but (1)
(c) The alkene $C_3H_6$ can be polymerised to form (i) Complete the equation for this polymer $H  CH_3$ $nC=C \rightarrow$      H  H	



(ii) Two ways of disposing of polymers such as poly(pr	ropene) are
<ul> <li>burying them in landfill sites</li> <li>burying them to release best on even</li> </ul>	
<ul> <li>burning them to release heat energy</li> </ul>	
Discuss the environmental problems caused by the	ese two methods of disposal. (3)
	(3)
(То	otal for Question 5 = 15 marks)



**BLANK PAGE** 



<ul> <li>This question is about some of the Group 1 elements and their compounds.</li> <li>(a) A teacher adds a small piece of lithium to water in a trough.</li> <li>(i) Give three observations that are made when lithium reacts with water.</li> </ul>	(3)
(ii) After the reaction has finished, the teacher adds a few drops of universal indicator to the solution in the trough. Explain the colour of the universal indicator after it is added to the solution.	(2)
(iii) Write a chemical equation for the reaction of lithium with water.	(2)
<ul><li>(b) A student does a flame test to see if a white solid contains sodium ions.</li><li>She cleans a platinum wire before using it for the flame test.</li><li>(i) Explain why the student needs to clean the platinum wire.</li></ul>	(2)



(ii)	Which	of these is the colour of the flame if the solid contains sodium ions?	(1)
E	A	green	(-)
	B	lilac	
	C	red	
	D	yellow	
(c) Pota	assium	sulfate ( $K_2SO_4$ ) is an ionic compound.	
(i)	Give th	ne formula of each ion in potassium sulfate.	(1)
			(1)
	potass	ium ion sulfate ion	
(ii)	The me	elting point of potassium sulfate is 1069 °C.	
	Explair	n why potassium sulfate has a high melting point.	
	Refer t	o structure and bonding in your answer.	
			(4)
		(Total for Question 6 = 15 ma	arks)

7	A student ir	nvestigates the reaction between magnesium and	hydrochloric acid.	
	He uses this method.			
	Step 1	add 25 cm <sup>3</sup> of dilute hydrochloric acid to a polyst	yrene cup	
	Step 2	record the temperature of the acid		
	Step 3	find the mass of a 10 cm strip of magnesium ribb	on	
	Step 4	add the magnesium ribbon to the hydrochloric a	cid	
	Step 5	when all the magnesium has reacted, record the reached	highest temperatu	ire
	(a) Comple	te the word equation for the reaction.		(1)
ma	ignesium + h	nydrochloric acid $\rightarrow$	+	
		rmometer shows the temperature of the acid at the $\begin{vmatrix} \circ C \\ 0 \\ 0 \\ 0 \\ 0 \\ 0 \\ 0 \\ 0 \\ 0 \\ 0 \\$		eriment.
	(I) Con		nearest 0.1 °C.	(2)
		temperature of the acid at the start in °C		
		highest temperature reached in °C		
		temperature rise in °C	20.8	

P 6 6 0 5 6 A 0 1 6 2 8

16

(ii) Show that the heat energy change (Q) for this reaction is about 2200 J.

[mass of  $1.0 \text{ cm}^3$  of solution = 1.0 g]

[for the solution,  $c = 4.2 \text{ J/g/}^{\circ}\text{C}$ ]

(2)

(iii) The mass of magnesium used by the student was 0.12 g.

Calculate the value of the enthalpy change ( $\Delta H$ ), in kilojoules per mole of magnesium, for the reaction between magnesium and hydrochloric acid.

Include a sign in your answer.

(4)

#### (Total for Question 7 = 9 marks)



8	(2)	A scientist finds an unlabelled bottle on a shelf.				
0	(a)	She thinks the bottle contains a solution of ammonium sulfate, $(NH_4)_2SO_4$				
		Describe tests the scientist could do to show that the solution is ammonium sulfate.				
		(6)				
18	2					
10						

(b) Ammonium sulfate is often used as a fertiliser.

It is prepared by reacting ammonia  $(NH_3)$  with sulfuric acid  $(H_2SO_4)$ .

(i) Name the type of reaction that occurs between ammonia and sulfuric acid.

(1)

(ii) Write a chemical equation for the reaction of ammonia with sulfuric acid.

(1)

(2)

(iii) Draw a dot-and-cross diagram to show the bonding in a molecule of ammonia.Show outer electrons only.

(Total for Question 8 = 10 marks)







A student uses this apparatus to investigate the rate of reaction between marble chips and 9 dilute hydrochloric acid.



The equation for the reaction is

 $CaCO_3 + 2HCl \rightarrow CaCl_2 + H_2O + CO_2$ 

- (a) During the reaction the mass of the contents of the flask decreases.
  - (i) State why the mass of the contents of the flask decreases.
  - (ii) State the purpose of the cotton wool.

(iii) Explain why sulfuric acid is not a suitable acid to use in this investigation.



(1)

(1)

(2)



(ii) The student repeats the experiment using the same volume of hydrochloric acid but of half the concentration of the original acid. All other conditions are kept the same.		
On the grid, draw the curve the student would obtain.	(2)	
(c) Explain, using particle collision theory, how increasing the temperature a rate of a reaction.		
rate of a reaction.	(4)	
(Total for Question 9	) — 14 m o vika)	
(Total for Question s	9 = 14 marks)	

P 6 6 0 5 6 A 0 2 3 2 8

DO NOT WRITE IN THIS AREA





(1-)			
(D)	The teacher completes the experiment and obtains these results.		
	mass of reduction tube = $23.50$ g		
	mass of tube + lead oxide = $28.64$ g		
	mass of tube + lead = 28.16 g		
	(i) Calculate the mass of lead formed.	( = )	
		(1)	
	mass of lead =		g
	(ii) Calculate the mass of oxygen removed from the lead oxide.		
		(1)	
	mass of oxygen =		g
	(iii) Determine the empirical formula of the lead oxide.	( = )	
		(4)	
	empirical formula of the lead oxide		



(c) The insoluble salt lead(II) chloride (PbCl<sub>2</sub>) can be prepared by reacting a solution of lead(II) nitrate with dilute hydrochloric acid. (i) Complete the equation for the reaction by adding the state symbols. (1)  $Pb(NO_3)_2(\dots) + 2HCl(\dots) \rightarrow PbCl_2(\dots) + 2HNO_3(\dots)$ (ii) Show that the maximum mass of lead(II) chloride that can be made from 0.0370 mol of hydrochloric acid is about 5 g.  $[M_r \text{ of PbCl}_2 = 278]$ (3) (Total for Question 10 = 13 marks) **TOTAL FOR PAPER = 110 MARKS** 

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

