Centre Number			Candidate Number		
Surname					
Other Names					
Candidate Signature					



General Certificate of Education Advanced Subsidiary Examination January 2013

Biology BIOL2

Unit 2 The variety of living organisms

Tuesday 15 January 2013 1.30 pm to 3.15 pm

For this paper you must have:

- a ruler with millimetre measurements
- a calculator.

Time allowed

• 1 hour 45 minutes

Instructions

- Use black ink or black ball-point pen.
- Fill in the boxes at the top of this page.
- Answer all questions.
- You must answer the questions in the spaces provided. Do not write outside the box around each page or on blank pages.
- You may ask for extra paper. Extra paper must be secured to this booklet.
- Do all rough work in this book. Cross through any work you do not want to be marked.

Information

- The maximum mark for this paper is 85.
- You are expected to use a calculator, where appropriate.
- The marks for questions are shown in brackets.
- Quality of Written Communication will be assessed in all answers.
- You will be marked on your ability to:
 - use good English
 - organise information clearly
 - use scientific terminology accurately.

For Examiner's Use				
Examine	r's Initials			
Question	Mark			
1				
2				
3				
4				
5				
6				
7				
8				
9				
TOTAL				



Answer all questions in the spaces provided.

1 (a) The table shows some statements about three carbohydrates. Complete the table with a tick in each box if the statement is true.


Statement	Starch	Cellulose	Glycogen
Found in plant cells			
Contains glycosidic bonds			
Contains β-glucose			

(3 marks)

1 (b)	Name the type of reaction that would break down these carbohydrates into their monomers.
	(1 mark)
1 (c)	Give one feature of starch and explain how this feature enables it to act as a storage substance.
	Feature
	Explanation
	(2 marks)



1 (d) The picture shows starch grains as seen with an optical microscope. The actual length of starch grain $\bf A$ is 48 μm . Use this information and the arrow line to calculate the magnification of the picture. Show your working.



Starch grain A

Magnification	times
	(2 marks)

8

Turn over for the next question



2 (a) (i)	An arteriole is described as an organ. Explain why.
	(1 mark)
2 (a) (ii)	An arteriole contains muscle fibres. Explain how these muscle fibres reduce blood flow to capillaries.
2 (b) (i)	(2 marks) A capillary has a thin wall. This leads to rapid exchange of substances between the blood and tissue fluid. Explain why.
	(1 mark)
2 (b) (ii)	Blood flow in capillaries is slow. Give the advantage of this.
	(1 mark)



2 (c)	Kwashiorkor is a disease caused by a lack of protein in the blood. This leads to a swollen abdomen due to a build up of tissue fluid.	
	Explain why a lack of protein in the blood causes a build up of tissue fluid.	
	(3 marks) (Extra space)	
		8

Turn over for the next question



3 (a) The scientific name of the leopard is *Panthera pardus*. Complete the table to show the classification of the leopard.

Kingdom	Animalia
Phylum	Chordata
	Mammalia
	Carnivora
Family	Felidae
Genus	
Species	

(2 marks)

3	(b)	Leopards	, cheetahs and	pumas are all	members of	f the family	/ Felidae.
---	-----	----------	----------------	---------------	------------	--------------	------------

Biologists used DNA hybridisation to investigate the evolutionary relationships between leopards, cheetahs and pumas. They found that hybrid DNA from a leopard and a cheetah separated into single strands at a higher temperature than hybrid DNA from a leopard and a puma.

pumas. Explain why.	
(2 ma	rks)



3 (c)	All modern cheetahs are thought to have descended from a single female. This female was part of a small population that survived an ice age a long time ago that killed almost all cheetahs. After the ice age, the number of cheetahs increased.
3 (c) (i)	Use this information to explain what is meant by a genetic bottleneck.
	(2 marks)
3 (c) (ii)	The fertility of cheetahs is low. The proportion of abnormal sperm cells produced is higher in cheetahs than in other members of the family Felidae. Suggest an explanation for this.
	(2 marks)
	Turn over for the next question



4 (a)	What is intraspecific variation	?	
			(1 mark)
4 (b)	and environmental factors on	ess. Doctors investigated the relative effects the development of schizophrenia. They us all twins in their investigation. At least one to	ed sets of
	Identical twins are geneticaNon-identical twins are notThe members of each twin	genetically identical.	
	The table shows the percentage schizophrenia.	ge of cases where both twins had developed	d
	Type of twin	Percentage of cases where both twins had developed schizophrenia	
	Identical	50	
	Non-identical	15	
4 (b) (i)	Explain why both types of twin	n were used in this investigation.	
			(2 marks)
4 (b) (ii)	What do these data suggest a factors on the development of	about the relative effects of genetic and envischizophrenia?	ironmental




4 (b) (iii)	Suggest two factors that the scientists should have taken into account when selecting the twins to be used in this study.	
	1	
	2	
	(2 marks)	6

Turn over for the next question



5 Students investigated the effect of removing leaves from a plant shoot on the rate of water uptake. Each student set up a potometer with a shoot that had eight leaves. All the shoots came from the same plant. The potometer they used is shown in the diagram.



5 (a)	Describe how the students would have returned the air bubble to the start of the capillary tube in this investigation.
	(1 mark)
5 (b)	Give two precautions the students should have taken when setting up the potometer to obtain reliable measurements of water uptake by the plant shoot.
	1
	2
	(2 marks)



1			
2			(2 marl
The s	students' results are shown in the	e table.	·
	Number of leaves removed from the plant shoot	Mean rate of water uptake/ cm ³ per minute	
	0	0.10	
	2	0.08	
	4	0.04	
	6	0.02	
	8	0.01	
	ain the relationship between the r	number of leaves removed from	the plant shoot
	ain the relationship between the relationship	number of leaves removed from	the plant shoot



6 Mycolic acids are substances that form part of the cell wall of the bacterium that causes tuberculosis. Mycolic acids are made from fatty acids. Isoniazid is an antibiotic that is used to treat tuberculosis. The diagram shows how this antibiotic inhibits the production of mycolic acids in this bacterium. Isoniazid (inactive) enzyme B Isoniazid (active) inhibits fatty acids mycolic acids substrates 6 (a) Treatment with isoniazid leads to the osmotic lysis of this bacterium. Use information in the diagram to suggest how. (2 marks) 6 (b) Human cells also produce fatty acids. Isoniazid does not affect the production of these fatty acids. Use information in the diagram to suggest one reason why isoniazid does not affect the production of fatty acids in human cells. (1 mark)



	non-functional enzyme. Explain how.	
		(3 marks)
	(Extra space)	. ,
)	Using isoniazid to treat diseases caused by other species of bacteria could in	increase
,	the chance of the bacterium that causes tuberculosis becoming resistant to	
	Lies your knowledge of gone transmission to evaloin how	
	Use your knowledge of gene transmission to explain how.	
		(3 marks)
	(Extra space)	(3 marks)



(1 mark)

7 (a) There are ethical and economic arguments for maintaining biodiversity.


7 (a) (i) Suggest one ethical argument for maintaining biodiversity.

(1 mark)

7 (a) (ii) Suggest one economic argument for maintaining biodiversity.

Ecologists calculated the percentage of bird species that have become extinct on six islands in the last one hundred years. They also calculated the percentage of original forest area remaining on each island after the same time period. The graph shows their results.

Percentage of bird species that have become extinct on each island




Percentage of original forest area remaining on each island

7 (b)	Explain the relationship between the percentage of original forest area remaining and the percentage of bird species that have become extinct.
	(2 marks)
7 (c)	What two measurements would the ecologists have needed to obtain to calculate the index of diversity of birds on each island?
	1
	2(2 marks)
7 (d)	The ecologists noted that the species of birds surviving on the coldest islands had a larger body size than those surviving on warmer islands.
	Explain how a larger body size is an adaptation to a colder climate.
	(2 marks)

8







3 (a)	Describe how DNA is replicated.
	(6 marks)
	(Extra space)
	Question 8 continues on the next page




8 (b) The graph shows information about the movement of chromatids in a cell that has just started metaphase of mitosis.



---- = distance between chromatids

= distance between each chromatid and the pole to which it is moving



8 (b) (i) What was the duration of metaphase in this cell?

minutes

(1 mark)

8 (b) (ii) Use line X to calculate the duration of anaphase in this cell.

____ minutes

(1 mark)

8 (b) (iii) Complete line Y on the graph.

(2 marks)

8 (c) A doctor investigated the number of cells in different stages of the cell cycle in two tissue samples, **C** and **D**. One tissue sample was taken from a cancerous tumour. The other was taken from non-cancerous tissue. The table shows his results.

	Percentage of cells in each stage of the cell cycle		
Stage of the cell cycle	Tissue sample C	Tissue sample D	
Interphase	82	45	
Prophase	4	16	
Metaphase	5	18	
Anaphase	5	12	
Telophase	4	9	

8 (c) (i) In tissue sample **C**, one cell cycle took 24 hours. Use the data in the table to calculate the time in which these cells were in interphase during one cell cycle. Show your working.

	Time cells in interphase hours (2 marks)
8 (c) (ii)	Explain how the doctor could have recognised which cells were in interphase when looking at the tissue samples.
	(1 mark)
8 (c) (iii)	Which tissue sample, C or D , was taken from a cancerous tumour? Use information in the table to explain your answer.
	(2 marks)

Turn over ▶


15



- 9 The 'placebo effect' describes the improvement in patients' symptoms due to psychological effects. Scientists investigated the placebo effect in patients with asthma. They divided a large number of asthma patients into three groups, 1, 2 and 3.
 - Group 1 inhaled a spray containing albuterol every day. Albuterol is a drug used to treat asthma.
 - Group **2** inhaled a placebo spray every day. This was identical to the spray given to group **1** but it did not contain albuterol.
 - Group 3 did not receive any spray treatment.

9 (a) D	Describe one way the scientists could have allocated the patients to each group.
••	
••	(2 marks)

The scientists measured the forced expiratory volume (FEV_1) of each patient at regular intervals. The forced expiratory volume (FEV_1) is the volume of air forced out of the lungs in the first second when breathing out. The scientists recorded each patient's FEV_1 before treatment started and after 60 days of treatment. They then calculated the mean increase in FEV_1 for each group. Their results are shown in the graph. The





9 (b)	What do the standard deviation bars suggest about the difference in the mean increase in FEV_1 between Group 1 and the other groups? Explain your answer.
	(2 marks)
9 (c)	What do the data suggest about the 'placebo effect' in this investigation? Explain your answer.
	(2 marks)
9 (d)	On each occasion that a patient's FEV ₁ was measured, a doctor repeated the measurement several times. Explain why.
	(2 marks)
	Question 9 continues on the next page



All the patients continued with their normal treatment for asthma. The normal treatment was the same for all patients and its effects were short-lived. The patients were told to stop this treatment 24 hours before ${\sf FEV}_1$ measurements were taken.
Suggest why all the patients were allowed to continue with their normal asthma treatment in this investigation.
$\label{eq:continuous} \mbox{(1 mark)}$ Suggest why the patients were told to stop their normal asthma treatment 24 hours before their FEV $_1$ measurements were taken.
(2 marks)



9 (f)	After 60 days, the patients in each group were asked to give themselves an <i>Improvement Score</i> from 0 – 10 to show how much they felt their symptoms had improved. This was done before their FEV ₁ was measured. The scientists calculated the mean <i>Improvement Score</i> for each group.	
9 (f) (i)	The scientists concluded that the data obtained for the <i>Improvement Scores</i> were less reliable than the data obtained measuring FEV ₁ . Suggest why they concluded this.	
	(2 marks)	
9 (f) (ii)	Group 3 reported the lowest mean <i>Improvement Score</i> . Suggest one explanation for this.	
	(2 marks)	1

END OF QUESTIONS





