

Mark Scheme (Results)

Summer 2015

Pearson Edexcel GCSE In Mathematics B (2MB01) Foundation (Non-Calculator) Unit 2

Edexcel and BTEC Qualifications

Edexcel and BTEC qualifications are awarded by Pearson, the UK's largest awarding body. We provide a wide range of qualifications including academic, vocational, occupational and specific programmes for employers. For further information visit our qualifications websites at www.edexcel.com or www.btec.co.uk. Alternatively, you can get in touch with us using the details on our contact us page at www.edexcel.com/contactus.

Pearson: helping people progress, everywhere

Pearson aspires to be the world's leading learning company. Our aim is to help everyone progress in their lives through education. We believe in every kind of learning, for all kinds of people, wherever they are in the world. We've been involved in education for over 150 years, and by working across 70 countries, in 100 languages, we have built an international reputation for our commitment to high standards and raising achievement through innovation in education. Find out more about how we can help you and your students at: www.pearson.com/uk

Summer 2015
Publications Code UG042112
All the material in this publication is copyright
© Pearson Education Ltd 2015

NOTES ON MARKING PRINCIPLES

- 1 All candidates must receive the same treatment. Examiners must mark the first candidate in exactly the same way as they mark the last.
- 2 Mark schemes should be applied positively.
- All the marks on the mark scheme are designed to be awarded. Examiners should always award full marks if deserved, i.e if the answer matches the mark scheme. Note that in some cases a correct answer alone will not score marks unless supported by working; these situations are made clear in the mark scheme. Examiners should be prepared to award zero marks if the candidate's response is not worthy of credit according to the mark scheme.
- 4 Where some judgement is required, mark schemes will provide the principles by which marks will be awarded and exemplification may be limited.
- 5 Crossed out work should be marked UNLESS the candidate has replaced it with an alternative response.
- **6** Mark schemes will award marks for the quality of written communication (QWC). The strands are as follows:
 - i) ensure that text is legible and that spelling, punctuation and grammar are accurate so that meaning is clear Comprehension and meaning is clear by using correct notation and labelling conventions.
 - ii) select and use a form and style of writing appropriate to purpose and to complex subject matter

 Reasoning, explanation or argument is correct and appropriately structured to convey mathematical reasoning.
 - iii) organise information clearly and coherently, using specialist vocabulary when appropriate.

 The mathematical methods and processes used are coherently and clearly organised and the appropriate mathematical vocabulary used.

7 With working

If there is a wrong answer indicated on the answer line always check the working in the body of the script (and on any diagrams), and award any marks appropriate from the mark scheme.

If working is crossed out and still legible, then it should be given any appropriate marks, as long as it has not been replaced by alternative work.

If it is clear from the working that the "correct" answer has been obtained from incorrect working, award 0 marks. Send the response to review, and discuss each of these situations with your Team Leader.

If there is no answer on the answer line then check the working for an obvious answer.

Partial answers shown (usually indicated in the ms by brackets) can be awarded the method mark associated with it (implied).

Any case of suspected misread loses A (and B) marks on that part, but can gain the M marks; transcription errors may also gain some credit. Send any such responses to review for the Team Leader to consider.

If there is a choice of methods shown, then no marks should be awarded, unless the answer on the answer line makes clear the method that has been used.

8 Follow through marks

Follow through marks which involve a single stage calculation can be awarded without working since you can check the answer yourself, but if ambiguous do not award.

Follow through marks which involve more than one stage of calculation can only be awarded on sight of the relevant working, even if it appears obvious that there is only one way you could get the answer given.

9 Ignoring subsequent work

It is appropriate to ignore subsequent work when the additional work does not change the answer in a way that is inappropriate for the question: e.g. incorrect cancelling of a fraction that would otherwise be correct

It is not appropriate to ignore subsequent work when the additional work essentially makes the answer incorrect e.g. algebra.

10 Probability

Probability answers must be given a fractions, percentages or decimals. If a candidate gives a decimal equivalent to a probability, this should be written to at least 2 decimal places (unless tenths).

Incorrect notation should lose the accuracy marks, but be awarded any implied method marks.

If a probability answer is given on the answer line using both incorrect and correct notation, award the marks.

If a probability fraction is given then cancelled incorrectly, ignore the incorrectly cancelled answer.

11 Linear equations

Full marks can be gained if the solution alone is given on the answer line, or otherwise unambiguously indicated in working (without contradiction elsewhere). Where the correct solution only is shown substituted, but not identified as the solution, the accuracy mark is lost but any method marks can be awarded (embedded answers).

12 Parts of questions

Unless allowed by the mark scheme, the marks allocated to one part of the question CANNOT be awarded in another.

13 Range of answers

Unless otherwise stated, when an answer is given as a range (e.g 3.5 - 4.2) then this is inclusive of the end points (e.g 3.5, 4.2) and includes all numbers within the range (e.g 4, 4.1)

14 The detailed notes in the mark scheme, and in practice/training material for examiners, should be taken as precedents over the above notes.

Guidance on the use of codes within this mark scheme

M1 – method mark for appropriate method in the context of the question

A1 – accuracy mark

B1 – Working mark

C1 – communication mark

QWC – quality of written communication

oe – or equivalent

cao - correct answer only

ft – follow through

sc – special case

dep – dependent (on a previous mark or conclusion)

indep-independent

isw – ignore subsequent working

5MB2F/01 Jur	5MB2F/01 June 2015						
Question	Working	Answer	Mark	Notes			
1 (a)		43	1	B1 cao			
(b)		15	1	B1 cao			
(c)		$\frac{3}{10}$	1	B1 for $\frac{3}{10}$ or 3 tenths oe			
2 (a)		3	1	B1 cao			
(b)(i)		5	2	B1 cao			
(b)(ii)		9		B1 cao			

5MB2F/01 Jun	ne 2015			
Question	Working	Answer	Mark	Notes
3 (a)		$\frac{3}{4}$ shaded	1	B1 for 6 sectors shaded
*(b)		$\frac{1}{3}$ + correct reason	2	M1 for $1 \div 3$ (=0.33) C1 for correct statement and 0.33() OR M1 for $\frac{3\times3}{10\times3}$ and $\frac{1\times10}{3\times10}$ C1 for correct statement and $\frac{9}{30}$ and $\frac{10}{30}$ OR M1 for $\frac{1\times3}{3\times3}$ C1 for correct statement and $\frac{3}{9}$ and $\frac{3}{10}$ OR M1 for e.g. $\frac{1}{3} \times 30$ (=10) and 0.3×30 (=9) C1 for correct statement and e.g. 10 and 9
4		7	2	M1 for 40 ÷ 6 (=6.66) OR 6 × 6 (=36) oe or 6 × 7 (=42) oe OR 40, 34, 28 oe A1 cao
5 (a)		8	1	B1 cao
(b)		rectangle drawn	2	M1 for drawing a rectangle (accept square) A1 for correct area

5MB2F	7/01 Jun	e 2015			
Quest	tion	Working	Answer	Mark	Notes
*6			No with working	3	M1 for 15×25 (=375) A1 for 375 (cm) or 75 (cm short) C1 (dep on M1) for No oe with working or ft '375' or '75' OR M1 for 300÷15 (=20) A1 for 20 (parcels) or 5 (parcels short) C1 (dep on M1) for No oe with working or ft '20' or '5' OR M1 for 300÷25 (=12) A1 for 12 (cm) or 3 (cm short) C1 (dep on M1) for No oe with working or ft '12' or '3'
7	(a)		diameter	1	B1 cao
	(b)		tangent	1	B1 cao
	(c)		sector drawn	1	B1 cao
8	(a)		trapezium	1	B1 cao
	(b)		line of symmetry drawn	1	B1 cao
	(c)		(3, 4) marked	1	B1 cao

5MB2l	F/01 J un	ne 2015			
Que	stion	Working	Answer	Mark	Notes
9			11(am)	4	M1 for 2 ÷ 0.5 oe (=4) or 80 (minutes) M1 for '4' × 20 + 10 oe (=90 minutes) M1 for 12 30 – '90 (minutes)' oe A1 for 11(am) oe SC B2 for 10 30(am)
10			80, 75 reason	2	B1 cao B1 for correct reason, e.g. take 5 (each time)
11	(a)		18	2	M1 for 0.3×60 or 6 + 6 + 6 oe A1 cao
	(b)		5	1	B1 for 5 or +5
	(c)		25	1	B1 cao
12	(a)		ab	1	B1 for ab oe
	(b)		$3x^2$	1	B1 for $3x^2$ oe
	(c)		4x - 5y	2	M1 for $3x + x$ (=4x) or $-2y - 3y$ (= -5y) A1 cao
13			3	2	M1 for 120 ÷ (5 × 8) oe A1 cao

5MB2F/01 Jur	5MB2F/01 June 2015				
Question	Working	Answer	Mark	Notes	
14	eg $5m = 16.5ft$	185 - 210 feet	3	M1 for converting ft to m or m to ft	
	$(50m =) 10 \times 16.5$	or		M1 (dep) for difference in heights in consistent units	
	=165ft	55 – 63 metres		A1 for 185 – 210 feet or 55 – 63 metres	
	360 - 165 = 195ft				
	OR				
	eg 20ft = 6m				
	$(360ft =) 18 \times 6$				
	=108m				
	108 - 50 = 58m				

5MB2F/01 Jun	e 2015			
Question	Working	Answer	Mark	Notes
*15		x = 120 with	4	M1 for (CED=) 35
		correct reasons		M1 for (EBD=) 180–(50+35+35) (=60)
				A1 for $x = 120$ oe
				C1 (dep on M1) for two of
				1. base <u>angles</u> of <u>isosceles</u> triangle <u>equal</u>
				2. <u>angles</u> in <u>triangle</u> add to <u>180</u>
				3. <u>angles</u> on straight <u>line</u> add to <u>180</u>
				OR
				M1 for (CED=) 35 or (ECD=) 110
				M1 for (EBD=) 110–50 (=60)
				A1 for $x = 120$ oe
				C1 (dep on M1) for two of
				1. base <u>angles</u> of <u>isosceles</u> triangle are <u>equal</u>
				2. <u>exterior angle</u> of triangle equals <u>sum</u> of <u>interior opposite angles</u>
				3. <u>angles</u> on straight <u>line</u> add to <u>180</u>
				OR
				M1 for (CED=) 35
				M1 for (ECA=) 35+35 (=70) or 50 + 'ECD'
				A1 for $\underline{x} = 120$ oe
				C1 (dep on M1) for both of
				1. <u>exterior angle</u> of triangle equals <u>sum</u> of <u>interior opposite angles</u>
				2. base <u>angles</u> of <u>isosceles</u> triangle are <u>equal</u>

5MB2F/01 Jun	ne 2015			
Question	Working	Answer	Mark	Notes
*16	(Cost per paperclip) $40 \div 50 = 0.8$ $90 \div 120 = 0.75$ OR (Paperclip per penny) $50 \div 40 = 1.25$ $120 \div 90 = 1.33(3)$ OR e.g. (number of paperclip for £3.60) $9 \times 50 \ (=450)$ $4 \times 120 \ (=480)$	large with correct figures	3	M1 for $40 \div 50$ (= 0.8) or $90 \div 120$ (= 0.75) OR $50 \div 40$ (=1.25) or $120 \div 90$ (= 1.33) OR appropriate calculation that could lead to a comparative figure, e.g. 9×50 (=450) or 4×120 (=480) M1 for method to compare figures for both boxes, e.g. $40 \div 50$ (= 0.8) and $90 \div 120$ (= 0.75) C1 for correct comparative figures for both boxes leading to a correct comparison, e.g. 0.8 and 0.75 and large (box) or 120 paperclip (box) or 90p (box)
17 (a)		$6xy\left(1+3y\right)$	2	M1 for correct expression with at least one factor extracted or 6xy (linear expression in y) A1 cao
(b)		w^3	1	B1 cao
(c)		a^{20}	1	B1 cao

5MB2F/01 Jui	ne 2015			
Question	Working	Answer	Mark	Notes
18		270	3	M1 for $9 \div 0.1$ (=90) or $4.5 \div 1.5$ (=3) oe M1 for '3'× '90' oe (=270) A1 cao OR M1 for $4.5 \div 0.1$ (=45) or $9 \div 1.5$ (=6) oe M1 for '6'× '45' oe (=270) A1 cao OR M1 for 9×4.5 (=40.5) or 1.5×0.1 (=0.15) oe M1 for '40.5' \div '0.15' (=270) A1 cao
19	$3000 \div 20 = 150$ $150 \div (14+1) = 10$ $10 \div 0.5 = 20$ 20×3.99	79.80	4	M1 for 3000 ÷ 20 (=150) M1 (dep) for correct use of ratio M1(dep on M1, M1) for total cost of bottles A1 for 79.8(0)

Modifications to the mark scheme for Modified Large Print (MLP) papers.

Only mark scheme amendments are shown where the enlargement or modification of the paper requires a change in the mark scheme.

The following tolerances should be accepted on marking MLP papers, unless otherwise stated below:

Angles: ±5°

Measurements of length: ±5 mm

PAPER:	PAPER: 5MB2F_01					
Ques	stion	Modification	Notes			
Q2	(a)	Triangle has been enlarged.	B1 cao			
Q2	(b)(ii)	Model provided for all candidates. Also a diagram provided for MLP. Diagram has been enlarged.	B1 cao			
Q2	(b)(ii)	Model provided for all candidates. Also a diagram provided for MLP. Diagram has been enlarged.	B1 cao			

PAPER:	PAPER: 5MB2F_01						
Ques	Question Modification		Notes				
Q3	(a)	Diagram has been enlarged.	B1 for 6 sectors shaded				
Q3	(b)	Diagram has been enlarged.	M1 for $1 \div 3$ (=0.33) C1 for correct statement and 0.33() OR M1 for $\frac{3\times3}{10\times3}$ and $\frac{1\times10}{3\times10}$ C1 for correct statement and $\frac{9}{30}$ and $\frac{10}{30}$ OR M1 for $\frac{1\times3}{3\times3}$ C1 for correct statement and $\frac{3}{9}$ and $\frac{3}{10}$ OR M1 for e.g. $\frac{1}{3} \times 30$ (=10) and 0.3×30 (=9) C1 for correct statement and e.g. 10 and 9				
Q5 Q5	(a) (b)	Grid has been enlarged. Wording is added: "Each square represents a one centimetre square". Grid has been enlarged. Wording is added: "Each square represents a one centimetre square".	M1 for drawing a rectangle (accept square) A1 for correct area				
Q7	(a)	Diagram has been enlarged.	B1 cao				
Q7	(b)	Diagram has been enlarged.	B1 cao				
Q7	(c)	Diagram has been enlarged.	B1 cao				

PAPER:	PAPER: 5MB2F_01					
Question		Modification	Notes			
Q8	(a)	Grid has been enlarged.	B1 cao			
Q8	(b)	Grid has been enlarged.	B1 cao			
Q8	(c)	Grid has been enlarged.	B1 cao			
Q12	(a)	MLP <i>a</i> changed to x. <i>b</i> changed to <i>y</i> .	B1 for xy oe			
Q12	(b)	MLP x changed to y.	B1 for $3y^2$ oe			
Q12	(c)	MLP x changed to e y changed to f	M1 for $3e + e (=4e)$ or $-2f - 3f (= -5f)$ A1 cao			
Q13		Model provided for all candidates. Also diagram provided for MLP. Diagram has been enlarged	M1 for 120 ÷ (5 × 8) oe A1 cao			
Q14		Grid has been enlarged. Right axis labelled.	M1 for converting ft to m or m to ft M1 (dep) for difference in heights in consistent units A1 for 185 – 210 feet or 55 – 63 metres			

PAPER: 5MB2I	<u>7_01</u>	
Question	Modification	Notes
Q15	Diagram has been enlarged. Wording added: "Angle EBA is marked x".	M1 for (CED=) 35 M1 for (EBD=) 180–(50+35+35) (=60) A1 for x = 120 oe C1 (dep on M1) for two of 1. base angles of isosceles triangle equal 2. angles in triangle add to 180 3. angles on straight line add to 180 OR M1 for (CED=) 35 or (ECD=) 110 M1 for (EBD=) 110–50 (=60) A1 for x = 120 oe C1 (dep on M1) for two of 1. base angles of isosceles triangle are equal 2. exterior angle of triangle equals sum of interior opposite angles 3. angles on straight line add to 180 OR M1 for (CED=) 35 M1 for (CED=) 35 M1 for (ECA=) 35+35 (=70) or 50 + 'ECD' A1 for x = 120 oe C1 (dep on M1) for both of 1. exterior angle of triangle equals sum of interior opposite angles 2. base angles of isosceles triangle are equal

PAPER: 5MB2F_01						
Question		Modification	Notes			
Q16		Diagrams have been removed.	M1 for $40 \div 50 = 0.8$ or $90 \div 120 = 0.75$ OR $50 \div 40 = 1.25$ or $120 \div 90 = 1.33$ OR appropriate calculation that could lead to a comparative figure, e.g. $9 \times 50 = 450$ or $4 \times 120 = 480$ M1 for method to compare figures for both boxes, e.g. $40 \div 50 = 0.8$ and $90 \div 120 = 0.75$ C1 for correct comparative figures for both boxes leading to a correct comparison, e.g. 0.8 and 0.75 and large (box) or 120 paperclip (box) or 90 p (box)			
Q17 Q17	(a) (b)		M1 for correct expression with at least one factor extracted or 6xy (linear expression in y) A1 cao			
Q17	(c)	MLP and Braille: a changed to <i>x</i> .	B1 cao			

PAPER: 5MB2F_01						
Question		Modification	Notes			
Q18		Diagram has been enlarged. 9 metres moved to top of diagram 4.5 metres moved to the left of diagram.	M1 for 9 ÷ 0.1 (=90) or 4.5 ÷ 1.5 (=3) oe M1 for '3'× '90' oe (=270) A1 cao			
			OR M1 for 4.5 ÷ 0.1 (=45) or 9 ÷ 1.5 (=6) oe M1 for '6'× '45' oe (=270) A1 cao			
			OR M1 for 9 × 4.5 (=40.5) or 1.5 × 0.1(=0.15) oe M1 for '40.5' ÷ '0.15' (=270) A1 cao			