

Please check the examination details below before entering your candidate information

Candidate surname		Other names	
Pearson Edexcel International GCSE		Centre Number <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>	Candidate Number <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>
Wednesday 9 January 2019			
Morning (Time: 2 hours)		Paper Reference 4CH0/1C 4SC0/1C	
Chemistry Unit: 4CH0 Science (Double Award) 4SC0 Paper: 1C			
You must have: Calculator, ruler			Total Marks <input type="text"/>

Instructions

- Use **black** ink or ball-point pen.
- **Fill in the boxes** at the top of this page with your name, centre number and candidate number.
- Answer **all** questions.
- Answer the questions in the spaces provided
– *there may be more space than you need.*
- Show all the steps in any calculations and state the units.
- Some questions must be answered with a cross in a box ☒. If you change your mind about an answer, put a line through the box ☒ and then mark your new answer with a cross ☒.

Information

- The total mark for this paper is 120.
- The marks for **each** question are shown in brackets
– *use this as a guide as to how much time to spend on each question.*

Advice

- Read each question carefully before you start to answer it.
- Write your answers neatly and in good English.
- Try to answer every question.
- Check your answers if you have time at the end.

Turn over ►

P55714A

©2019 Pearson Education Ltd.

1/1/1/1/1/1/




Pearson

THE PERIODIC TABLE

Period 1 2 3 4 5 6 7 0

Group

4
He
Helium
2

1
H
Hydrogen
1

7	Li Lithium 3	9	Be Beryllium 4	11	Na Sodium 11	12	Mg Magnesium 12	13	Al Aluminium 13	14	Si Silicon 14	15	P Phosphorus 15	16	S Sulfur 16	17	Cl Chlorine 17	18	Ar Argon 18																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
8	K Potassium 19	20	Ca Calcium 20	21	Sc Scandium 21	22	Ti Titanium 22	23	V Vanadium 23	24	Cr Chromium 24	25	Mn Manganese 25	26	Fe Iron 26	27	Co Cobalt 27	28	Ni Nickel 28	29	Cu Copper 29	30	Zn Zinc 30	31	Ga Gallium 31	32	Ge Germanium 32	33	As Arsenic 33	34	Se Selenium 34	35	Br Bromine 35	36	Kr Krypton 36																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
9	Rb Rubidium 37	38	Sr Strontium 38	39	Y Yttrium 39	40	Zr Zirconium 40	41	Nb Niobium 41	42	Mo Molybdenum 42	43	Tc Technetium 43	44	Ru Ruthenium 44	45	Rh Rhodium 45	46	Pd Palladium 46	47	Ag Silver 47	48	Cd Cadmium 48	49	In Indium 49	50	Sn Tin 50	51	Sb Antimony 51	52	Te Tellurium 52	53	I Iodine 53	54	Xe Xenon 54																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
10	Cs Caesium 55	56	Ba Barium 56	57	La Lanthanum 57	58	Hf Hafnium 58	59	Ta Tantalum 59	60	W Tungsten 60	61	Re Rhenium 61	62	Os Osmium 62	63	Ir Iridium 63	64	Pt Platinum 64	65	Au Gold 65	66	Hg Mercury 66	67	Tl Thallium 67	68	Pb Lead 68	69	Bi Bismuth 69	70	Po Polonium 70	71	At Astatine 71	72	Rn Radon 72																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
11	Fr Francium 87	88	Ra Radium 88	89	Ac Actinium 89	90		91		92		93		94		95		96		97		98		99		100		101		102		103		104		105		106		107		108		109		110		111		112		113		114		115		116		117		118		119		120		121		122		123		124		125		126		127		128		129		130		131		132		133		134		135		136		137		138		139		140		141		142		143		144		145		146		147		148		149		150		151		152		153		154		155		156		157		158		159		160		161		162		163		164		165		166		167		168		169		170		171		172		173		174		175		176		177		178		179		180		181		182		183		184		185		186		187		188		189		190		191		192		193		194		195		196		197		198		199		200		201		202		203		204		205		206		207		208		209		210		211		212		213		214		215		216		217		218		219		220		221		222		223		224		225		226		227		228		229		230		231		232		233		234		235		236		237		238		239		240		241		242		243		244		245		246		247		248		249		250		251		252		253		254		255		256		257		258		259		260		261		262		263		264		265		266		267		268		269		270		271		272		273		274		275		276		277		278		279		280		281		282		283		284		285		286		287		288		289		290		291		292		293		294		295		296		297		298		299		300		301		302		303		304		305		306		307		308		309		310		311		312		313		314		315		316		317		318		319		320		321		322		323		324		325		326		327		328		329		330		331		332		333		334		335		336		337		338		339		340		341		342		343		344		345		346		347		348		349		350		351		352		353		354		355		356		357		358		359		360		361		362		363		364		365		366		367		368		369		370		371		372		373		374		375		376		377		378		379		380		381		382		383		384		385		386		387		388		389		390		391		392		393		394		395		396		397		398		399		400		401		402		403		404		405		406		407		408		409		410		411		412		413		414		415		416		417		418		419		420		421		422		423		424		425		426		427		428		429		430		431		432		433		434		435		436		437		438		439		440		441		442		443		444		445		446		447		448		449		450		451		452		453		454		455		456		457		458		459		460		461		462		463		464		465		466		467		468		469		470		471		472		473		474		475		476		477		478		479		480		481		482		483		484		485		486		487		488		489		490		491		492		493		494		495		496		497		498		499		500		501		502		503		504		505		506		507		508		509		510		511		512		513		514		515		516		517		518		519		520		521		522		523		524		525		526		527		528		529		530		531		532		533		534		535		536		537		538		539		540		541		542		543		544		545		546		547		548		549		550		551		552		553		554		555		556		557		558		559		560		561		562		563		564		565		566		567		568		569		570		571		572		573		574		575		576		577		578		579		580		581		582		583		584		585		586		587		588		589		590		591		592		593		594		595		596		597		598		599		600		601		602		603		604		605		606		607		608		609		610		611		612		613		614		615		616		617		618		619		620		621		622		623		624		625		626		627		628		629		630		631		632		633		634		635		636		637		638		639		640		641		642		643		644		645		646		647		648		649		650		651		652		653		654		655		656		657		658		659		660		661		662		663		664		665		666		667		668		669		670		671		672		673		674		675		676		677		678		679		680		681		682		683		684		685		686		687		688		689		690		691		692		693		694		695		696		697		698		699		700		701		702		703		704		705		706		707		708		709		710		711		712		713		714		715		716		717		718		719		720		721		722		723		724		725		726		727		728		729		730		731		732		733		734		735		736		737		738		739		740		741		742		743		744		745		746		747		748		749		750		751		752		753		754		755		756		757		758		759		760		761		762		763		764		765		766		767		768		769		770		771		772		773		774		775		776		777		778		779		780		781		782		783		784		785		786		787		788		789		790		791		792		793		794		795		796		797		798		799		800		801		802		803		804		805		806		807		808		809		810		811		812		813		814		815		816		817		818		819		820		821		822		823		824		825		826		827		828		829		830		831		832		833		834		835		836		837		838		839		840		841		842		843		844		845		846		847		848		849		850		851		852		853		854		855		856		857		858		859		860		861		862		863		864		865		866		867		868		869		870		871		872		873		874		875		876		877		878		879		880		881		882		883		884		885		886		887		888		889		890		891		892		893		894		895		896		897		898		899		900		901		902		903		904		905		906		907		908		909		910		911		912		913		914		915		916		917		918		919		920		921		922		923		924		925		926		927		928		929		930		931		932		933		934		935		936		937		938		939		940		941		942		943		944		945		946		947		948		949		950		951		952		953		954		955		956		957		958		959		960		961		962		963		964		965		966		967		968		969		970		971		972		973		974		975		976		977		978		9

Answer ALL questions.

1 The three states of matter are solid, liquid and gas.

(a) Substances can be changed from one state to another.

The box lists some words relating to changes of state.

condensing	cooling	evaporation
heating	melting	sublimation

Complete the table by giving the correct word from the box for each change of state.

Each word may be used once, more than once, or not at all.

(3)

Change of state	Name of change
from solid to liquid	
from liquid to gas	
from solid to gas	

(b) The particles in a solid are closely packed, arranged in a regular pattern and vibrate about a fixed position.

Describe the arrangement and movement of the particles in a gas.

(3)

.....

.....

.....

.....

.....

.....


.....

(Total for Question 1 = 6 marks)



2 Rock salt is a mixture of the soluble salt, sodium chloride, and some insoluble impurities.

The diagram shows the first three stages of a method used to obtain pure sodium chloride from rock salt.



(a) Name the pieces of apparatus labelled X, Y and Z

(3)

X

Y

Z

(b) (i) State why the mixture of rock salt and water is warmed and stirred in stage 2.

(2)

.....

.....

.....

.....

(ii) What is water in stage 2?

(1)

☐ A a residue

☐ B a solute

☐ C a solution

☐ D a solvent

(c) (i) Explain what happens to the impurities in stage 3.

(2)

(ii) What is the liquid collected at the end of stage 3?

(1)

- ☐ **A** a residue
- ☐ **B** a solute
- ☐ **C** a solution
- ☐ **D** a solvent

(Total for Question 2 = 9 marks)



DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA


DO NOT WRITE IN THIS AREA

BLANK PAGE



3 Crude oil is a mixture of hydrocarbons.

(a) The diagram shows a column used in the industrial process to separate crude oil.



(i) Name the industrial process used to separate crude oil.

(1)

(ii) State a use for kerosene and a use for bitumen.

(2)

kerosene

bitumen



(b) A molecule of the hydrocarbon eicosane has the formula $C_{20}H_{42}$

(i) Explain which homologous series eicosane belongs to.

(2)


(ii) Name a catalyst used in the industrial cracking of eicosane.

(1)

(iii) In a possible reaction for the cracking of eicosane, the products are three molecules of C_4H_8 and one molecule of another hydrocarbon.

Complete the equation for this reaction.

(1)



(c) Hydrocarbons can be saturated or unsaturated.

(i) Explain what is meant by the term **hydrocarbon**.

(2)

(ii) State what is meant by a hydrocarbon being saturated.

(1)



(iii) Describe a chemical test used to distinguish between unsaturated and saturated hydrocarbons.

(3)

test

results

.....


.....

.....

.....

(d) The unsaturated hydrocarbon C_4H_8 has several isomers.

The displayed formula for one of these isomers is



(i) Name this isomer.

(1)

.....

(ii) Draw the displayed formula of another isomer of C_4H_8

(1)

(Total for Question 3 = 15 marks)



P 5 5 7 1 4 A 0 9 2 8

4 (a) (i) Explain what is meant by the term **covalent bonding**.

(2)

.....

.....

.....

.....

(ii) Draw a dot and cross diagram to show the bonding in a molecule of ethene, C_2H_4
Show only the outer electrons.

(2)

(b) Substances A and B are covalently bonded and have simple molecular structures.

The table gives the boiling points for substances A and B.

Substance	Boiling point in $^{\circ}C$
A	-42
B	-0.5



- (i) Explain why substances with simple molecular structures have low boiling points. (2)

.....

.....

.....

.....

- (ii) Suggest why the boiling point of B is higher than the boiling point of A. (1)

.....

.....

.....

- (iii) Substance B has the empirical formula C_2H_5 and an M_r value of 58.
Determine the molecular formula of substance B. (2)

- (c) Substance X is also covalently bonded, but its structure is different from that of A and B.
It has a boiling point of $2230^{\circ}C$.

Explain, in terms of its structure, why X has such a high boiling point. (2)

.....

.....

.....

.....

(Total for Question 4 = 11 marks)



5 Hot, molten sulfur reacts with oxygen to form sulfur dioxide gas.

- (a) Describe what is seen when a sample of hot, molten sulfur is lowered into a gas jar containing oxygen.

(1)


- (b) Sulfur dioxide gas is formed during the reaction between dilute hydrochloric acid and sodium sulfite, Na_2SO_3

A salt and water are also formed.

Write a chemical equation for this reaction.

(2)

- (c) This apparatus can be used to collect a pure, dry sample of sulfur dioxide gas.



- (i) Suggest the purpose of the silica gel.

(1)



(ii) Name the method used in the diagram to collect the sulfur dioxide gas.

(1)

(iii) State the physical property of sulfur dioxide gas that allows it to be collected in this way.

(1)

(d) A sample of sulfur dioxide reacts with water to form an acidic solution.

(i) Identify the acid formed.

(1)

(ii) A few drops of methyl orange indicator are added to this solution.

State the colour of the indicator in this solution.

(1)

(iii) Give the formula of the ion responsible for this colour.

(1)

(iv) An alkali is then added to neutralise the acid.

State the final colour of the indicator.

(1)

(Total for Question 5 = 10 marks)

DO NOT WRITE IN THIS AREA


DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



- 6 A student investigates the rate of the reaction between magnesium ribbon and dilute hydrochloric acid. The products are magnesium chloride and hydrogen.


(a) The equation for the reaction is



Complete the equation by adding the state symbols.

(1)

(b) The student uses these pieces of apparatus in his experiment.



This is his method.

- clean a strip of magnesium ribbon to remove the oxide layer
- pour 50 cm^3 of 0.5 mol/dm^3 hydrochloric acid into the flask
- put the clean magnesium ribbon into the flask
- quickly put the bung into the flask to connect the gas syringe
- record the volume of gas in the syringe every minute for eight minutes

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



(i) Suggest why the student cleans the magnesium ribbon to remove the oxide layer. (1)

(ii) Suggest why the student needs to put the bung into the flask quickly. (1)

(iii) Suggest when the student should start the stop watch. (1)

DO NOT WRITE IN THIS AREA


DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



P 5 5 7 1 4 A 0 1 5 2 8

(c) The graph shows the results of the student's experiment.



- (i) Use the graph to find the volume of gas in the syringe at one minute.

Show on the graph how you obtained your answer.

(2)

volume = cm^3

- (ii) Use the graph to find the time when the reaction stops.

(1)

time = minutes



(iii) Suggest two possible reasons why the reaction stops.

(2)

1

2

(iv) Explain when the rate of reaction is greatest.

(2)

(d) Explain how increasing the concentration of the hydrochloric acid affects the rate of the reaction with magnesium.

Refer to the particle collision theory in your answer.

(4)

(Total for Question 6 = 15 marks)



7 In the Periodic Table, the vertical columns of elements are called groups.

(a) The table gives some information about the first four elements in Group 0.

Element	Relative atomic mass (A_r)	Boiling point in $^{\circ}\text{C}$
helium	4	-269
neon	20	-246
argon	40	-186
krypton	84	-153

(i) State the relationship between the relative atomic mass and the boiling point of these elements.

(1)

(ii) State why the elements in Group 0 are unreactive.

(1)

(b) The elements in Group 7 of the Periodic Table are called halogens.

State why the halogens have similar chemical properties.

Refer to electronic configurations in your answer.

(1)



(c) The order of reactivity of the halogens can be shown by using displacement reactions.

(i) When chlorine is added to sodium bromide solution, chlorine displaces bromine.

Write a chemical equation for this reaction.

(1)


(ii) State the colour of the solution formed in this reaction.

(1)

(iii) Explain whether or not a reaction takes place when bromine water is added to sodium chloride solution.

(2)

(iv) The displacement reaction between potassium iodide and chlorine can be represented by the ionic equation



Explain why this is described as a redox reaction.

(2)



(d) Chlorine reacts with hydrogen to form hydrogen chloride gas.

(i) Write the chemical equation for this reaction.


(1)

(ii) Some methylbenzene is poured into beaker A.

Some water is poured into beaker B.


Hydrogen chloride gas is dissolved in each liquid.

A separate piece of dry blue litmus paper is dipped into each solution.



A

hydrogen chloride
dissolved in methylbenzene



B

hydrogen chloride
dissolved in water

Explain what happens to

- the piece of litmus paper dipped into beaker A
- the piece of litmus paper dipped into beaker B.

(4)

beaker A

.....

.....

.....

.....

.....

beaker B

.....

.....

.....

.....

.....

(Total for Question 7 = 14 marks)



- 8 The table shows information about the effect of adding sodium hydroxide solution to solutions containing zinc ions, calcium ions or aluminium ions.

Ion in solution	Effect of adding a few drops of sodium hydroxide solution	Effect of adding excess sodium hydroxide solution
zinc, Zn^{2+}	white precipitate forms	white precipitate disappears
calcium, Ca^{2+}	white precipitate forms	white precipitate remains
aluminium, Al^{3+}	white precipitate forms	white precipitate disappears

(a) A student is provided with a sample of a white solid.

- (i) The student dissolves some of the white solid in water and then adds a few drops of sodium hydroxide solution. A white precipitate forms.

She concludes that the sample contains calcium ions.

Explain whether the student's conclusion is valid.

(2)

.....

.....

.....

.....

- (ii) Give a different test to show that the white solid contains calcium ions.

(2)

test

.....

result


.....



(b) A hydrated salt has the formula $AB_2 \cdot xH_2O$

A is a positive ion and B is a negative ion.

When the hydrated salt is heated, this reaction occurs.



A scientist heats a sample of the hydrated salt until all the water has been lost.

She records the mass of the salt before and after heating.

The table shows her results.

Mass of hydrated salt	Mass of salt after heating
6.1 g	5.2 g

(i) Describe how the scientist could make sure that all the water has been lost.

(2)

.....

.....

.....

.....

(ii) Use the scientist's results to find the value of x in $AB_2 \cdot xH_2O$

$[M_r \text{ of } AB_2 = 208]$

$M_r \text{ of } H_2O = 18]$

(4)

$x = \dots\dots\dots$



- (c) Describe how the scientist could use a solution of the salt to find out if the negative ions are chloride ions.

(3)

.....

.....

.....

.....

.....

.....

- (d) The test shows that the negative ions are chloride ions.

- (i) Calculate the relative atomic mass of metal A using the formula and M_r value of the anhydrous salt, AB_2

(1)

relative atomic mass of A =

- (ii) Identify metal A.

(1)

.....


(Total for Question 8 = 15 marks)

.....



9 Some metals can be obtained by heating their oxides with carbon.

(a) The diagram shows a blast furnace used to produce iron from iron ore.



(i) Give the name of an iron ore.

(1)


(ii) Explain the role of the hot air in the furnace.

(2)

(iii) Iron(III) oxide can be reduced by carbon.

Balance the equation for this reaction.

(1)



(iv) Limestone is one of the raw materials added to the blast furnace.

Explain how limestone removes the impurity, silica (SiO_2), from the furnace.

You may use equations to help your answer.

(3)

(b) (i) State why aluminium cannot be produced by heating its oxide with carbon.

(1)

(ii) Describe how aluminium is extracted from purified aluminium oxide.

(4)

(Total for Question 9 = 12 marks)



P 5 5 7 1 4 A 0 2 5 2 8

10 A student does a titration to find the concentration of a solution of aqueous ammonia.

He uses this method.

- use a pipette to add 25.0 cm^3 samples of the solution into a conical flask
- add a few drops of indicator
- add sulfuric acid from a burette until the indicator changes colour permanently
- repeat the titration three more times

(a) (i) State what the student should do while adding the acid, to make sure that the indicator changes colour permanently.

(1)

The table shows the student's titration results.

Volume of acid added in cm^3	23.40	23.15	22.95	23.10
Concordant results				

Concordant results are volumes within 0.20 cm^3 of each other.

(ii) Place ticks (✓) in the table to show which results are concordant.

(1)

(iii) Use the concordant results to calculate the average (mean) volume of acid added.

(2)


average volume cm^3



(b) The table shows the titration results of another student.

Volume of aqueous ammonia used in cm³	25.0
Concentration of sulfuric acid in mol/dm³	0.0800
Average volume of sulfuric acid added from burette in cm³	22.70

The equation for the reaction is



(i) Calculate the amount, in moles, of H_2SO_4 in 22.70 cm³ of the sulfuric acid.

(2)

amount of H_2SO_4 = mol

(ii) Calculate the amount, in moles, of NH_3 in the aqueous ammonia.

(1)

amount of NH_3 = mol

(iii) Calculate the concentration, in mol/dm³, of the aqueous ammonia.

(2)

concentration of aqueous ammonia = mol/dm³



- (c) Describe how you could use the method of crystallisation to obtain a pure, dry sample of ammonium sulfate from a dilute solution of ammonium sulfate.

(4)

(Total for Question 10 = 13 marks)

TOTAL FOR PAPER = 120 MARKS

