

Please write clearly in	block capitals.
Centre number	Candidate number
Surname	
Forename(s)	
Candidate signature	I declare this is my own work.

A-level PHYSICS

Paper 3 Section B Turning points in physics

Friday 5 June 2020

Afternoon

Materials

For this paper you must have:

- a pencil and a ruler
- a scientific calculator
- a Data and Formulae Booklet.

Instructions

- Use black ink or black ball-point pen.
- Fill in the boxes at the top of this page.
- Answer all questions.
- You must answer the questions in the spaces provided. Do not write outside the box around each page or on blank pages.
- If you need extra space for your answer(s), use the lined pages at the end of this book. Write the question number against your answer(s).
- Do all rough work in this book. Cross through any work you do not want to be marked.
- Show all your working.


Information

- The marks for questions are shown in brackets.
- The maximum mark for this paper is 35.
- You are expected to use a scientific calculator where appropriate.
- A Data and Formulae Booklet is provided as a loose insert.



Time allowed: The total time for both sections of this paper is 2 hours. You are advised to spend approximately 50 minutes on this section.

For Examiner's Use	
Question	Mark
1	
2	
3	
4	
TOTAL	






		Do not w
01.2	P and Q are metal plates that can be attached to a second power supply.	outside t box
	In an experiment, a potential difference (pd) is applied across P and Q so that P is positively charged and Q is negatively charged. This deflects the cathode ray.	
	Then a magnetic field is applied between the plates so that the cathode ray follows its original path to the centre of the screen.	
	What is the direction of the magnetic field? Tick (\checkmark) one box.	
	[1 mark]	
	from P to Q	
	from Q to P	
	from X to Y	
	from Y to X	
	Question 1 continues on the next page	




IB/M/Jun20/7408/3BD

		Do not write
0 1.3	Changes are made to the apparatus so that the particles in the cathode ray travel with a greater speed as they pass between plates ${f P}$ and ${f Q}$.	outside the box
	Explain how the cathode ray is restored to its original path by adjusting:	
	 only the electric field strength between P and Q only the magnetic flux density. 	
	[3 marks]	
	electric field strength only	
	magnetic flux density only	
01.4	Using the apparatus in Figure 1 , Thomson determined the specific charge of the particles in the cathode rays. Thomson compared this result with the specific charge of the hydrogen ion.	
	Discuss the significance of Thomson's results for the particles in cathode rays, when	
	compared with the specific charge of the hydrogen ion. [2 marks]	
		8











02.2	Describe how the predictions of classical theory compare with Wien and Lummer's experimental results.	Do not write outside the box
	Annotate Figure 2 as part of your answer. [2 marks]	
02.3	In 1900 Max Planck suggested a solution to the problems of the classical theory. Outline the main aspects of his suggestion. [2 marks]	
	Question 2 continues on the next page	



Turn over ►


0 2 . 4

Planck's suggestion was developed by Albert Einstein to explain the results of photoelectric effect experiments.
Discuss Einstein's explanation of photoelectricity and its significance in terms of the nature of electromagnetic radiation.
In your answer you should

• describe two relevant observations made in photoelectric experiments
• explain the failure of classical physics to account for these observations
• include the main aspects of Einstein's theory and how he explained the observations.


[6 marks]








Turn over ►





0 3.1	The scanning tunnelling microscope (STM) uses a process called quantum tunnelling.	Do not write outside the box
	Explain what is meant by quantum tunnelling of an electron in an STM. You may include a diagram as part of your answer. [2 marks]	
	Question 3 continues on the next page	
	Turn over ►	






An STM is used to map the positions of the atoms between points **A** and **B** on the surface of a sample.

Figure 3 shows some of the features of the operation of an STM.





The STM in **Figure 3** is in constant-current mode.

Describe how the STM creates a map of the positions of one row of atoms on the surface of the sample from **A** to **B**.

[3 marks]

Do not write outside the

box



The smallest size of objects that the STM can resolve is similar to the de Broglie wavelength of the tunnelling electrons. Deduce whether electrons with kinetic energies less than 1.5 eV are suitable to map the surface in **Figure 3**. [3 marks]

8

Do not write outside the

box

Turn over for the next question



0 3 . 3


Turn over ►

		Do not write
04.1	A muon travels at a speed of $0.95c$ relative to an observer.	outside the box
	The muon travels a distance of $2.5\times 10^3~m$ between two points in the frame of reference of the observer.	
	Calculate the distance between these two points in the frame of reference of the muon.	
	[2 marks]	
	distance = m	
0 4 . 2	Measurements of muons created by cosmic rays can be used to demonstrate relativistic time dilation.	
	State the measurements made and the observation that provides evidence for	
	relativistic time dilation. [2 marks]	



		Do not write
04.3	As the muons travel through the atmosphere, their speeds are reduced by interaction with the particles in the air.	outside the box
	Discuss, with reference to relativity, the effect that this reduction of speed has on the rate of detection of the muons on the surface of the Earth.	
	[3 marks]	
		7
	END OF QUESTIONS	







Question number	Additional page, if required. Write the question numbers in the left-hand margin.	




Do not write outside the box

Question	n Additional page, if required. Write the question numbers in the left-hand margin.	
number	Write the question numbers in the left-hand margin.	



Question number	Additional page, if required. Write the question numbers in the left-hand margin.





Permission to reproduce all copyright material has been applied for. In some cases, efforts to contact copyright-holders may have been unsuccessful and AQA will be happy to rectify any omissions of acknowledgements. If you have any queries please contact the Copyright Team.

Copyright $\ensuremath{\mathbb{G}}$ 2020 AQA and its licensors. All rights reserved.





IB/M/Jun20/7408/3BD